

80/27

Department of Primary Industry

RECOMMENDED MARKETING NAMES FOR FISH

Fisheries Paper 85-6

© Commonwealth of Australia 1985
ISBN 0 644 04231 1

AGPS R84/802 Cat. No. 84 2418 4

Printed by Canberra Publishing and Printing Co., Fyshwick A.C.T.

FOREWORD

This list of marketing names has been compiled by the Australian Fishing Industry Council under a Commonwealth Fishing Industry Research Trust Account grant. Work on the list was co-ordinated by Mr Peter Kerville. Final compilation and checking was carried out in the Management Policy Section of the Australian Fisheries Service, Department of Primary Industry.

The list will facilitate the adoption of uniform marketing names for fish at all levels of the marketing chain. This will help to reduce the confusion that exists in the fish marketing industry in Australia.

The format of the book will enable ready amendment of entries by the substitution of pages as new information on particular species becomes available.

ROBERT BAIN
Chairman
Fishing Industry Research Committee

EXPLANATORY NOTES

- 1 Where more than one scientific name is in use for a species, each is provided
eg *Thrysites atun/Leionura atun*
- 2 Where the scientific name given refers to 'Family' or 'Spp.' this indicates that the one marketing name is recommended for all members of the genus
eg *Monacanthidae Family or Priacanthus Spp.*
- 3 '(DPI) Code' refers to the number under which each species is coded in the 'List of Australian Commercial Aquatic Fauna and Flora', Special Fisheries Publication No. 2, Department of Primary Industry. Entries coded 4000 and upwards are those not yet listed in the above publication. Entries coded 5000 and upwards are those species imported in commercial quantities, which are not locally occurring and are therefore not listed in the above publication.
- 4 Each entry has been allocated to a group (A, B etc) based on the DPI code groupings. A list of these groups is provided on the following page.
- 5 Indication is also given as to whether the marketing name has either been considered and approved by all State sub-committees of the Australian Fishing Industry Council and is therefore regarded as firm (F), or is subject to further discussion (S).
- 6 Details of occurrence and common names are given for each species by State and overseas.
- 7 Where a species is known to occur in Australian waters this is indicated by "*".
- 8 Where a species is known to occur in Australian waters but is not currently of

commercial importance then this is indicated by “*NC”.

- 9 Where neither “*” nor “*NC” is present this indicates that the species does not occur in Australian waters but is known and sold in that state, coming from either interstate or overseas sources.
- 10 Where additional information is thought to be relevant, comments are provided under ‘remarks’.
- 11 The date at the bottom right hand corner of each page is the date on which each entry was updated. The date of any amendments to entries will be noted here.
- 12 An index of common and recommended marketing names is included. Where a name is a recommended marketing name ‘(RN)’ appears after that entry in the index.
- 13 An index of scientific names appearing in the book is also included.

DESCRIPTION OF GROUPS

GROUP

DESCRIPTION

A

Teleostean freshwater species

B

Salmon, trouts and similar species

C

Teleostean flat fishes

D

Cod, hake and similar species

E

Herring and similar species

F

Tunas, tuna mackerels and similar species

G

Mullets, barracudas and similar species

H

Jacks, pompanos and similar species

J

Perches, croakers, breams, basses and similar species

K

Flatheads, gurnards and similar species

L

Elasmobranchs

M

Mixed and unidentified species

N

Crustaceans

O

Imported species

P

Molluscs

Q

Species not yet listed in 'List of Australian Commercial Aquatic Fauna and Flora'.

RECOMMENDED
MARKETING NAME:

ALBACORE

(DPI) CODE 303

SCIENTIFIC NAME:

THUNNUS ALALUNGA

GROUP F

(F)

COMMON NAMES —

VIC

* ALBACORE

NSW

* ALBACORE

SA

*NC ALBACORE

TAS

* ALBACORE; ALBACORE TUNA

QLD

* ALBACORE

WA

* ALBACORE

NT

*NC ALBACORE

NZ

* ALBACORE TUNA

O./SEAS

* ALBACORE

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

ANCHOVY

SCIENTIFIC NAME:

ENGRAULIS AUSTRALIS

(DPI) CODE 290

GROUP E

(F)

COMMON NAMES —

VIC	* ANCHOVY; WHITEBAIT
NSW	* ANCHOVY; WHITEBAIT
SA	* ANCHOVY
TAS	* SOUTHERN ANCHOVY; AUSTRALIAN ANCHOVY
QLD	*NC ANCHOVY
WA	* ANCHOVY
NT	*NC ANCHOVY = <i>STOLEPHORUS</i> SPP.
NZ	* ANCHOVY
O./SEAS	* ANCHOVY (FAMILY <i>ENGRAULIDAE</i>)

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

AUSTRALIAN HERRING/TOMMY RUFF

(DPI) CODE 491

SCIENTIFIC NAME:

ARRIPIS GEORGIANUS

GROUP J

(F)

COMMON NAMES —

VIC

* TOMMY RUFF; RUFFIES

NSW

*NC RUFF

SA

* RUFF; TOMMY RUFF; TOMMY ROUGH

TAS

*NC RUFF

QLD

WA

* AUSTRALIAN HERRING

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BARRACOUTA

SCIENTIFIC NAME:

THYRSITES ATUNILEIONURA ATUN

(DPI) CODE 335

GROUP F

(F)

COMMON NAMES —

VIC * COUTA; BARRACOUTA; SNOEK

NSW * BARRACOUTA

SA * BARRACOUTA

TAS * COUTA; BARRACOUTA; SNOEK

QLD

WA * BARRACOUTA

NT

NZ * BARRACOUTA; COUTA; SNOEK

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BARRACUDA

(DPI) CODE 382

SCIENTIFIC NAME:

SPHYRAENA BARRACUDA

GROUP G

(F)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* BARRACUDA; GIANT SEA PIKE

WA

NT

* BARRACUDA

NZ

O./SEAS

* BARRACUDA = FAMILY *SPHYRAENIDAE*; SEA
PIKE; GIANT SEA PIKE

REMARKS:

NORTHERN WATERS ONLY; TWO OTHER MINOR
SPECIES SHARE THIS COMMON NAME

12.09.83

RECOMMENDED
MARKETING NAME:

BARRAMUNDI

(DPI) CODE 552

SCIENTIFIC NAME:

LATES CALCARIFER

GROUP J

(F)

COMMON NAMES —

VIC	BARRAMUNDI
NSW	BARRAMUNDI
SA	BARRAMUNDI
TAS	BARRAMUNDI
QLD	* BARRAMUNDI
WA	* BARRAMUNDI
NT	* BARRAMUNDI
NZ	
O./SEAS	

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BLUE EYE

SCIENTIFIC NAME:

HYPEROGLYPHE ANTARCTICA

(DPI) CODE 451

GROUP H

(F)

COMMON NAMES —

VIC

BLUE EYE; BIG EYE; DEEP SEA TREVALLA

NSW

BLUE EYE; TREVALLA

SA

* DEEP SEA TREVALLA

TAS

* DEEP SEA TREVALLA; SEA TREVALLY

QLD

WA

NT

NZ

* BLUE NOSE; BLUE NOSE WAREHOU; BONITA;
BLUE BREAM; STONE EYE

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BONITO — AUSTRALIAN

(DPI) CODE 320

SCIENTIFIC NAME:

SARDA AUSTRALIS

GROUP F

(F)

COMMON NAMES —

VIC

* HORSE MACKEREL; BONITO

NSW

* BONITO

SA

TAS

*NC AUSTRALIAN BONITO

QLD

*NC BONITO

WA

NT

NZ

BONITO

O./SEAS

* PACIFIC BONITO

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BONITO — ORIENTAL

(DPI) CODE 4021

SCIENTIFIC NAME:

SARDA ORIENTALIS

GROUP Q

(F)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

WA

* ORIENTAL BONITO

NT

NZ

O./SEAS

* ORIENTAL BONITO
TROPICAL ATLANTIC/PACIFIC/INDIAN OCEANS

REMARKS:

RECOMMENDED
MARKETING NAME:

BREAM — BLUE SEA

(DPI) CODE 503

SCIENTIFIC NAME:

NEMADACTYLUS VALENCIENNESI

GROUP J

(F)

COMMON NAMES —

VIC

* QUEEN SNAPPER; BLUE MORWONG

NSW

SA

* BLUE MORWONG

TAS

*NC BLUE MORWONG

QLD

WA

* QUEEN SNAPPER; BLUE MORWONG;
BLUE SEA BREAM

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BREAM — BONY

(DPI) CODE 25

SCIENTIFIC NAME:

NEMATALOSA EREBI

GROUP A

(F)

COMMON NAMES —

VIC

*NC BONY BREAM

NSW

*NC BONY BREAM

SA

* BONY BREAM; TUKARI

TAS

QLD

*NC BONY BREAM

WA

*NC BONY BREAM

NT

*NC BONY BREAM

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

BREAM — BLACK

(DPI) CODE 478

SCIENTIFIC NAME:

ACANTHOPAGRUS BUTCHERI

GROUP J

(F)

COMMON NAMES —

VIC

* BLACK BREAM; GOLDEN BREAM

NSW

* SOUTHERN BREAM; BLACK BREAM

SA

* BLACK BREAM

TAS

*NC BLACK BREAM; BREAM; SILVER BREAM

QLD

WA

* BLACK BREAM

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BREAM — PIKEY

(DPI) CODE 477

SCIENTIFIC NAME:

ACANTHOPAGRUS BERDA

GROUP J

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* PIKEY BREAM; BLACK BREAM (NORTH
QUEENSLAND)

WA

NT

* BREAM; PIKEY BREAM

NZ

O./S.EAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BREAM — SEA

(DPI) CODE 504

SCIENTIFIC NAME:

NEMADACTYLUS DOUGLASI

GROUP J

(F)

COMMON NAMES —

VIC

* MORWONG; RUBBERLIP

NSW

* MORWONG; RUBBERLIP; SEA BREAM

SA

TAS

*NC GREY MORWONG; BLUE MORWONG; GREAT PERCH; MORWONG

QLD

WA

NT

NZ

* PORAE; MORWONG

O./SEAS

REMARKS:

KNOWN AS RUBBERLIP OR MORWONG IN NSW
BUT SOLD AS SEA BREAM

12/09/83

12.09.83

RECOMMENDED
MARKETING NAME:

BREAM — SEA

(DPI) CODE 502

SCIENTIFIC NAME:

*NEMADACTYLUS/CHEILODACTYLUS
MACROPTERUS*

GROUP J

(F)

COMMON NAMES —

VIC

* MORWONG; TERAHIHI; SEA BREAM

NSW

* MORWONG; SEA BREAM; SEINE BOAT
MORWONG; JACKASS MORWONG

SA

* JACKASS FISH; MORWONG

TAS

* DEEP SEA PERCH; MOWI; SILVER PERCH;
JACKASS

QLD

MORWONG

WA

* SEA BREAM; JACKASS

NT

NZ

* TARAHIHI; TERAHIHI

O./SEAS

REMARKS:

12/09/83

12.09.83

RECOMMENDED
MARKETING NAME:

BREAM — YELLOWFIN

(DPI) CODE 476

SCIENTIFIC NAME:

ACANTHOPAGRUS AUSTRALIS

GROUP J

(F)

COMMON NAMES —

VIC

* BREAM; YELLOWFIN BREAM

NSW

* SILVER BREAM; YELLOWFIN BREAM

SA

TAS

QLD

* BREAM

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BRILL

(DPI) CODE 5021

SCIENTIFIC NAME:

COLISTIUM AMMOTRETIS GUNTHERI

GROUP O

(S)

COMMON NAMES —

VIC

BRILL
(IMPORTED)

NSW

BRILL
(IMPORTED)

SA

TAS

QLD

* BREAM

WA

NT

NZ

* BRILL

O./SEAS

REMARKS:

OCCASIONALLY IMPORTED FROM NEW ZEALAND

12.09.83

RECOMMENDED
MARKETING NAME:

BULLSEYE — RED

(DPI) CODE 4005

SCIENTIFIC NAME:

PRIACANTHUS SPP.

GROUP Q

(S)

COMMON NAMES —

VIC

NSW

*NC BIG EYE REDFISH; BULLSEYE

SA

TAS

QLD

*NC RED BULLSEYE
(MAINLY SPORT FISH)

WA

NT

*NC BIG EYE REDFISH

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

BUTTERFISH

(DPI) CODE 550

SCIENTIFIC NAME:

SELENOTOCA MULTIFASCIATA

GROUP J

(S)

COMMON NAMES —

VIC

NSW

* OLD MAID

SA

TAS

QLD

* BUTTERFISH; JOHN DORY

WA

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

CALAMARY — NORTHERN

(DPI) CODE 4030

SCIENTIFIC NAME:

LOLIGO EDULIS

GROUP Q

(S)

COMMON NAMES —

VIC	SQUID (IMPORTED)
NSW	SQUID (IMPORTED)
SA	SQUID (IMPORTED)
TAS	SQUID (IMPORTED)
QLD	*NC SQUID (IMPORTED)
WA	*NC SQUID (IMPORTED)
NT	*NC SQUID (IMPORTED)
NZ	
O./SEAS	* SQUID; VARIETY CAUGHT BY TAIWANESE IN NORTHERN AUSTRALIAN WATERS; CAUGHT IN MALAYSIAN AND INDONESIAN WATERS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

CALAMARY — SOUTHERN

(DPI) CODE 871

SCIENTIFIC NAME:

SEPIOTEUTHIS AUSTRALIS

GROUP P

(F)

COMMON NAMES —

VIC

* CALAMARY; SQUID

NSW

*NC CALAMARY

SA

* CALAMARY; SQUID

TAS

* SOUTHERN CALAMARY; GRASS SQUID

QLD

WA

SQUID

NT

SQUID

NZ

BROAD SQUID = *SEPIOTEUTHIS BILINEATA*

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

CARP — EUROPEAN

(DPI) CODE 45

SCIENTIFIC NAME:

CYPRINUS CARPIO

GROUP A

(F)

COMMON NAMES —

VIC

* EUROPEAN CARP

NSW

* EUROPEAN CARP

SA

* EUROPEAN CARP

TAS

QLD

*NC EUROPEAN CARP

WA

NT

NZ

O./SEAS

* CARP

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

CATFISH — FRESHWATER

(DPI) CODE 30

SCIENTIFIC NAME:

TANDANUS TANDANUS

GROUP A

(F)

COMMON NAMES —

VIC

*NC CATFISH

NSW

* CATFISH

SA

* CATFISH

TAS

QLD

*NC FRESH WATER JEWFISH; CATFISH

WA

NT

NZ

O./SEAS

OVERSEAS FRESHWATER CATFISH IS FAMILY
ICTALURIDAE; EUROPE AND NORTH AMERICA

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

COD

(DPI) CODE 5006

SCIENTIFIC NAME:

GADUS MORHUAI/G. CALLARIAS

GROUP O

(S)

COMMON NAMES —

VIC

COD
(IMPORTED)

NSW

COD
(IMPORTED)

SA

COD
(IMPORTED)

TAS

COD
(IMPORTED)

QLD

COD
(IMPORTED)

WA

COD
(IMPORTED)

NT

COD
(IMPORTED)

NZ

O./SEAS

COD; CAUGHT IN NORTH ATLANTIC

REMARKS:

A MOST IMPORTANT FOOD FISH IN EUROPE;
IMPORTED AS FROZEN FILLETS, SMOKED
FILLETS, FISH FINGERS AND CRUMBED
PORTIONS

12.09.83

RECOMMENDED
MARKETING NAME:

COD — BLUE

(DPI) CODE 5002

SCIENTIFIC NAME:

PARAPERCIS COLIAS

GROUP O

(S)

COMMON NAMES —

VIC

BLUE COD
(IMPORTED)

NSW

BLUE COD
(IMPORTED)

SA

TAS

QLD

WA

NT

NZ

* BLUE COD

O./SEAS

REMARKS:

IMPORTED FROM NEW ZEALAND EITHER
SMOKED OR HEADED AND GUTTED

12.09.83

RECOMMENDED
MARKETING NAME:

COD — MURRAY

(DPI) CODE 20

SCIENTIFIC NAME:

MACCULLOCHELLA PEELI

GROUP A

(F)

COMMON NAMES —

VIC	* MURRAY COD
NSW	* MURRAY COD
SA	* MURRAY COD
TAS	
QLD	*NC MURRAY COD
WA	*NC MURRAY COD
NT	*NC MURRAY COD
NZ	
O./SEAS	

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

COD — PACIFIC

(DPI) CODE 5007

SCIENTIFIC NAME:

GADUS MACROCEPHALUS

GROUP O

(S)

COMMON NAMES —

VIC

COD
(IMPORTED)

NSW

COD
(IMPORTED)

SA

TAS

QLD

WA

COD
(IMPORTED)

NT

NZ

O./SEAS

* PACIFIC COD; TRUE COD CAUGHT IN NORTH
PACIFIC

REMARKS:

IMPORTED OCCASIONALLY FROM JAPAN

12.09.83

RECOMMENDED
MARKETING NAME:

COD — RED

(DPI) CODE 5015

SCIENTIFIC NAME:

PSEUDOPHYCIS BACHUS

GROUP O

(S)

COMMON NAMES —

VIC

* RED COD
(IMPORTED)

NSW

RED COD
(IMPORTED)

SA

RED COD
(IMPORTED)

TAS

RED COD; COD; HORA
(IMPORTED)

QLD

RED COD
(IMPORTED)

WA

RED COD
(IMPORTED)

NT

RED COD
(IMPORTED)

NZ

* RED COD

O./SEAS

REMARKS:

IMPORTED FROM NEW ZEALAND AS FILLETS
BOTH SMOKED AND UNSMOKED

12.09.83

RECOMMENDED
MARKETING NAME:

COD — SMOKED SOUTH AFRICAN

(DPI) CODE 5025

SCIENTIFIC NAME:

MERLUCCIOUS CAPENSIS

GROUP O

(S)

COMMON NAMES —

VIC

SMOKED COD
(IMPORTED)

NSW

SMOKED COD; CAPE COD
(IMPORTED)

SA

SMOKED COD; CAPE COD
(IMPORTED)

TAS

SMOKED COD; CAPE COD
(IMPORTED)

QLD

SMOKED COD; CAPE COD
(IMPORTED)

WA

SMOKED COD
(IMPORTED)

NT

SMOKED COD
(IMPORTED)

NZ

O./SEAS

* HAKE; CAPE HAKE; WHITING (USA); HADDOCK
(SOUTH AFRICA)

REMARKS:

IMPORTED IN CONSIDERABLE VOLUME FROM
SOUTH AFRICA - USUALLY DESCRIBED AS
SMOKED COD OR CAPE COD FILLETS

12.09.83

RECOMMENDED
MARKETING NAME:

COD — SOUTHERN ROCK

(DPI) CODE 201

SCIENTIFIC NAME:

PSEUDOPHYCIS BARBATA

GROUP D

(F)

COMMON NAMES —

VIC

* SOUTHERN ROCK COD

NSW

* BEARDY

SA

* BEARDED SOUTHERN ROCK COD

TAS

* SOUTHERN ROCK COD; BEARDED ROCK COD

QLD

WA

BEARDIE = *LOTELLA RHACINUS*

NT

NZ

ROCK COD = *LOTELLA RHACINUS*

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

COLEY

(DPI) CODE 5003

SCIENTIFIC NAME:

POLLACHIUS VIRENS

GROUP O

(S)

COMMON NAMES —

VIC

COLEY

NSW

COLEY
(IMPORTED)

SA

COLEY
(IMPORTED)

TAS

COLEY
(IMPORTED)

QLD

COLEY
(IMPORTED)

WA

COLEY
(IMPORTED)

NT

NZ

O./SEAS

* SAI THE; COLEY; COALFISH; CAUGHT IN NORTH
ATLANTIC

REMARKS:

IMPORTED OCCASIONALLY FROM UK AND
SCANDINAVIA; IN THE SMOKED FORM IT IS
SOMETIMES SUBSTITUTED FOR SMOKED
SHETLAND COD

RECOMMENDED
MARKETING NAME:

CONWAY

(DPI) CODE 573

SCIENTIFIC NAME:

OPLEGNATHUS WOODWARDI

GROUP J

(S)

COMMON NAMES —

VIC

* KNIFEJAW

NSW

*NC KNIFEJAW

SA

*NC KNIFEJAW

TAS

* KNIFEJAW; HOOFJAW; HORSESHOE-JAW

QLD

WA

* KNIFEJAW

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

DHUFISH—WEST AUSTRALIAN

(DPI) CODE 562

SCIENTIFIC NAME:

GLAUCOSOMA HEBRAICUM

GROUP J

(F)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

WA

* DHUFISH; WESTRALIAN JEWFISH

NT

NZ

O./SEAS

REMARKS:

EXCLUSIVE TO SOUTH OF WEST AUSTRALIA

12.09.83

RECOMMENDED
MARKETING NAME:

DOGFISH — ENDEAVOUR

(DPI) CODE 4070

SCIENTIFIC NAME:

CENTROPHORUS SCALPRATUS

GROUP Q

(S)

COMMON NAMES —

VIC

* ENDEAVOUR DOGFISH; ENDEAVOUR DOGS;
ENDEAVOUR SHARK

NSW

SA

* ENDEAVOUR SHARK

TAS

*NC SOUTHERN DOGFISH

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

DOGFISH — GREEN-EYE

(DPI) CODE 4002

SCIENTIFIC NAME:

SQUALUS BLAINVILLEI

GROUP Q

(F)

COMMON NAMES —

VIC

*NC GREEN-EYE; GREEN-EYE DOGFISH

NSW

* GREEN-EYE DOGFISH

SA

*NC GREEN-EYE DOGFISH

TAS

* GREEN-EYED DOGFISH; BLAINVILLES DOGFISH;
GREY SPINY DOGFISH; SPINY DOGFISH

QLD

WA

NT

NZ

* NORTHERN SPINY DOGFISH

O./SEAS

* NORTHERN DOGFISH; TEMPERATE AND WARM
SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

DOGFISH — SPIKEY

(DPI) CODE 670

SCIENTIFIC NAME:

SQUALUS MEGALOPS

GROUP L

(F)

COMMON NAMES ---

VIC

* SPIKEY; DOGSHARK; SPURDOG

NSW

* SPIKEY DOG; SPIKED DOGFISH

SA

* PIKED DOGFISH

TAS

*NC SPIKED DOGFISH; DOGSHARK; SPURDOG;
PIKED DOGFISH

QLD

SKITTLE DOGFISH

WA

* PIKED DOGFISH

NT

NZ

SPINY/SPIKY DOGFISH =
SQ. GRIFFINI/SQ. ACANTHIAS

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

DOGFISH — WHITE SPOTTED

(DPI) CODE 4074

SCIENTIFIC NAME:

SQUALUS ACANTHIAS

GROUP Q

(S)

COMMON NAMES —

VIC

*NC WHITE SPOTTED DOGFISH

NSW

SA

TAS

*NC WHITE SPOTTED DOGFISH;
SPINY DOGFISH; SPURDOG

QLD

WA

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

DORY — BLACK OREO

(DPI) CODE 5040

SCIENTIFIC NAME:

ALLOCYTTUS SPP.

GROUP O

(S)

COMMON NAMES —

VIC OREO DORY

NSW OREO ODRY

SA

TAS

QLD OREO DORY

WA

NT

NZ * BLACK OREO DORY

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

DORY — JOHN

(DPI) CODE 750

SCIENTIFIC NAME:

ZEUS FABER

GROUP M

(F)

COMMON NAMES —

VIC

* JOHN DORY

NSW

* JOHN DORY

SA

*NC JOHN DORY

TAS

* JOHN DORY; KUPARU

QLD

*NC JOHN DORY

NT

NZ

*JOHN DORY; SCIENTIFIC NAMES *ZEUS FABER*
AND *ZEUS JAPONICUS* BOTH USED

O./SEAS

*JOHN DORY; PETER-FISH

REMARKS:

RECOMMENDED
MARKETING NAME:

DORY — KING

(DPI) CODE 753

SCIENTIFIC NAME:

CYTTUS TRAVERSI

GROUP M

(S)

COMMON NAMES —

VIC

* KING DORY

NSW

* KING DORY

SA

KING DORY

TAS

* KING DORY; HORSEHEAD; LOOKDOWN DORY;
MCCULLOCH'S DORY

QLD

WA

NT

NZ

LOOKDOWN DORY

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

DORY — MIRROR

(DPI) CODE 751

SCIENTIFIC NAME:

ZENOPSIS NEBULOSUS

GROUP M

(F)

COMMON NAMES —

VIC

* MIRROR DORY

NSW

* MIRROR DORY; SILVER DORY

SA

*NC MIRROR DORY

TAS

* MIRROR DORY

QLD

WA

*NC MIRROR DORY

NT

NZ

*NC MIRROR DORY

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

DORY — SILVER

(DPI) CODE 752

SCIENTIFIC NAME:

CYTTUS AUSTRALIS

GROUP M

(F)

COMMON NAMES —

VIC

* SILVER DORY; RED DORY; SUN DORY

NSW

* RED DORY; SILVER DORY

SA

* SILVER DORY

TAS

* SILVER DORY

QLD

WA

* SILVER DORY

NT

NZ

SILVER DORY = *CYTTUS NOVAEZELANDIAE*

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

DORY — SMOOTH OREO

(DPI) CODE 5041

SCIENTIFIC NAME:

PSEUDOCYTTUS MACULATUS

GROUP O

(S)

COMMON NAMES —

VIC

* SMOOTH OREO DORY; SMOOTH DORY

NSW

*NC SMOOTH OREO DORY; SMOOTH DORY

SA

TAS

*NC SPOTTED DORY; SMOOTH OREO;
SPOTTED OREO

QLD

SMOOTH OREO DORY; SMOOTH DORY

WA

NT

NZ

* SMOOTH OREO DORY; SMOOTH DORY;
ST PIERRE

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

EEL — CONGER

(DPI) CODE 774

SCIENTIFIC NAME:

CONGER VERREAUXI

GROUP M

(F)

COMMON NAMES —

VIC

* CONGER EEL

NSW

* CONGER EEL

SA

* CONGER EEL

TAS

* SOUTHERN CONGER EEL; COMMON CONGER
EEL; CONGER EEL

QLD

WA

* CONGER EEL

NT

NZ

* CONGER EEL = *CONGER WILSONII*C.
VERREAUXI

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

EEL — LONGFIN

(DPI) CODE 4026

SCIENTIFIC NAME:

ANGUILLA REINHARDTII

GROUP Q

(F)

COMMON NAMES —

VIC

*NC LONGFIN EEL

NSW

*NC LONGFIN EEL

SA

* LONGFIN EEL

TAS

* LONG-FINNED EEL; FRESHWATER EEL; RIVER
EEL; SPOTTED EEL

QLD

* EEL; LONGFIN EEL

WA

NT

NZ

* LONGFIN EEL

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

EEL — SHORTFIN

(DPI) CODE 35

SCIENTIFIC NAME:

ANGUILLA AUSTRALIS

GROUP A

(F)

COMMON NAMES —

VIC

* SHORTFIN EEL; SILVER EEL

NSW

SHORTFIN EEL

SA

*NC SHORTFINNED EEL

TAS

* SHORT-FINNED EEL; FRESHWATER EEL; RIVER
EEL; SILVER EEL

QLD

WA

NT

NZ

* SHORTFIN EEL

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

ELEPHANT FISH

(DPI) CODE 676

SCIENTIFIC NAME:

CALLORHYNCHUS MILII

GROUP L

(F)

COMMON NAMES —

VIC

* ELEPHANT SHARK; GHOST SHARK; WHITE FILLETS

NSW

*NC ELEPHANT SHARK

SA

*NC ELEPHANT SHARK; GHOST SHARK

TAS

* ELEPHANT FISH; ELEPHANT SHARK; GHOST SHARK; REPEREPE; WHITE FISH

QLD

*NC ELEPHANT SHARK

WA

* ELEPHANT SHARK; GHOST SHARK

NT

NZ

O./SEAS

RELATED TO *CALLORHYNCHUS*
CALLORHYNCHUS — ELEPHANT FISH

REMARKS:

IN VICTORIA SOLD FRESH OUT AS ELEPHANT FISH, FILLETED FROZEN AS WHITE FILLETS AND COOKED IN TAKE-AWAYS AS FLAKE

12.09.83

RECOMMENDED
MARKETING NAME:

ESCOLAR

(DPI) CODE 4072

SCIENTIFIC NAME:

RUVETTUS PRETIOSUS

GROUP Q

(F)

COMMON NAMES —

VIC

* OIL FISH; ESCOLAR

NSW

* OIL FISH; ESCOLAR

SA

TAS

*NC OIL FISH

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLATHEAD — BARTAILED

(DPI) CODE 610

SCIENTIFIC NAME:

PLATYCEPHALUS INDICUS

GROUP K

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

*NC FLATHEAD; BARTAILED FLATHEAD

WA

NT

* FLATHEAD

NZ

O./SEAS

* BARTAILED FLATHEAD; INDO/PACIFIC AND EAST
MEDITERRANEAN

REMARKS:

12.09.83

RECOMMENDED:
MARKETING NAME:

FLATHEAD — DEEP SEA

(DPI) CODE 617

SCIENTIFIC NAME:

NEOPLATYCEPHALUS SPECULATOR

GROUP K

(S)

COMMON NAMES —

VIC	* TOOTHY FLATHEAD
NSW	SPIKEY FLATHEAD
SA	*NC DEEPWATER FLATHEAD
TAS	*DEEPWATER FLATHEAD; KING FLATHEAD
QLD	
WA	*NC DEEP SEA FLATHEAD
NT	
NZ	
O./SEAS	

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLATHEAD — DEEP WATER

(DPI) CODE 618

SCIENTIFIC NAME:

NEOPLATYCEPHALUS CONATUS

GROUP K

(S)

COMMON NAMES —

VIC

* FLATHEAD; TRAWL FLATHEAD

NSW

SA

* DEEP WATER FLATHEAD

TAS

* DEEP WATER FLATHEAD

QLD

WA

* DEEP WATER FLATHEAD

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLATHEAD — DUSKY

(DPI) CODE 615

SCIENTIFIC NAME:

PLATYCEPHALUS FUSCUS

GROUP K

(F)

COMMON NAMES —

VIC

* FLATHEAD

NSW

DUSKY; BLACK FLATHEAD (WHEN FROM RIVERS)

SA

TAS

QLD

* DUSKY FLATHEAD; MUD FLATHEAD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLATHEAD — LONGNOSE

(DPI) CODE 622

SCIENTIFIC NAME:

PLATYCEPHALUS CAERULEOPUNCTATUS

GROUP K

(F)

COMMON NAMES —

VIC

* SHOVELNOSE FLATHEAD; YANK FLATHEAD;
BLUE SPOT FLATHEAD

NSW

* SAND FLATHEAD

SA

TAS

QLD

*NC LONG NOSED FLATHEAD

WA

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

FLATHEAD — NORTHERN SAND

SCIENTIFIC NAME:

PLATYCEPHALUS ARENARIUS

(DPI) CODE 620

GROUP K

(S)

COMMON NAMES —

VIC

NSW

*NC FLATHEAD

SA

TAS

QLD

* SAND FLATHEAD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLATHEAD — ROCK

(DPI) CODE 625

SCIENTIFIC NAME:

PLATYCEPHALUS LAEVIGATUS

GROUP K

(F)

COMMON NAMES —

VIC

* ROCK FLATHEAD

NSW

*NC ROCK FLATHEAD

SA

* ROCK FLATHEAD

TAS

*NC ROCK FLATHEAD; KING FLATHEAD; GRASSY
FLATHEAD; SMOOTH FLATHEAD

QLD

WA

* ROCK FLATHEAD

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLATHEAD — SAND

(DPI) CODE 621

SCIENTIFIC NAME:

PLATYCEPHALUS BASSENSIS

GROUP K

(F)

COMMON NAMES —

VIC

* SAND FLATHEAD; SLIMY FLATHEAD

NSW

* SAND FLATHEAD

SA

* SAND FLATHEAD

TAS

* SAND FLATHEAD; COMMON FLATHEAD; BAY
FLATHEAD; SANDY FLATHEAD; SLIMY FLATHEAD

QLD

WA

* SAND FLATHEAD

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLATHEAD — SPINY

(DPI) CODE 4017

SCIENTIFIC NAME:

HOPlichthys haswelli

GROUP Q

(F)

COMMON NAMES —

VIC

*NC DEEP SEA FLATHEAD

NSW

*NC DEEP SEA FLATHEAD

SA

*NC DEEP SEA FLATHEAD

TAS

*NC SPINY FLATHEAD; DEEPSEA FLATHEAD;
GHOST FLATHEAD

QLD

WA

* DEEP SEA FLATHEAD; SPINY FLATHEAD

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLATHEAD — TIGER

(DPI) CODE 616

SCIENTIFIC NAME:

NEOPLATYCEPHALUS RICHARDSONI

GROUP K

(F)

COMMON NAMES —

VIC

* TIGER FLATHEAD; TRAWL FLATHEAD

NSW

* TIGER FLATHEAD; TRAWL FLATHEAD

SA

TAS

* TIGER FLATHEAD; KING FLATHEAD

QLD

FLATHEAD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLOUNDER — ARROWTOOTH

(DPI) CODE 5001

SCIENTIFIC NAME:

ATHERESTHES STOMIAS/ATH. EVERMANNI

GROUP O

(S)

COMMON NAMES —

VIC

ARROWTOOTH FLOUNDER; ARROWTOOTH
TURBOT
(IMPORTED)

NSW

ARROWTOOTH FLOUNDER; ARROWTOOTH
TURBOT
(IMPORTED)

SA

ARROWTOOTH FLOUNDER; ARROWTOOTH
TURBOT
(IMPORTED)

TAS

QLD

ARROWTOOTH FLOUNDER; ARROWTOOTH
TURBOT
(IMPORTED)

WA

ARROWTOOTH FLOUNDER; ARROWTOOTH
TURBOT
(IMPORTED)

NT

NZ

O./SEAS

ARROWTOOTH FLOUNDER; CAUGHT IN NORTH
PACIFIC

REMARKS:

OCCASIONALLY IMPORTED FROM JAPAN

RECOMMENDED
MARKETING NAME:

FLOUNDER — BAY

(DPI) CODE 4075

SCIENTIFIC NAME:

AMMOTRETIS ROSTRATUS

GROUP Q

(S)

COMMON NAMES —

VIC

* BAY FLOUNDER

NSW

BAY FLOUNDER

SA

FLOUNDER

TAS

* FLOUNDER; LONG-SNOURED FLOUNDER; SOLE

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

FLOUNDER — GREENBACK

(DPI) CODE 151

SCIENTIFIC NAME:

RHOMBOSOLEA TAPIRINA

GROUP C

(F)

COMMON NAMES —

VIC

* FLOUNDER; GREENBACK FLOUNDER

NSW

* FLOUNDER

SA

* FLOUNDER

TAS

* GREENBACK FLOUNDER; MELBOURNE
FLOUNDER

QLD

WA

*NC FLOUNDER

NT

NZ

BLACK FLOUNDER = *RHOMBOSOLEA RETIARA*;
SAND FLOUNDER = *RHOMBOSOLEA PLEBEIA*

O./SEAS

REMARKS:

LESSER COMMERCIAL SPECIES ARE
AMMOTRETIS ROSTRATUS AND *AMMOTRETIS
TUDORI*

12.09.83

RECOMMENDED
MARKETING NAME:

GARFISH — EASTERN SEA

(DPI) CODE 710

SCIENTIFIC NAME:

HYPORHAMPHUS AUSTRALIS

GROUP M

(F)

COMMON NAMES —

VIC

*NC SEA GARFISH

NSW

* SEA GARFISH

SA

TAS

QLD

* SEA GARFISH

WA

NT

NZ

GARFISH/PIPER/HALFBEAK = *HYPORHAMPHUS*
IHI

O./SEAS

HEMIRAMPHIDAE SPP. ARE KNOWN AS
HALFBEAK

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

GARFISH — NORTHERN

(DPI) CODE 716

SCIENTIFIC NAME:

ARRHAMPHUS SCLEROLEPIS

GROUP M

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* GARFISH; SNUB NOSE GARFISH

WA

NT

NZ

O./SEAS

REMARKS:

QUITE DIFFERENT TO SOUTHERN SPECIES

RECOMMENDED
MARKETING NAME:

GARFISH — NORTHERN

(DPI) CODE 4063

SCIENTIFIC NAME:

HEMIRAMPHUS ROBUSTUS

GROUP Q

(S)

COMMON NAMES —

VIC

NSW

*NC THREE BY TWO GARFISH

SA

TAS

QLD

* GARFISH; THREE BY TWO GARFISH

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

GARFISH — RIVER

(DPI) CODE 714

SCIENTIFIC NAME:

HYPORHAMPHUS ARDELIO

GROUP M

(F)

COMMON NAMES —

VIC

* LAKES GARFISH; NEEDLE GARFISH

NSW

* RIVER GARFISH

SA

TAS

QLD

* RIVER GARFISH; NEEDLE GAR

WA

NT

NZ

O./SEAS

HEMIRAMPHIDAE SPP. ARE KNOWN AS
HALFBEAK

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

GARFISH — SOUTHERN SEA

(DPI) CODE 712

SCIENTIFIC NAME:

HYPORHAMPHUS IHI MELANOCHIR

GROUP M

(F)

COMMON NAMES —

VIC

* GARFISH

NSW

SA

* SOUTH AUSTRALIAN GARFISH

TAS

* SOUTHERN GARFISH; SOUTH AUSTRALIAN
GARFISH

QLD

WA

* GARFISH; SOUTHERN SEA GARFISH

NT

NZ

GARFISH/PIPER/HALFBEAK = *HYPORHAMPHUS
IHI*

O./SEAS

HEMIRAMPHIDAE SPP. ARE KNOWN AS
HALFBEAK

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

GEMFISH

(DPI) CODE 336

SCIENTIFIC NAME:

REXEA SOLANDRI

GROUP F

(F)

COMMON NAMES —

VIC

* HAKE; GEMFISH

NSW

* HAKE; GEMFISH

SA

* GEMFISH

TAS

* GEMFISH; HAKE; KING COUTA; KINGFISH;
SILVER KINGFISH; SOUTHERN KINGFISH

QLD

* GEMFISH

WA

HAKE; GEMFISH

NT

NZ

* SILVER KINGFISH; SOUTHERN KINGFISH;
GEMFISH

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

GOLDFISH

SCIENTIFIC NAME:

(DPI) CODE 47
CARASSIUS AURATUS/CYPRINUS AURATUS
GROUP A
(F)

COMMON NAMES —

VIC	*NC GOLDFISH
NSW	*NC GOLDFISH
SA	*NC GOLDEN CARP; GOLDFISH
TAS	*NC GOLDFISH; CARP; CRUCIAN CARP; GOLDEN CARP
QLD	*NC GOLDFISH
WA	*NC GOLDFISH
NT	*NC GOLDFISH
NZ	
O./SEAS	* GOLDFISH - ORIGINALLY EX-JAPAN AND CHINA
REMARKS:	LITTLE USED FOR ANYTHING EXCEPT FISHING BAIT

12.09.83

RECOMMENDED
MARKETING NAME:

GRENADIER — BLUE

(DPI) CODE 226

SCIENTIFIC NAME:

MACRURONUS NOVAEZELANDIAE

GROUP D

(F)

COMMON NAMES —

VIC

* BLUE GRENADIER; WHIPTAIL

NSW

* BLUE GRENADIER; WHIPTAIL

SA

* BLUE GRENADIER; WHIPTAIL

TAS

* BLUE GRENADIER; WHIPTAIL; NEW ZEALAND
WHIPTAIL; BLUE HAKE

QLD

WA

NT

NZ

* HOKI; WHIPTAIL; BLUE HAKE

O./SEAS

* WHIPTAIL

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

GURNARD — BUTTERFLY

(DPI) CODE 4076

SCIENTIFIC NAME:

LEPIDOTRIGLA VANESSA

GROUP Q

(S)

COMMON NAMES —

VIC

* BUTTERFLY GURNARD

NSW

* BUTTERFLY GURNARD

SA

* BUTTERFLY GURNARD

TAS

*NC BUTTERFLY GURNARD

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

GURNARD — RED

(DPI) CODE 601

SCIENTIFIC NAME:

CHELIDONICHTHYS KUMU

GROUP K

(F)

COMMON NAMES —

VIC

* GURNARD; FLYING GURNARD

NSW

* GURNARD

SA

* GURNARD

TAS

* RED GURNARD; KUMU GURNARD; KUMUKUMU

QLD

WA

* RED GURNARD

NT

*NC GURNARD

NZ

* *TRIGLA KUMU* = RED GURNARD

O./SEAS

KNOWN IN SOUTH AFRICA AND CHINA

REMARKS:

THE MOST ABUNDANT GURNARD SPECIES

RECOMMENDED
MARKETING NAME:

HADDOCK

(DPI) CODE 5011

SCIENTIFIC NAME:

MELANOGRAMMUS AEGLEFINUS/
GADUS AEGLEFINUS

GROUP O

(S)

COMMON NAMES —

VIC

HADDOCK
(IMPORTED)

NSW

HADDOCK
(IMPORTED)

SA

HADDOCK
(IMPORTED)

TAS

HADDOCK
(IMPORTED)

QLD

HADDOCK
(IMPORTED)

WA

HADDOCK
(IMPORTED)

NT

HADDOCK
(IMPORTED)

NZ

O./SEAS

* HADDOCK; SCROD;
CAUGHT IN NORTH ATLANTIC AND ARCTIC

REMARKS:

IMPORTED FROM WESTERN EUROPE

12.09.83

RECOMMENDED
MARKETING NAME:

HAKE

(DPI) CODE 5027

SCIENTIFIC NAME:

MERLUCCIIUS AUSTRALIS

GROUP O

(S)

COMMON NAMES —

VIC

HAKE

NSW

HAKE

SA

HAKE

TAS

HAKE

QLD

HAKE

WA

HAKE

NT

HAKE

NZ

* HAKE; ENGLISH HAKE; WHITING

O./SEAS

HAKE; CAUGHT IN SOUTH PACIFIC BETWEEN
NEW ZEALAND AND SOUTH AMERICA

REMARKS:

IMPORTED FROM JAPAN, CHILE AND
INFREQUENTLY FROM NEW ZEALAND

12.09.83

RECOMMENDED
MARKETING NAME:

HAKE — ARGENTINE

(DPI) CODE 5026

SCIENTIFIC NAME:

MERLUCCIOUS HUBBSI

GROUP O

(S)

COMMON NAMES —

VIC

HAKE
(IMPORTED)

NSW

HAKE
(IMPORTED)

SA

HAKE
(IMPORTED)

TAS

QLD

WA

HAKE
(IMPORTED)

NT

NZ

O./SEAS

SOUTHWEST ATLANTIC HAKE
CAUGHT OFF ARGENTINA AND URUGUAY

REMARKS:

OCCASIONALLY IMPORTED FROM ARGENTINA
AND JAPAN

12.09.83

RECOMMENDED
MARKETING NAME:

HAKE — CAPE

(DPI) CODE 5003

SCIENTIFIC NAME:

MERLUCCIOUS CAPENSIS

GROUP O

(S)

COMMON NAMES —

VIC

HAKE
(IMPORTED)

NSW

HAKE
(IMPORTED)

SA

HAKE
(IMPORTED)

TAS

HAKE
(IMPORTED)

QLD

HAKE
(IMPORTED)

WA

HAKE
(IMPORTED)

NT

HAKE
(IMPORTED)

NZ

O./SEAS

* HAKE; CAPE HAKE; STOCKFISH; WHITING (USA);
HADDOCK (SOUTH AFRICA)

REMARKS:

IMPORTED IN SUBSTANTIAL QUANTITIES FROM
SOUTH AFRICA AND JAPAN AS FILLETS EITHER
FRESH FROZEN OR SMOKED (LATTER CALLED
SMOKED COD OR CAPE COD)

12.09.83

RECOMMENDED
MARKETING NAME:

HAKE — CHILEAN

(DPI) CODE 5004

SCIENTIFIC NAME:

MERLUCCIOUS GAYI

GROUP O

(S)

COMMON NAMES —

VIC

HAKE
(IMPORTED)

NSW

HAKE
(IMPORTED)

SA

HAKE
(IMPORTED)

TAS

HAKE
(IMPORTED)

QLD

HAKE
(IMPORTED)

WA

HAKE
(IMPORTED)

NT

NZ

O./SEAS

CHILEAN HAKE; PERUVIAN HAKE; WHITING (USA);
CAUGHT IN SOUTH EASTERN PACIFIC

REMARKS:

IMPORTED MOST FREQUENTLY FROM JAPAN
BUT ALSO FROM CHILE; SIMILAR TO
MERLUCCIOUS CAPENSIS

12.09.83

RECOMMENDED
MARKETING NAME:

HAPUKA

(DPI) CODE 541

SCIENTIFIC NAME:

POLYPRION OXYGENEIOS

GROUP J

(F)

COMMON NAMES —

VIC

* HAPUKU

NSW

* HAPUKU; HAPUKA

SA

* NC GROPER; HAPUKA

TAS

* HAPUKU; HAPUKA; GROPER;
NEW ZEALAND GROPER

QLD

WA

*NC HAPUKA

NT

NZ

* HAPUKU (NORTH ISLAND); GROPER (SOUTH
ISLAND)

O./SEAS

REMARKS:

CORRECTLY SPELT 'HAPUKU', HOWEVER IT IS
MOST COMMONLY SPELT 'HAPUKA' IN
RESTAURANTS SO FROM MARKETING POINT OF
VIEW IT IS MORE APPROPRIATE IF SPELT WITH 'A'

12.09.83

RECOMMENDED
MARKETING NAME:

HERRING

(DPI) CODE 5012

SCIENTIFIC NAME:

CLUPEA HARENGUS

GROUP O

(F)

COMMON NAMES —

VIC

HERRING
(IMPORTED)

NSW

HERRING
(IMPORTED)

SA

HERRING
(IMPORTED)

TAS

HERRING
(IMPORTED)

QLD

HERRING
(IMPORTED)

WA

HERRING
(IMPORTED)

NT

HERRING
(IMPORTED)

NZ

O./SEAS

* HERRING; DIGBY; SILD; YAWLING; CAUGHT IN
NORTH ATLANTIC

REMARKS:

IN SMOKED FORM KNOWN AS KIPPERS;
IMPORTED FROM UNITED KINGDOM, CANADA
AND WESTERN EUROPE AS SALTED HERRINGS

12.09.83

RECOMMENDED
MARKETING NAME:

KINGCLIP

(DPI) CODE 5013

SCIENTIFIC NAME:

GENYPTERUS CAPENSIS

GROUP O

(S)

COMMON NAMES —

VIC

NSW

LING; KINGCLIP
(IMPORTED INFREQUENTLY)

SA

TAS

QLD

WA

KINGCLIP
(IMPORTED)

NT

NZ

O./SEAS

* KINGCLIP; CAUGHT IN SOUTH EAST ATLANTIC
AND SOUTH WEST INDIAN OCEANS

REMARKS:

IMPORTED FROM SOUTH AFRICA AND JAPAN;
FREQUENTLY SOLD AS DHUFISH (WESTERN
AUSTRALIA), LING, OR BARRAMUNDI

12.09.83

RECOMMENDED
MARKETING NAME:

KINGFISH — BLACK

(DPI) CODE 421

SCIENTIFIC NAME:

RACHYCENTRON CANADUS/R. PONDICERIANUM

GROUP H

(F)

COMMON NAMES —

VIC

NSW

BLACK KINGFISH

SA

TAS

QLD

* BLACK KINGFISH

WA

* BLACK KINGFISH; COBIA

NT

*NC BLACK KINGFISH; COBIA

NZ

O./SEAS

* COBIA; CABIO; BLACK BONITO; CAUGHT IN
NORTH ATLANTIC AND MEDITERRANEAN

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

KINGFISH — YELLOWTAIL

(DPI) CODE 425

SCIENTIFIC NAME:

SERIOLA LALANDI

GROUP H

(F)

COMMON NAMES —

VIC

* YELLOWTAIL KINGFISH

NSW

* KINGFISH; YELLOWTAIL KINGFISH

SA

YELLOWTAIL

TAS

*NC YELLOWTAIL KINGFISH; KINGIE;
YELLOWTAIL; TASMANIAN YELLOWTAIL

QLD

* YELLOWTAIL; YELLOWTAIL KINGFISH

WA

* YELLOWTAIL KINGFISH

NT

NZ

* NORTHERN KINGFISH; YELLOWTAIL; HAKU

O./SEAS

YELLOWTAIL = *SERIOLA* SPP.; AMBERJACK

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

LATCHET

(DPI) CODE 605

SCIENTIFIC NAME:

PTERYGOTRIGLA POLYOMMATA

GROUP K

(F)

COMMON NAMES —

VIC

* LATCHET

NSW

* LATCHET; SHARP BEAKED GURNARD

SA

* LATCHET; SHARP BEAKED GURNARD

TAS

* LATCHET

QLD

WA

* LATCHET

NT

NZ

SPOTTED GURNARD = *PTERYGOTRIGLA PICTA*

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

LEATHERJACKET

(DPI) CODE 701

SCIENTIFIC NAME:

MONACANTHIDAE FAMILY

GROUP M

(F)

COMMON NAMES —

VIC

* LEATHERJACKET

NSW

* LEATHERJACKET

SA

* LEATHERJACKET; SILVER FLOUNDER

TAS

* LEATHERJACKET = *MEUSCHENIA AUSTRALIS*/
M. FREYCINETII/*THAMNOCONUS DEGENII*/
PENICIPELTA VITTIGER

QLD

* LEATHERJACKET

WA

* LEATHERJACKET; SILVER FLOUNDER

NT

*NC LEATHERJACKET

NZ

LEATHERJACKET; CREAMFISH = *NAVODON*
SCABER

O./SEAS

REMARKS:

NAME LEATHERJACKET TO ENCOMPASS ALL
MEMBERS OF THE FAMILY EXCEPT CHINAMAN
LEATHERJACKET

12.09.83

RECOMMENDED
MARKETING NAME:

LEATHER JACKET — CHINAMAN

(DPI) CODE 4001

SCIENTIFIC NAME:

NELUSETTA AYRAUDI

GROUP Q

(F)

COMMON NAMES —

VIC

*NC LEATHERJACKET

NSW

* CHINAMAN; CHINAMAN LEATHERJACKET

SA

* LEATHERJACKET

TAS

QLD

WA

* CHINAMAN; CHINAMAN LEATHERJACKET

NT

NZ

LEATHERJACKET/CREAMFISH/NAVODON
SCABER

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

LEATHERJACKET — NEW ZEALAND

(DPI) CODE 5028

SCIENTIFIC NAME:

PARIKA SCABER/NAVODON SCABER

GROUP 0

(S)

COMMON NAMES —

VIC

* VELVET LEATHERJACKET

NSW

* LEATHERJACKET

SA

* VELVET LEATHERJACKET

TAS

* VELVET LEATHERJACKET

QLD

WA

* VELVET LEATHERJACKET

NT

NZ

LEATHERJACKET; CREAMFISH

O./SEAS

REMARKS:

SIMILAR TO CHINAMAN LEATHERJACKET;
NAVODON AYRAUDI IMPORTED CHIEFLY INTO
NSW IN A SKINNED FROZEN FORM

12.09.83

RECOMMENDED
MARKETING NAME:

LING — ROCK

(DPI) CODE 770

SCIENTIFIC NAME:

GENYPTERUS BLACODES

GROUP M

(F)

COMMON NAMES —

VIC

* LING

NSW

* LING

SA

* LING

TAS

*NC PINK LING; LING

QLD

WA

* LING; KINGCLIP

NT

NZ

* LING; KINGCLIP

O./SEAS

KINGCLIP = *GENYPTERUS CAPENSIS*; SOUTH AFRICA

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

LUDERICK

(DPI) CODE 565

SCIENTIFIC NAME:

GIRELLA TRICUSPIDATA

GROUP J

(F)

COMMON NAMES —

VIC

* LUDERICK

NSW

* BLACKFISH; LUDERICK; NIGGERS

SA

*NC LUDERICK

TAS

*NC LUDERICK; BLACKFISH; DARKIE; NIGGER

QLD

* BLACK BREAM; LUDERICK; BLACKFISH;
NIGGERS

WA

NT

NZ

* PARORE; BLACKFISH; LUDERICK; BLACK
BREAM; PACIFIC BREAM; MANGROVE FISH

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

MACKEREL

(DPI) CODE 5019

SCIENTIFIC NAME:

SCOMBER SCOMBRUS

GROUP O

(S)

COMMON NAMES —

VIC MACKEREL
(IMPORTED)

NSW MACKEREL
(IMPORTED)

SA MACKEREL
(IMPORTED)

TAS MACKEREL
(IMPORTED)

QLD MACKEREL
(IMPORTED)

WA MACKEREL
(IMPORTED)

NT MACKEREL
(IMPORTED)

NZ

O./SEAS * MACKEREL; CAUGHT IN THE ATLANTIC AND
NORTH SEA

REMARKS: IMPORTED FROM WESTERN EUROPE EITHER
RAW, FROZEN OR SMOKED

12.09.83

RECOMMENDED
MARKETING NAME:

MACKEREL — BLUE

(DPI) CODE 325

SCIENTIFIC NAME:

SCOMBER AUSTRALASICUS

GROUP F

(F)

COMMON NAMES —

VIC

* PACIFIC MACKEREL

NSW

* SLIMY MACKEREL

SA

*NC MACKEREL

TAS

* BLUE MACKEREL

QLD

* SLIMY MACKEREL

WA

* BLUE OR SLIMY MACKEREL

NT

NZ

* MACKEREL; COMMON MACKEREL; BLUE MACKEREL; ENGLISH MACKEREL; PACIFIC MACKEREL

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

MACKEREL — CHUB

(DPI) CODE 5020

SCIENTIFIC NAME:

SCOMBER JAPONICUS

GROUP O

(S)

COMMON NAMES —

VIC

JAPANESE MACKEREL
(IMPORTED)

NSW

JAPANESE MACKEREL
(IMPORTED)

SA

TAS

QLD

WA

NT

NZ

O./SEAS

CHUB MACKEREL; PACIFIC MACKEREL; CAUGHT
IN THE NORTH PACIFIC.

REMARKS:

IMPORTED INFREQUENTLY FROM JAPAN

12.09.83

RECOMMENDED
MARKETING NAME:

MACKEREL — FRIGATE

(DPI) CODE 4012

SCIENTIFIC NAME:

AUXIS THAZARD

GROUP Q

(F)

COMMON NAMES —

VIC

*NC FRIGATE MACKEREL

NSW

* FRIGATE MACKEREL; LEADENALL

SA

*NC FRIGATE MACKEREL

TAS

*NC FRIGATE MACKEREL; FRIGATE TUNA

QLD

*NC FRIGATE MACKEREL

WA

* FRIGATE MACKEREL

NT

* FRIGATE MACKEREL

NZ

O./SEAS

* FRIGATE MACKEREL

REMARKS:

WARM WATER SPECIES

RECOMMENDED
MARKETING NAME:

MACKEREL — JACK

(DPI) CODE 430

SCIENTIFIC NAME:

TRACHURUS DECLIVIS

GROUP H

(F)

COMMON NAMES —

VIC

* JACK MACKEREL

NSW

* COWAN YOUNG; JACK MACKEREL

SA

* HORSE MACKEREL; SCAD

TAS

* JACK MACKEREL; HORSE MACKEREL; SCAD

QLD

* HORSE MACKEREL; COWAN YOUNG

WA

* JACK MACKEREL; SCAD

NT

NZ

* HORSE MACKEREL; JACK MACKEREL

O./SEAS

* JACK MACKEREL; HORSE MACKEREL;
CAUGHT IN INDO/PACIFIC REGION

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

MACKEREL — SCHOOL

(DPI) CODE 331

SCIENTIFIC NAME:

*SCOMBEROMORUS QUEENSLANDICUS/CYBIUM
QUEENSLANDICUS*

GROUP F

(F)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* SCHOOL MACKEREL; DOGGIE MACKEREL

WA

* MACKEREL

NT

* SCHOOL MACKEREL

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

MACKEREL — SPANISH

(DPI) CODE 330

SCIENTIFIC NAME:

*SCOMBEROMORUS COMMERSONI/CYBIUM
COMM.*

GROUP F

(F)

COMMON NAMES —

VIC

*NC SPANISH MACKEREL

NSW

* SPANISH MACKEREL; SNOOK

SA

TAS

QLD

* SPANISH MACKEREL; MACKEREL;
NARROW-BARRED SPANISH MACKEREL

WA

* SPANISH MACKEREL

NT

* SPANISH MACKEREL

NZ

O./SEAS

* SEER; SPANISH MACKEREL; CAUGHT IN INDO/
PACIFIC REGION

REMARKS:

SEE ALSO CODE 4035 *INDOCYBIUM
SEMIFASCIATUM* - ANOTHER COMMERCIAL
SPECIES IN QUEENSLAND KNOWN AS BROAD
BARRED SPANISH MACKEREL

12.09.83

RECOMMENDED
MARKETING NAME:

MACKEREL — SPANISH

(DPI) CODE 4035

SCIENTIFIC NAME:

SCOMBEROMORUS SEMIFASCIATUS/
INDOCYBIUM SEMIFASCIATUM

GROUP Q

(F)

COMMON NAMES —

VIC

NSW

SPANISH MACKEREL

SA

TAS

QLD

* SPANISH MACKEREL; BROAD BARRED SPANISH
MACKEREL; GREY MACKEREL; TIGER MACKEREL

WA

NT

NZ

O./SEAS

REMARKS:

SEE ALSO *CYBIUM COMMERSONI*/
SCOMBEROMORUS COMMERSONI — CODE 330
— THE OTHER COMMERCIAL SPANISH
MACKEREL IN QUEENSLAND.

RECOMMENDED
MARKETING NAME:

MULLET — BLUE TAIL

(DPI) CODE 4062

SCIENTIFIC NAME:

VALAMUGIL SCHELI

GROUP Q

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* MULLET; BLUE TAIL MULLET
(NORTH QUEENSLAND ONLY); COMMON MULLET

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

MULLET — DIAMOND SCALE

(DPI) CODE 362

SCIENTIFIC NAME:

LIZA VAIGIENSIS

GROUP G

(F)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* DIAMOND SCALED MULLET; LARGE SCALE
MULLET

WA

NT

* MULLET; DIAMOND SCALED MULLET

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

MULLET — RED

SCIENTIFIC NAME:

(DPI) CODE 582
UPENEICHTHYS POROSUS/MULLIDAE SPP.

GROUP J

(F)

COMMON NAMES —

VIC	* RED MULLET
NSW	* RED MULLET; BARBUNYA; GOATFISH
SA	* RED MULLET
TAS	*NC WESTERN RED MULLET; GOATFISH
QLD	
WA	* RED MULLET
NT	* GOATFISH; RED MULLET
NZ	* RED MULLET
O./SEAS	
REMARKS:	INCLUDES <i>MULLOIDICHTHYS AURIFLAMMA</i>

12.09.83

RECOMMENDED
MARKETING NAME:

MULLET — SAND

(DPI) CODE 365

SCIENTIFIC NAME:

MYXUS ELONGATUS

GROUP G

(F)

COMMON NAMES —

VIC

* SAND MULLET; BULLY MULLET; PODDY MULLET

NSW

* LAND MULLET

SA

*NC SAND MULLET

TAS

*NC SAND MULLET

QLD

* SAND MULLET; TALLEGALANE

WA

*NC SAND MULLET

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

MULLET — SEA

(DPI) CODE 351

SCIENTIFIC NAME:

MUGIL CEPHALUS

GROUP G

(F)

COMMON NAMES —

VIC	* SEA MULLET
NSW	* SEA MULLET; BULLY MULLET; HARDGUT RIVER MULLET
SA	* SEA MULLET
TAS	*NC SEA MULLET
QLD	* MULLET; RIVER MULLET; MANGROVE MULLET; BULLY MULLET; HARDGUT MULLET
WA	* SEA MULLET
NT	* SEA MULLET
NZ	* GREY MULLET; STRIPED MULLET
O./SEAS	COMMON GREY MULLET; STRIPED MULLET (USA); CAUGHT IN ATLANTIC AND PACIFIC; EUROPE AND NORTH AMERICA

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

MULLET — YELLOWEYE

(DPI) CODE 370

SCIENTIFIC NAME:

ALDRICHETTA FORSTERI

GROUP G

(F)

COMMON NAMES —

VIC

* YELLOW-EYE MULLET

NSW

* YELLOW-EYE MULLET

SA

* YELLOW-EYE MULLET; COORONG MULLET

TAS

* YELLOW-EYE MULLET; MULLET

QLD

WA

* YELLOW-EYE MULLET; PILCHARD

NT

NZ

* YELLOW-EYE MULLET; HERRING (WRONGLY);
SPRAT (WRONGLY)

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

MULLOWAY

(DPI) CODE 510

SCIENTIFIC NAME:

ARGYRO SOMUS HOLOLEPIDOTUS

GROUP J

(F)

COMMON NAMES —

VIC

* MULLOWAY; KINGFISH

NSW

* JEW FISH; MULLOWAY

SA

* BUTTERFISH; MULLOWAY

TAS

*NC MULLOWAY

QLD

* JEW FISH

WA

* MULLOWAY; RIVER KINGFISH

NT

JEW FISH; MULLOWAY; (NORTHERN TERRITORY
SPECIES OF MULLOWAY IS *JOHNIUS*)

NZ

O./SEAS

REMARKS:

FOR NORTHERN TERRITORY MULLOWAY SEE
ALSO *JOHNIUS DIACANTHUS* (CODE 4031)

12.09.83

RECOMMENDED
MARKETING NAME:

MULLOWAY

(DPI) CODE 4031

SCIENTIFIC NAME:

JOHNIUS DIACANTHUS

GROUP Q

(F)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

WA

NT

* MULLOWAY

NZ

O./SEAS

REMARKS:

SEE ALSO CODE 510, MULLOWAY

12.09.83

105

RECOMMENDED
MARKETING NAME:

PENFISH

SCIENTIFIC NAME:

(DPI) CODE 497
ZANCLISTIUS ELEVATUS/HISTIOPTERUS ELEV.
GROUP J

(S)

COMMON NAMES —

VIC

* BOARFISH; DUCKFISH

NSW

*NC BOARFISH

SA

* BLACK SPOTTED BOARFISH

TAS

*NC BLACK-SPOTTED BOARFISH; SHORT
BOARFISH

QLD

*NC BOARFISH

WA

* BLACK SPOTTED BOARFISH

NT

NZ

* LONG FINNED BOARFISH

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

PENFISH

SCIENTIFIC NAME:

PENTACEROPSIS RECURVIROSTRIS (DPI) CODE 498

(S)

GROUP J

COMMON NAMES —

VIC

* BOARFISH; DUCKFISH

NSW

* LONG NOSE

SA

* LONG NOSE BOARFISH

TAS

* BOARFISH; LONG SNOUTED BOARFISH

QLD

WA

* LONG SNOUTED BOARFISH

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

PENFISH — GIANT

(DPI) CODE 500

SCIENTIFIC NAME:

PARISTIOPTERUS LABIOSUS

GROUP J

(S)

COMMON NAMES —

VIC	* DUCKFISH
NSW	* GIANT BOARFISH
SA	*NC GIANT BOARFISH
TAS	*NC GIANT BOARFISH
QLD	
WA	*NC GIANT BOARFISH
NT	
NZ	* GIANT BOARFISH; SOWFISH
O./SEAS	

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

PENFISH — YELLOW SPOTTED

(DPI) CODE 499

SCIENTIFIC NAME:

PARISTIOPTERUS GALLIPAVO

GROUP J

(S)

COMMON NAMES —

VIC

* BOARFISH

NSW

SA

* YELLOW SPOTTED BOARFISH

TAS

QLD

WA

* YELLOW SPOTTED BOARFISH

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

PERCH — ATLANTIC OCEAN

SCIENTIFIC NAME:

(DPI) CODE 5016
SEBASTES MARINUS/S. MENTELLA/S. VIVIPARUS
GROUP O
(S)

COMMON NAMES —

VIC ENGLISH BREAM
(IMPORTED)

NSW ENGLISH BREAM
(IMPORTED)

SA ENGLISH BREAM
(IMPORTED)

TAS ENGLISH BREAM
(IMPORTED)

QLD ENGLISH BREAM
(IMPORTED)

WA ENGLISH BREAM
(IMPORTED)

NT ENGLISH BREAM
(IMPORTED)

NZ

O./SEAS * BREAM; NORWAY HADDOCK; OCEAN PERCH
(RECOMMENDED TRADE NAME IN USA);
REDFISH; SOLDIER; RED BREAM; RED PERCH;
ROSEFISH; CAUGHT IN NORTH ATLANTIC AND
ARCTIC

REMARKS: IMPORTED FROM UNITED KINGDOM, ICELAND,
SCANDINAVIA AND CANADA. THIS FISH IS A
PERCH, RELATED TO AUSTRALIAN OCEAN
PERCH

12.09.83

RECOMMENDED
MARKETING NAME:

PERCH — DEEP SEA

(DPI) CODE 4003

SCIENTIFIC NAME:

HOPLOSTETHUS ATLANTICUS

GROUP Q

(S)

COMMON NAMES —

VIC

* SEA PERCH; ORANGE ROUGHY

NSW

*NC SEA PERCH; ORANGE ROUGHY

SA

*NC SEA PERCH; ORANGE ROUGHY

TAS

* ORANGE ROUGHY; RED ROUGHY

QLD

SEA PERCH; ORANGE ROUGHY
(OFTEN SOLD AS 'REEF FILLETS')

WA

SEA PERCH; ORANGE ROUGHY

NT

NZ

* ORANGE ROUGHY; SEA PERCH

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

PERCH — GOLDEN

(DPI) CODE 15

SCIENTIFIC NAME:

MACQUARIA AMBIGUA

GROUP A

(F)

COMMON NAMES —

VIC

* MURRAY PERCH

NSW

* YELLOWBELLY; CALLOP

SA

* YELLOWBELLY; CALLOP

TAS

QLD

*NC YELLOWBELLY; GOLDEN PERCH

WA

NT

*NC YELLOWBELLY; GOLDEN PERCH

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

PERCH — OCEAN

(DPI) CODE 631

SCIENTIFIC NAME:

HELICOLENUS PERCOIDES

GROUP K

(F)

COMMON NAMES —

VIC

* CORAL PERCH; CORAL COD

NSW

OCEAN PERCH

SA

* NC RED PERCH; RED GURNARD PERCH

TAS

* RED GURNARD PERCH; RED ROCK PERCH;
OCEAN PERCH; SEA PERCH

QLD

WA

* RED GURNARD PERCH

NT

NZ

* SEA PERCH; OCEAN PERCH; SCARPEE;
JOCK STEWART

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

PERCH — PEARL

(DPI) CODE 561

SCIENTIFIC NAME:

GLAUCOSOMA SCAPULARE

GROUP J

(F)

COMMON NAMES —

VIC

NSW

* PEARL PERCH

SA

TAS

QLD

* PEARL PERCH

WA

* NORTHERN DHUFISH; PEARL PERCH =
GLAUCOSOMA BURGERI

NT

* PEARL PERCH

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

PERCH — PINK SEA

(DPI) CODE 4067

SCIENTIFIC NAME:

LUTJANUS SANGUINEUS

GROUP Q

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* SADDLE-TAIL SEA PERCH

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

PERCH — SCARLET SEA

(DPI) CODE 4053

SCIENTIFIC NAME:

LUTJANUS MALABARICUS

GROUP Q

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* SCARLET SEA PERCH; LARGE MOUTH
NANNYGAI

WA

NT

* SADDLE TAIL SEA PERCH

NZ

O./SEAS

OTHER MEMBERS OF FAMILY *LUTJANIDAE*
OCCUR WIDELY IN THE NORTH ATLANTIC/NORTH
PACIFIC; THEY ARE KNOWN AS SNAPPERS OR
PARGOS

REMARKS:

RECOMMENDED
MARKETING NAME:

PERCH — SILVER

(DPI) CODE 60

SCIENTIFIC NAME:

BIDYANUS BIDYANUS

GROUP A

(F)

COMMON NAMES —

VIC

* BLACK PERCH

NSW

* SILVER PERCH; BREAM; GRUNTER

SA

*NC SILVER PERCH

TAS

QLD

*NC SILVER PERCH

WA

NT

NZ

O./SEAS

REMARKS:

FRESH WATER SPECIES

RECOMMENDED
MARKETING NAME:

PIKE

SCIENTIFIC NAME:

SPHYRAENA NOVAEHOLLANDIAE (DPI) CODE 375

GROUP G

(F)

COMMON NAMES —

VIC	* PIKE
NSW	* PIKE
SA	* SNOOK
TAS	* SHORTFINNED PIKE; PIKE; SNOOK
QLD	*NC PIKE; SNOOK; SHORT FINNED SEA PIKE
WA	* PIKE; SNOOK
NT	
NZ	
O./SEAS	

REMARKS:

RECOMMENDED
MARKETING NAME:

PIKE — STRIPED SEA

(DPI) CODE 381

SCIENTIFIC NAME:

SPHYRAENA OBTUSATA

GROUP G

(F)

COMMON NAMES —

VIC

* SNOOK

NSW

*NC PIKE

SA

*NC STRIPED SEA PIKE

TAS

QLD

* YELLOWTAIL; PIKE; STRIPED SEA PIKE

WA

* PIKE

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

PILCHARD

(DPI) CODE 251

SCIENTIFIC NAME:

SARDINOPS NEOPIILCHARDUS

GROUP E

(F)

COMMON NAMES —

VIC

* PILCHARD; SARDINE

NSW

* BLUE PILCHARD

SA

* PILCHARD

TAS

*NC PILCHARD; BLUE BAIT; PILCHARD;
AUSTRALIAN PILCHARD

QLD

*NC PILCHARD

WA

* PILCHARD - IF FOOD; MULIES - IF BAIT

NT

*NC PILCHARD

NZ

* PILCHARD; PICTON HERRING; SARDINE;
BLOATER

O./SEAS

* SARDINE; PILCHARD

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

PLAICE

(DPI) CODE 5014

SCIENTIFIC NAME:

PLEURONECTES PLATESSA

GROUP O

(S)

COMMON NAMES —

VIC

PLAICE; FLOUNDER
(IMPORTED)

NSW

PLAICE; FLOUNDER
(IMPORTED)

SA

PLAICE; FLOUNDER
(IMPORTED)

TAS

PLAICE; FLOUNDER
(IMPORTED)

QLD

PLAICE; FLOUNDER
(IMPORTED)

WA

PLAICE; FLOUNDER
(IMPORTED)

NT

PLAICE; FLOUNDER
(IMPORTED)

NZ

O./SEAS

* PLAICE; CAUGHT IN NORTH ATLANTIC/NORTH
SEA

REMARKS:

IMPORTED FROM UNITED KINGDOM, HOLLAND,
SCANDINAVIA AS WHOLE GUTTED FISH OR
FILLETS AND USUALLY SOLD AS FLOUNDER;
CHARACTERISTIC RED SPOTS ON BACK

12.09.83

RECOMMENDED
MARKETING NAME:

POLLACK — ALASKA

(DPI) CODE 5000

SCIENTIFIC NAME:

THERAGRA CHALCOGRAMMA

GROUP O

(S)

COMMON NAMES —

VIC

POLLACK
(IMPORTED)

NSW

POLLACK
(IMPORTED)

SA

TAS

QLD

POLLACK
(IMPORTED)

WA

POLLACK
(IMPORTED)

NT

NZ

O./SEAS

CAUGHT PACIFIC, NORTH AMERICA, KOREA,
JAPAN AND ALASKA; ALSO KNOWN AS WALLEYE
POLLACK

REMARKS:

IMPORTED FROM JAPAN AND USA

RECOMMENDED
MARKETING NAME:

QUEENFISH

(DPI) CODE 435

SCIENTIFIC NAME:

CHORINEMUS *LYSAN/SCOMBEROIDES* *LYSAN*

GROUP H

(F)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* QUEENFISH; GIANT DART; LEATHERSKIN

WA

NT

* QUEENFISH; SKINNYFISH

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

RED EMPEROR

(DPI) CODE 555

SCIENTIFIC NAME:

LUTJANUS SEBAE

GROUP J

(F)

COMMON NAMES —

VIC RED EMPEROR

NSW RED EMPEROR

SA

TAS

QLD * RED EMPEROR

WA * RED EMPEROR

NT * RED EMPEROR

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

REDFIN

(DPI) CODE 50

SCIENTIFIC NAME:

PERCA FLUVIATILIS

GROUP A

(F)

COMMON NAMES —

VIC

* REDFIN; ENGLISH PERCH

NSW

* REDFIN

SA

* REDFIN

TAS

*NC REDFIN PERCH; ENGLISH PERCH;
EUROPEAN PERCH

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

REDFISH

(DPI) CODE 705

SCIENTIFIC NAME:

CENTROBERYX AFFINIS

GROUP M

(F)

COMMON NAMES —

VIC

* REDFISH; NANNYGAI

NSW

* REDFISH; NANNYGAI

SA

* NANNYGAI

TAS

*NC NANNYGAI; REDFISH; RED SNAPPER

QLD

WA

NT

NZ

NANNYGAI/REDFISH/RED SNAPPER =
TRACHICHTHODES AFFINIS

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

REDFISH — BIGHT

(DPI) CODE 708

SCIENTIFIC NAME:

CENTROBERYX GERRARDI

GROUP M

(S)

COMMON NAMES —

VIC

* REDFISH; NANNYGAI

NSW

SA

* RED SNAPPER

TAS

*NC RED SNAPPER; BIGHT REDFISH

QLD

WA

* RED SNAPPER; BIGHT REDFISH

NT

NZ

*NC NANNYGAI; GOLDEN SNAPPER

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

RIBALDO

(DPI) CODE 203

SCIENTIFIC NAME:

MORA MORO

GROUP D

(F)

COMMON NAMES —

VIC

* RIBALDO; GHOST COD

NSW

*NC RIBALDO

SA

*NC RIBALDO

TAS

* RIBALDO; DEEPSEA COD

QLD

WA

*NC RIBALDO

NT

NZ

RIBALDO; DEEP-SEA COD; GOOGLEY-EYED COD

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

RUBYFISH

(DPI) CODE 493

SCIENTIFIC NAME:

PLAGIOGENEION MACROLEPIS

GROUP J

(F)

COMMON NAMES —

VIC

NSW

*NC RUBYFISH

SA

* RUBYFISH

TAS

*NC COSMOPOLITAN RUBYFISH; RUBYFISH

QLD

WA

* RUBYFISH

NT

NZ

RUBYFISH = *PLAGIOGENEION RUBIGINOSUS*

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

SALMON

(DPI) CODE 5017

SCIENTIFIC NAME:

ONCORHYNCHUS SPP.

GROUP O

(S)

COMMON NAMES —

VIC

SALMON
(IMPORTED)

NSW

SALMON
(IMPORTED)

SA

SALMON
(IMPORTED)

TAS

SALMON
(IMPORTED)

QLD

SALMON
(IMPORTED)

WA

SALMON
(IMPORTED)

NT

SALMON
(IMPORTED)

NZ

* *ONCORHYNCHUS TSCHAWYTSCHA* - QUINNAT
SALMON

O./SEAS

SALMO SALAR - ATLANTIC SALMON;
ONCORHYNCHUS SPP. CAUGHT IN NORTH
PACIFIC - NUMEROUS VARIETIES INCLUDING
KING, SPRING, CHUM, CHINOOK, COHO, PINK,
SILVER, SILVERBRITE AND SOCKEYE

REMARKS:

IMPORTED FROM USA, CANADA, JAPAN AND
EUROPE AS EITHER SMOKED FROZEN FILLETS
(SIDES) OR CANNED

12.09.83

RECOMMENDED
MARKETING NAME:

SALMON — AUSTRALIAN

(DPI) CODE 490

SCIENTIFIC NAME:

ARRIPIS TRUTTA/*ARRIPIS ESPER*

GROUP J

(F)

COMMON NAMES —

VIC

* SALMON; AUSTRALIAN SALMON; BAY TROUT

NSW

* SALMON

SA

* SALMON; SALMON TROUT

TAS

* SALMON; KAHAWAI; BLACK BACK; COCKY SALMON; COLONIAL SALMON; BUCK SALMON; SALMON TROUT; AUSTRALIAN SALMON (EASTERN & WESTERN)

QLD

SALMON

WA

* SALMON TROUT; AUSTRALIAN SALMON

NT

AUSTRALIAN SALMON

NZ

* KAHAWAI; AUSTRALIAN SALMON; OCEAN TROUT

O./SEAS

REMARKS:

NSW, TASMANIA AND EASTERN VICTORIA - *ARRIPIS TRUTTA*; TASMANIA, VICTORIA, SOUTH AUSTRALIA AND WESTERN AUSTRALIA - *ARRIPIS ESPER*

12.09.83

RECOMMENDED
MARKETING NAME:

SALMON — THREADFIN

(DPI) CODE 4023

SCIENTIFIC NAME:

POLYNEMUS SHERIDANI

GROUP Q

(S)

COMMON NAMES —

VIC

THREADFIN

NSW

THREADFIN

SA

THREADFIN

TAS

THREADFIN

QLD

* THREADFIN; BURNETT SALMON

WA

* THREADFIN

NT

* THREADFIN; KING SALMON

NZ

O./SEAS

PACIFIC THREADFIN AND ATLANTIC THREADFIN
ARE OF THE SAME FAMILY

REMARKS:

SEE ALSO CODE 385 SALMON - THREADFIN; POL.
SHERIDANI IS THE DOMINANT SPECIES IN
NORTHERN TERRITORY WATERS

12.09.83

RECOMMENDED
MARKETING NAME:

SALMON — THREADFIN

(DPI) CODE 385

SCIENTIFIC NAME:

ELEUTHERONEMA SPP./ELEUT. TETRACTYLUM
GROUP G

(S)

COMMON NAMES —

VIC

THREADFIN

NSW

THREADFIN

SA

THREADFIN

TAS

THREADFIN

QLD

* THREADFIN; COOKTOWN SALMON

WA

* THREADFIN

NT

* THREADFIN; SALMON; KING SALMON

NZ

O./SEAS

REMARKS:

SEE ALSO CODE 4023 SALMON - THREADFIN

RECOMMENDED
MARKETING NAME:

SCALLOP — NORTHERN

(DPI) CODE 838

SCIENTIFIC NAME:

AMUSIUM BALLOTI

GROUP P

(S)

COMMON NAMES —

VIC SCALLOP

NSW SCALLOP

SA SCALLOP

TAS SCALLOP

QLD * SCALLOP

WA * SCALLOP

NT * SCALLOP

NZ

O./SEAS SIMILAR TO BAY SCALLOP OF CANADA/USA —
ARGOPECTEN IRRADIANS

REMARKS: CAUGHT IN QUEENSLAND, NORTH OF PERTH IN
WESTERN AUSTRALIA AND ALSO IN NORTHERN
TERRITORY

RECOMMENDED
MARKETING NAME:

SCALLOP — SOUTHERN

(DPI) CODE 835

SCIENTIFIC NAME:

PECTEN FUMATA/P. MERIDIONALIS/P. ALBA

GROUP P

(F)

COMMON NAMES —

VIC

* SCALLOP; TASMANIAN SCALLOP

NSW

* SCALLOP; TASMANIAN SCALLOP

SA

* NC SCALLOP

TAS

* SCALLOP

QLD

SCALLOP; TASMANIAN SCALLOP

WA

* SCALLOP

NT

SCALLOP

NZ

SCALLOP = *PECTEN NOVAEZELANDIAE* —
SIMILAR SPECIES

O./SEAS

SEA SCALLOP; COMMON SCALLOP; BAY
SCALLOP

REMARKS:

CAUGHT IN VICTORIA, TASMANIA, NSW AND THE
SOUTH OF WESTERN AUSTRALIA

12.09.83

RECOMMENDED
MARKETING NAME:

SHARK — ANGEL

(DPI) CODE 4020

SCIENTIFIC NAME:

SQUATINA AUSTRALIS

GROUP Q

(S)

COMMON NAMES —

VIC.

* ANGEL SHARK

NSW

* ANGEL SHARK

SA

* ANGEL SHARK; MONKFISH

QLD

WA

* ANGEL SHARK

NT

NZ

O./SEAS

RELATED SPECIES KNOWN AS ANGEL SHARK

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SHARK — BLACK TIP

(DPI) CODE 660

SCIENTIFIC NAME:

*CARCHARHINUS SPP. (EXCEPT CAR.
BRACHYURUS)*

GROUP L

(S)

COMMON NAMES —

VIC

NSW

* BLACK TIP WHALER

SA

TAS

QLD

* BLACK TIP SHARK

WA

NT

* BLACK TIP SHARK

NZ

O./SEAS

REMARKS:

MORE THAN SIX SPECIES OF BLACK TIP SHARK
IDENTIFIED IN QUEENSLAND AND NORTHERN
TERRITORY

12.09.83

RECOMMENDED
MARKETING NAME:

SHARK — BLUE WHALER

(DPI) CODE 4071

SCIENTIFIC NAME:

PRIONACE GLAUCA

GROUP Q

(S)

COMMON NAMES —

VIC

* BLUE WHALERS; BLUE SHARK

NSW

SA

* BLUE WHALERS

TAS

*NC BLUE WHALER SHARK; BLUE SHARK

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SHARK — BRONZE WHALER

SCIENTIFIC NAME:

CARCHARHINUS BRACHYURUS
(F)
(DPI) CODE 660
GROUP L

COMMON NAMES —

VIC

* BRONZE WHALER

NSW

*NC BRONZE WHALER

SA

* BRONZE WHALER; COCKTAIL WHALER

TAS

*NC BRONZE WHALER SHARK; BRONZIE;
COCKTAIL; COPPER SHARK

QLD

BRONZE WHALER

WA

* BRONZE WHALER

NT

NZ

BRONZE WHALER

O./SEAS

REMARKS:

QUEENSLAND SPECIES MAY BE *EULAMIA*
AHENEAE

RECOMMENDED
MARKETING NAME:

SHARK — GUMMY

(DPI) CODE 651

SCIENTIFIC NAME:

MUSTELUS ANTARCTICUS

GROUP L

(F)

COMMON NAMES —

VIC	* GUMMY SHARK
NSW	* GUMMY
SA	* GUMMY SHARK; SWEET WILLIAM
TAS	* GUMMY SHARK
QLD	*NC GUMMY SHARK
WA	* GUMMY SHARK
NT	
NZ	* RIG; SPOTTED DOGFISH; GUMMY SHARK; PIOKE
O./SEAS	SMOOTH HOUND OR SMOOTH DOG FISH = <i>MUSTELUS</i> SPP.

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SHARK — ORNATE ANGEL

(DPI) CODE 4000

SCIENTIFIC NAME:

SQUATINA TERGOCELLATA

GROUP Q

(S)

COMMON NAMES —

VIC

*NC ORNATE ANGEL SHARK; ANGEL SHARK

NSW

* ANGEL SHARK

SA

* ORNATE ANGEL SHARK

TAS

QLD

WA

* ORNATE ANGEL SHARK

NT

NZ

O./SEAS

ANGEL SHARK

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SHARK — SAW

(DPI) CODE 675

SCIENTIFIC NAME:

PRISTIOPHORUS NUDIPINNIS/PR. *CIRRATUS*

GROUP L

(F)

COMMON NAMES —

VIC

* SAW SHARK; DOGGIES

NSW

* SAW DOG; SAW SHARK

SA

* SAW SHARK

TAS

* SAW SHARK; COMMON SAW SHARK; SOUTHERN
SAW SHARK

QLD

*NC SAW SHARK

WA

* SOUTHERN SAW SHARK

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SHARK — SCHOOL

(DPI) CODE 655

SCIENTIFIC NAME:

GALEORHINUS AUSTRALIS

GROUP L

(F)

COMMON NAMES —

VIC

* SCHOOL SHARK

NSW

* SCHOOL SHARK

SA

* SCHOOL SHARK

TAS

* SCHOOL SHARK; SNAPPER SHARK; TOPE;
SOUPFIN SHARK

QLD

WA

* SCHOOL SHARK

NT

NZ

* SCHOOL SHARK; GREY SHARK; GREYBOY
(FILLETTS TERMED LEMON FILLETTS)

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

SHARK — BROADNOSE

(DPI) CODE 4073

SCIENTIFIC NAME:

NOTORHYNCHUS CEPEDIANUS

GROUP Q

(S)

COMMON NAMES —

VIC

* TIGER SHARK; SPOTTIES

NSW

SA

* TIGER SHARK; GROUND SHARK

TAS

* SEVEN-GILLED SHARK; TASMANIAN TIGER
SHARK

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SHARK — WHISKERY

(DPI) CODE 665

SCIENTIFIC NAME:

FURGALEUS VENTRALIS

GROUP L

(F)

COMMON NAMES —

VIC

*NC WHISKERY SHARK; SUNDOWNER

NSW

SA

* WHISKERY SHARK; SNAKEY; SUNDOWNER

TAS

*NC WHISKERY SHARK

QLD

WA

* WHISKERY SHARK

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SKATE

SCIENTIFIC NAME:

RAJA SPP.

(DPI) CODE 685

GROUP L

(F)

COMMON NAMES —

VIC

* SKATE; SKATE WINGS

NSW

* SKATE; SKATE FLAPS; SKATE WINGS

SA

TAS

* SKATE

QLD

*NC SKATE

WA

SKATE

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SNAPPER

(DPI) CODE 495

SCIENTIFIC NAME:

CHRYSOPHRYS AURATUS

GROUP J

(F)

COMMON NAMES —

VIC

* SNAPPER

NSW

* COCKNEY; RED BREAM; SQUIRE; SNAPPER (IN
THAT ORDER OF INCREASING AGE/SIZE)

SA

* SNAPPER

TAS

*NC SNAPPER

QLD

* SQUIRE; SNAPPER
(IN THAT ORDER OF INCREASING AGE/SIZE)

WA

* SNAPPER; PINK SNAPPER

NT

SNAPPER

NZ

* SNAPPER

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

SNAPPER — GOLDEN

(DPI) CODE 4052

SCIENTIFIC NAME:

LUTJANUS JOHNI

GROUP Q

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* BIG SCALE RED

WA

* GOLDEN SNAPPER

NT

* GOLDEN SNAPPER

NZ

O./SEAS

SNAPPER = FAMILY *LUTJANIDAE*; PARGO ARE
WIDELY DISTRIBUTED IN NORTH ATLANTIC

REMARKS:

NORTHERN TROPICAL SPECIES

12.09.83

RECOMMENDED
MARKETING NAME:

SOLE — DOVER

(DPI) CODE 5008

SCIENTIFIC NAME:

SOLEA VULGARIS VULGARIS

GROUP O

(S)

COMMON NAMES —

VIC

DOVER SOLE
(IMPORTED)

NSW

DOVER SOLE
(IMPORTED)

SA

DOVER SOLE
(IMPORTED)

TAS

QLD

WA

DOVER SOLE
(IMPORTED)

NT

NZ

O./SEAS

* COMMON SOLE; DOVER SOLE;
CAUGHT IN NORTH SEA

REMARKS:

IMPORTED INFREQUENTLY

12.09.83

RECOMMENDED
MARKETING NAME:

SOLE — NEW ZEALAND

(DPI) CODE 5009

SCIENTIFIC NAME:

PELTORHAMPUS NOVAEZELANDIAE

GROUP O

(S)

COMMON NAMES —

VIC

NEW ZEALAND SOLE; ENGLISH SOLE
(IMPORTED)

NSW

NEW ZEALAND SOLE; ENGLISH SOLE
(IMPORTED)

SA

NEW ZEALAND SOLE; ENGLISH SOLE
(IMPORTED)

TAS

NEW ZEALAND SOLE; ENGLISH SOLE
(IMPORTED)

QLD

NEW ZEALAND SOLE; ENGLISH SOLE
(IMPORTED)

WA

NEW ZEALAND SOLE; ENGLISH SOLE
(IMPORTED)

NT

NZ

* ENGLISH SOLE; NEW ZEALAND SOLE; COMMON
SOLE

O./SEAS

REMARKS:

IMPORTED FROM NEW ZEALAND

12.09.83

RECOMMENDED
MARKETING NAME:

SOLE — NEW ZEALAND LEMON

SCIENTIFIC NAME:

PELOTRETIS FLAVILATUS

(DPI) CODE 5030

GROUP O

(S)

COMMON NAMES —

VIC

LEMON SOLE

NSW

LEMON SOLE

SA

LEMON SOLE

TAS

LEMON SOLE

QLD

LEMON SOLE

WA

LEMON SOLE

NT

NZ

* LEMON SOLE

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SQUID — ARROW

(DPI) CODE 870

SCIENTIFIC NAME:

NOTOTODARUS GOULDI

GROUP P

(F)

COMMON NAMES —

VIC

* AEROPLANE SQUID; ARROW SQUID

NSW

* ARROW SQUID; SEINE BOAT SQUID

SA

* ARROW SQUID; GOULDS SQUID

TAS

* ARROW SQUID; GOULDS SQUID

QLD

WA

* ARROW SQUID; GOULDS SQUID

NT

NZ

ARROW SQUID = *NOTOTODARUS SLOANI*

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SQUID — ASIAN

(DPI) CODE 5023

SCIENTIFIC NAME:

LOLIGO FORMOSAI/LOLIGO CHINENSIS

GROUP O

(S)

COMMON NAMES —

VIC

SQUID (TUBES)
(IMPORTED)

NSW

SQUID (TUBES)
(IMPORTED)

SA

SQUID (TUBES)
(IMPORTED)

TAS

SQUID (TUBES)
(IMPORTED)

QLD

SQUID (TUBES)
(IMPORTED)

WA

SQUID (TUBES)
(IMPORTED)

NT

SQUID (TUBES)
(IMPORTED)

NZ

O./SEAS

* SQUID; CALAMARY; CAUGHT IN TAIWAN, CHINA
AND PHILLIPINE WATERS

REMARKS:

IMPORTED FROM TAIWAN MAINLY IN FORM OF
TUBES

12.09.83

153

RECOMMENDED
MARKETING NAME:

SQUID — CALIFORNIAN

(DPI) CODE 5024

SCIENTIFIC NAME:

LOLIGO OPALESCENS

GROUP O

(S)

COMMON NAMES —

VIC

AMERICAN/CALIFORNIAN SQUID
(IMPORTED)

NSW

AMERICAN/CALIFORNIAN SQUID
(IMPORTED)

SA

AMERICAN/CALIFORNIAN SQUID
(IMPORTED)

TAS

AMERICAN/CALIFORNIAN SQUID
(IMPORTED)

QLD

AMERICAN/CALIFORNIAN SQUID
(IMPORTED)

WA

AMERICAN/CALIFORNIAN SQUID
(IMPORTED)

NT

AMERICAN/CALIFORNIAN SQUID
(IMPORTED)

NZ

O./SEAS

* MONTEREY SQUID; SAN PEDRO SQUID;
CAUGHT OFF THE CALIFORNIAN COAST

REMARKS:

SMALL SPECIES IMPORTED FROM USA FOR
EDIBLE PURPOSES AND FOR ANGLING BAIT

12.09.83

RECOMMENDED
MARKETING NAME:

SWALLOWTAIL

(DPI) CODE 709

SCIENTIFIC NAME:

CENTROBERYX LINEATUS

GROUP M

(F)

COMMON NAMES —

VIC

NSW

SA

*NC SWALLOWTAIL

TAS

QLD

WA

* SWALLOWTAIL

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SWEETLIP

SCIENTIFIC NAME:

LETHRINUS CHRYSOSTOMUS

(DPI) CODE 4064

GROUP Q

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* SWEETLIP; RED THROAT SWEETLIP

WA

NT

* SWEETLIP

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SWEETLIP — PAINTED

(DPI) CODE 566

SCIENTIFIC NAME:

PLECTORHYNCHUS PICTUS

GROUP J

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* MORWONG; PAINTED SWEETLIP; BLACKALL;
SLATE BREAM

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

SWEETLIP — YELLOW

(DPI) CODE 4066

SCIENTIFIC NAME:

LETHRINUS NEBULOSUS

GROUP Q

(S)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

* SPANGLED EMPEROR; YELLOW SWEETLIP

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TAILOR

(DPI) CODE 420

SCIENTIFIC NAME:

POMATOMUS SALTATRIX

GROUP H

(F)

COMMON NAMES —

VIC

* TAILOR; SKIPJACK

NSW

* TAILOR

SA

TAS

*NC TAILOR; BLUEFISH

QLD

* TAILOR

WA

* TAILOR

NT

NZ

O./SEAS

BLUE FISH: CAUGHT IN ATLANTIC; NORTH AND
SOUTH AMERICA

REMARKS:

RECOMMENDED
MARKETING NAME:

TENCH

(DPI) CODE 55

SCIENTIFIC NAME:

TINCA TINCA

GROUP A

(F)

COMMON NAMES —

VIC

* TENCH

NSW

* TENCH

SA

* TENCH

TAS

*NC TENCH

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TREVALLY — GOLDEN

(DPI) CODE 405

SCIENTIFIC NAME:

GNATHANODON SPECIOSUS

GROUP H

(F)

COMMON NAMES —

VIC

NSW

* TREVALLY

SA

TAS

QLD

* GOLDEN TREVALLY

WA

* GOLDEN TREVALLY

NT

* GOLDEN TREVALLY

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

TREVALLY — GREAT

(DPI) CODE 410

SCIENTIFIC NAME:

CARANX SEXFASCIATUS

GROUP H

(F)

COMMON NAMES —

VIC

NSW

TREVALLY

SA

TAS

QLD

* GREAT TREVALLY; TURRUM

WA

* GREAT TREVALLY; BIG-EYE TREVALLY

NT

* TREVALLY

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TREVALLY — SILVER

(DPI) CODE 402

SCIENTIFIC NAME:

PSEUDOCARANX DENTEX

GROUP H

(F)

COMMON NAMES —

VIC

* SILVER BREAM; TREVALLY; SILVER TREVALLY

NSW

* SILVER TREVALLY

SA

* TREVALLY

TAS

* SILVER BREAM; SILVER TREVALLY; TREVALLY;
SKIPPY

QLD

* SILVER TREVALLY; WHITE TREVALLY

WA

SKIPPY; TREVALLY; SKIPJACK TREVALLY

NT

NZ

* TREVALLY

O./SEAS

* JACK

REMARKS:

RECOMMENDED
MARKETING NAME:

TROUT — CORAL

(DPI) CODE 544

SCIENTIFIC NAME:

PLECTROPOMA SPP.

GROUP J

(F)

COMMON NAMES —

VIC CORAL TROUT

NSW CORAL TROUT

SA CORAL TROUT

TAS

QLD * CORAL TROUT

WA * CORAL TROUT

NT * CORAL TROUT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TROUT — RAINBOW

(DPI) CODE 101

SCIENTIFIC NAME:

SALMO GAIRDNERII

GROUP B

(F)

COMMON NAMES —

VIC

* RAINBOW TROUT

NSW

* RAINBOW TROUT

SA

RAINBOW TROUT

TAS

* RAINBOW TROUT

QLD

*NC RAINBOW TROUT

WA

*NC RAINBOW TROUT

NT

RAINBOW TROUT

NZ

*NC RAINBOW TROUT

O./SEAS

REMARKS:

RAINBOW TROUT; FARMED COMMERCIALY IN
MANY COUNTRIES; PROHIBITED IMPORT INTO
AUSTRALIA

12.09.83

RECOMMENDED
MARKETING NAME:

TRUMPETER

(DPI) CODE 535

SCIENTIFIC NAME:

LATRIS LINEATA

GROUP J

(F)

COMMON NAMES —

VIC

* TRUMPETER; TASMANIAN TRUMPETER

NSW

* TRUMPETER

SA

* TRUMPETER

TAS

* STRIPED TRUMPETER; COMMON TRUMPETER;
REAL TRUMPETER; STRIPY TASMANIAN
TRUMPETER

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TRUMPETER — BASTARD

(DPI) CODE 536

SCIENTIFIC NAME:

LATRIDOPSIS FORSTERI

GROUP J

(F)

COMMON NAMES —

VIC

* TRUMPETER; BASTARD TRUMPETER

NSW

*NC TASZIE

SA

*NC BASTARD TRUMPETER

TAS

* BASTARD TRUMPETER

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TUNA — LONGTAIL

(DPI) CODE 302

SCIENTIFIC NAME:

THUNNUS TONGOLL/KISHINOELLA TONGOLL

GROUP F

(S)

COMMON NAMES —

VIC

NSW

NORTHERN BLUEFIN TUNA

SA

TAS

QLD

* TUNA; (NORTHERN) BLUEFIN TUNA

WA

* TUNA; (NORTHERN) BLUEFIN TUNA

NT

* TUNA; (NORTHERN) BLUEFIN TUNA

NZ

O./SEAS

* LONGTAILED TUNA; INDIAN OCEAN

REMARKS:

NOT TO BE CONFUSED WITH NORTHERN
HEMISPHERE BLUEFIN - AUSTRALIAN SPECIES
INFERIOR FOR CANNING; FAO NAME OF THIS
SPECIES IS LONGTAIL TUNA

12.09.83

RECOMMENDED
MARKETING NAME:

TUNA — MACKEREL

(DPI) CODE 322

SCIENTIFIC NAME:

EUTHYNNUS AFFINIS

GROUP F

(S)

COMMON NAMES —

VIC

NSW

*NC MACKEREL TUNA; JACK MACKEREL
(CAUGHT FOR BAIT)

SA

TAS

QLD

*NC MACKEREL TUNA; LITTLE TUNA

WA

NT

*NC BONITO

NZ

O./SEAS

* FALSE ALBACORE; LITTLE TUNA; MACKEREL
TUNA; ATLANTIC AND MEDITERRANEAN; SOUTH
EUROPEAN NAME IS THUNINE

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TUNA — SKIPJACK

(DPI) CODE 315

SCIENTIFIC NAME:

KATSUWONUS PELAMIS

GROUP F

(F)

COMMON NAMES —

VIC	* STRIPED TUNA; STRIPEY
NSW	* SKIPJACK; STRIPEY
SA	* SKIPJACK; STRIPED TUNA
TAS	* STRIPED TUNA; SKIPJACK; STRIPEY; OCEANIC BONITO
QLD	* SKIPJACK
WA	* SKIPJACK; STRIPED TUNA
NT	
NZ	* SKIPJACK TUNA; SKIPJACK; STRIPED BONITO
O./SEAS	* SKIPJACK; STRIPED TUNA; BONITO; OCEANIC BONITO; STRIPBELLIED BONITO

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TUNA — SOUTHERN BLUEFIN

(DPI) CODE 301

SCIENTIFIC NAME:

THUNNUS MACCOYII

GROUP F

(F)

COMMON NAMES —

VIC

* TUNA; SOUTHERN BLUEFIN TUNA

NSW

* TUNA; SOUTHERN BLUEFIN TUNA

SA

* TUNA; SOUTHERN BLUEFIN TUNA

TAS

* BLUEFIN TUNA; BLUEFIN; SOUTHERN BLUEFIN
TUNA

QLD

WA

* TUNA; BLUEFIN TUNA

NT

NZ

* SOUTHERN TUNA; BLUEFIN TUNA

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TUNA — YELLOWFIN

(DPI) CODE 305

SCIENTIFIC NAME:

THUNNUS ALBACARES

GROUP F

(F)

COMMON NAMES —

VIC

*NC YELLOWFIN TUNA

NSW

* YELLOWFIN TUNA

SA

TAS

QLD

* YELLOWFIN TUNA

WA

* YELLOWFIN TUNA

NT

*NC YELLOWFIN TUNA

NZ

* YELLOWFIN TUNA; ALBACORE

O./SEAS

* YELLOWFIN TUNA = *NEOTHUNNUS
MACROPTERUS*

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

TURBOT — GREENLAND

(DPI) CODE 5010

SCIENTIFIC NAME:

REINHARDTIUS HIPPOGLOSSOIDES

GROUP O

(S)

COMMON NAMES —

VIC

JAP FLOUNDER; GREENLAND TURBOT OR
HALIBUT
(IMPORTED)

NSW

JAP FLOUNDER; GREENLAND TURBOT OR
HALIBUT
(IMPORTED)

SA

JAP FLOUNDER; GREENLAND TURBOT OR
HALIBUT
(IMPORTED)

TAS

JAP FLOUNDER; GREENLAND TURBOT OR
HALIBUT
(IMPORTED)

QLD

JAP FLOUNDER; GREENLAND TURBOT OR
HALIBUT
(IMPORTED)

WA

JAP FLOUNDER; GREENLAND TURBOT OR
HALIBUT
(IMPORTED)

NT

JAP FLOUNDER; GREENLAND TURBOT OR
HALIBUT
(IMPORTED)

NZ

O./SEAS

* GREENLAND HALIBUT; BLACK HALIBUT; MOCK
HALIBUT; BLUE HALIBUT; GREENLAND TURBOT;
NEWFOUNDLAND TURBOT; CAUGHT IN NORTH
PACIFIC, NORTH ATLANTIC AND ARCTIC

REMARKS:

IMPORTED IN SUBSTANTIAL QUANTITIES,
CHIEFLY FROM JAPAN, BUT IN LESSER
QUANTITIES FROM UNITED KINGDOM AND
SCANDINAVIA, MOSTLY AS SKINLESS FILLETS

12.09.83

RECOMMENDED
MARKETING NAME:

TUSK

(DPI) CODE 769

SCIENTIFIC NAME:

DANNEVIGIA TUSCA

GROUP M

(F)

COMMON NAMES —

VIC

NSW

SA

* TUSK

TAS

QLD

WA

* TUSK

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

VEILFIN

(DPI) CODE 4006

SCIENTIFIC NAME:

METAVELIFER MULTIRADIATUS

GROUP Q

(F)

COMMON NAMES —

VIC

NSW

SA

TAS

QLD

WA

* VEILFIN

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

WAREHOU

(DPI) CODE 453

SCIENTIFIC NAME:

SERIOLELLA BRAMA

GROUP H

(S)

COMMON NAMES —

VIC

* TASMANIAN TREVALLY; SNOTTY TREVALLY

NSW

* SNOTTY NOSE TREVALLA; WAREHOU; SNOTTY

SA

*NC WAREHOU; SEA BREAM

TAS

* SNOTGALL; SNOTTY TREVALLA; WAREHOU;
SEA BREAM; SNOTGALL TREVALLA/TREVALLY;
TREVALLY

QLD

WA

* WAREHOU

NT

NZ

* COMMON WAREHOU; BLUE WAREHOU;
SPOTTED WAREHOU = *SERIOLELLA PUNCTATA*

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

WAREHOU — SPOTTED

(DPI) CODE 454

SCIENTIFIC NAME:

SERIOLELLA PUNCTATA

GROUP H

(F)

COMMON NAMES —

VIC

* SPOTTED TREVALLY; SPOTTED WAREHOU
SNOTTY NOSE TREVALLY

NSW

* SPOTTED TREVALLY; SPOTTED WAREHOU

SA

TAS

* SPOTTED TREVALLA; TREVALLY

QLD

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

WHITING — SOUTHERN BLUE

(DPI) CODE 5022

SCIENTIFIC NAME:

MICROMESISTIUS AUSTRALIS

GROUP O

(S)

COMMON NAMES —

VIC

BLUE WHITING

NSW

SA

BLUE WHITING

TAS

BLUE WHITING

QLD

BLUE WHITING

WA

NT

NZ

* BLUE WHITING; SOUTHERN BLUE WHITING

O./SEAS

* BLUE WHITING; HAKE

REMARKS:

CAUGHT BY JOINT VENTURES (PARTICULARLY
USSR VESSELS) IN NEW ZEALAND WATERS;
IMPORTED FROM NEW ZEALAND AND
SINGAPORE; ALSO CAUGHT IN SOUTH AMERICA

12.09.83

RECOMMENDED
MARKETING NAME:

WHITING — GRASS

(DPI) CODE 570

SCIENTIFIC NAME:

HALETTA SEMIFASCIATA

GROUP J

(F)

COMMON NAMES —

VIC

* STRANGER; GRASS WHITING

NSW

SA

* WEED WHITING; BLUE ROCK WHITING

TAS

* GRASS WHITING; BLUE ROCK WHITING

QLD

WA

* WEED WHITING; BLUE ROCK WHITING

NT

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

WHITING — KING GEORGE

(DPI) CODE 525

SCIENTIFIC NAME:

SILLAGINODES PUNCTATUS

GROUP J

(F)

COMMON NAMES —

VIC

* KING GEORGE WHITING; SOUTH AUSTRALIAN WHITING

NSW

KING GEORGE WHITING; SOUTH AUSTRALIAN WHITING

SA

* SOUTH AUSTRALIAN WHITING; SPOTTED WHITING; BLACK WHITING; KING GEORGE WHITING

TAS

*NC SPOTTED WHITING; KING GEORGE WHITING

QLD

WA

* KING GEORGE WHITING; SPOTTED WHITING

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

WHITING — NORTH SEA

(DPI) CODE 5018

SCIENTIFIC NAME:

MERLANGIUS MERLANGUS

GROUP O

(S)

COMMON NAMES —

VIC

ENGLISH WHITING; SHETLAND WHITING
(IMPORTED)

NSW

ENGLISH WHITING
(IMPORTED)

SA

ENGLISH WHITING
(IMPORTED)

TAS

ENGLISH WHITING
(IMPORTED)

QLD

ENGLISH WHITING
(IMPORTED)

WA

ENGLISH WHITING
(IMPORTED)

NT

ENGLISH WHITING
(IMPORTED)

NZ

O./SEAS

* WHITING; SILVER HAKE IN THE SMOKED FORM;
GOLDEN CUTLET; CAUGHT IN NORTH ATLANTIC
AND NORTH SEA

REMARKS:

IMPORTED FROM UNITED KINGDOM AND
WESTERN EUROPE IN SIGNIFICANT VOLUME,
MAINLY AS SKIN-ON FILLETS

12.09.83

181

RECOMMENDED
MARKETING NAME:

WHITING — SAND

(DPI) CODE 521

SCIENTIFIC NAME:

SILLAGO CILIATA

GROUP J

(F)

COMMON NAMES —

VIC

* SILVER WHITING

NSW

* SAND WHITING; SILVER WHITING

SA

TAS

QLD

* WHITING; SILVER WHITING; SAND WHITING;
SUMMER WHITING

WA

NT

NZ

O./SEAS

REMARKS:

12.09.83

RECOMMENDED
MARKETING NAME:

WHITING — SCHOOL

(DPI) CODE 524

SCIENTIFIC NAME:

SILLAGO BASSENSIS

GROUP J

(F)

COMMON NAMES —

VIC

* SCHOOL WHITING

NSW

* RED SPOT WHITING; TRAWL WHITING

SA

* SILVER WHITING; SCHOOL WHITING

TAS

* SCHOOL WHITING; SILVER WHITING

QLD

*NC SCHOOL WHITING

WA

* SILVER WHITING

NT

WHITING

NZ

O./SEAS

REMARKS:

RECOMMENDED
MARKETING NAME:

WHITING — TRUMPETER

(DPI) CODE 523

SCIENTIFIC NAME:

SILLAGO MACULATA

GROUP J

(F)

COMMON NAMES —

VIC

NSW

* TRUMPETER WHITING

SA

TAS

QLD

* DIVER WHITING; WINTER WHITING; TRUMPETER WHITING

WA

* TRUMPETER WHITING

NT

* SPOTTED WHITING

NZ

O./SEAS

REMARKS:

SMALLER THAN SAND WHITING

12.09.83

RECOMMENDED
MARKETING NAME:

WHITING — YELLOWFIN

(DPI) CODE 522

SCIENTIFIC NAME:

SILLAGO SCHOMBURGKII

GROUP J

(F)

COMMON NAMES -

VIC

NSW

SA

*NC YELLOWFIN WHITING

TAS

QLD

WA

* YELLOWFINNED WHITING

NT

NZ

O./SEAS

REMARKS:

WESTERN SPECIES

12.09.83

INDEX — COMMON NAMES/MARKETING NAMES

- Albacore (RN) 1, 172
 - false 169
- Amberjack 81
- Anchovy (RN) 2
 - Australian 2
 - southern 2

- Barbunya 100
- Barracouta (RN) 4
- Barracuda (RN) 5
- Barramundi (RN) 6, 79
- Beardie 30
- Beardy 30
- Big eye 7
- Big scale red 148
- Blackall 157
- Black back 131
- Black fish 87
- Bloater 120
- Blue bait 120
- Blue eye (RN) 7
- Bluefin 171
- Bluefish 159
- Bluenose 7
- Boarfish 106,107,109
 - black spotted 106
 - giant 108
 - long finned 106
 - long nose 107
 - long snouted 107
 - short 106
 - yellow spotted 109
- Bonita 7
- Bonito 169
 - Australian (RN) 8
 - black 80
 - Oceanic 170
 - oriental 9
 - Pacific 8
 - stripbellied 170
- Bream 13,16,17,110,117
 - black (RN) 12,13,87
 - blue 7
 - blue sea (RN) 10
 - bony (RN) 11
 - English 110
 - golden 12
 - Pacific 87
 - pikey (RN) 13
 - red 110,147
 - sea (RN) 14, 15, 176
 - silver (RN) 12,16,163
 - slate 157
 - southern 12
 - yellowfin (RN) 16
- Brill (RN) 17
- Bronzie 139
- Bullseye 18
 - red (RN) 18
- Butterfish (RN) 19,104

- Cabio 80
- Calamary 21,153
 - northern (RN) 20
 - southern (RN) 21
- Callop 112
- Carp 22,68
 - crucian 68
 - European (RN) 22
 - golden 68
- Catfish 23
 - freshwater (RN) 23
- Chinaman 84
- Coalfish 31
- Cobia 80
- Cockney 147
- Cocktail 139
- Cod (RN) 24,27
 - bearded rock 30
 - bearded southern rock 30
 - blue (RN) 25
 - cape 29
 - coral 113
 - deep-sea 128
 - deepsea 128
 - ghost 128
 - googley-eyed 128
 - Murray (RN) 26
 - Pacific (RN) 27
 - red (RN) 28
 - rock 30
 - smoked 29
 - smoked shetland 31
 - smoked South African (RN) 29
 - southern rock (RN) 30
- Coley (RN) 31
- Conway (RN) 32
- Couta 4
 - king 67
- Cowan young 92
- Creamfish 83,84,85

- Darkie 87
- Dhufish 33,79
 - northern 114
 - West Australian (RN) 33
- Digby 78

Dogfish
 blainvilles 36
 endeavour (RN) 34
 green-eye (RN) 35
 green-eyed 35
 grey spiny 35
 northern 35
 northern spiny 35
 piked 36
 skittle 36
 southern 34
 spiked 36
 spikey (RN) 36
 spiny 36
 spotted 140
 white spotted (RN) 37
 Doggies 142
 Dogshark 36
 Dory
 black oreo (RN) 38
 John (RN) 19,39
 king (RN) 40
 lookdown 40
 McCulloch's 40
 mirror (RN) 41
 oreo 38
 red 42
 silver (RN) 41,42
 smooth dory 43
 smooth oreo (RN) 43
 spotted 43
 sun dory 42
 Duckfish 106,107,108
 Dusky 52

 Eel
 common conger 44
 conger (RN) 44
 freshwater 45,46
 longfin (RN) 45
 longfinned 45
 river 45,46
 shortfin (RN) 46
 shortfinned 46
 silver 46
 southern conger 44
 spotted 45
 Elephant fish (RN) 47
 Endeavour dogs 34
 Escolar (RN) 48
 Emperor
 red (RN) 124
 spangled 158

 Flathead 49,51,52,54,58
 bartailed (RN) 49
 bay 56
 black 52
 blue spot 53
 common 56
 deep sea (RN) 50,57
 deep water (RN) 50,51
 dusky (RN) 52
 ghost 57
 grassy 55
 king 50,55,58
 longnose (RN) 53
 long nosed 53
 mud 52
 northern sand (RN) 54
 rock (RN) 55
 sand (RN) 53,54,56
 sandy 56
 shovelnose 53
 slimy (RN) 56
 smooth 55
 spikey 50
 spiny 57
 tiger (RN) 58
 toothy 50
 trawl 58
 yank 53
 Flicker 99
 Flounder 60,61,121
 arrowhead (RN) 59
 bay (RN) 60
 greenback (RN) 61
 Jap 173
 long-snouted 60
 Melbourne 61
 silver 83

 Garfish 63,64,66
 eastern sea (RN) 62
 lakes 65
 needle 65
 northern (RN) 63,64
 river (RN) 65
 sea 62
 snub nose 63
 South Australian 66
 southern 66
 southern sea (RN) 66
 three by two 64
 Gemfish (RN) 67
 Giant dart 123
 Green-eye 35
 Greyboy 143
 Goatfish 100
 Goldfish (RN) 68
 Grenadier
 blue (RN) 69
 Groper 77
 New Zealand 77

Grunter 117
 Gurnard 71
 butterfly (RN) 70
 flying 71
 kumu 71
 red (RN) 71
 sharp beaked 82
 spotted 82

Haddock (RN) 29,72,75
 Norway 110
 Hake (RN) 29,67,73,75,76,178
 Argentine (RN) 74
 blue 69
 cape (RN) 29,75
 Chilean (RN) 76
 English 73
 Peruvian 76
 silver 181
 Halfbeak 62,65,66
 Halibut
 blue 173
 Greenland 173
 mock 173
 Hapuka (RN) 77
 Hapuku 77
 Haku 81
 Herring (RN) 78,103
 Australian (RN) 3
 picton 120
 Hoki 69
 Hoofjaw 32
 Horsehead 40
 Horse-shoe-jaw 32

Jack 163
 Jackass fish 15
 Jewfish 104
 fresh water 23
 Westralian 33
 Jock Stewart 113

Kahawai 131
 Kingclip 79,86
 Kingfish (RN) 67,81,104
 black (RN) 80
 northern 81
 river 104
 silver 67
 southern 67
 yellowtail (RN) 81
 Kingie 81
 Kippers 78
 Knifejaw 32
 Kumukumu 71
 Kuparu 39

Latchet (RN) 82
 Leadenall 91
 Leatherjacket (RN) 83,84,85
 Chinaman (RN) 83,84,85
 New Zealand (RN) 85
 velvet 85
 Leatherskin 123
 Ling 79,86
 pink 86
 rock (RN) 86
 Long nose 107
 Luderick (RN) 87

Mackerel (RN) 88,89,93,94
 blue (RN) 89
 broad barred spanish 95
 chub (RN) 90
 doggie 93
 English 89
 frigate (RN) 91
 grey 95
 horse 8,92
 Jack (RN) 92,169
 Japanese 90
 narrow barred spanish 94
 Pacific 89,90
 school (RN) 93
 slimy 89
 Spanish (RN) 94,95
 tiger 95
 Mangrove fish 87
 Monkfish 136
 Morwong 14, 15, 157
 blue 10, 14
 grey 14
 jackass 15
 seinboat 15
 Mowi 15
 Mulies 120
 Mullet 96,97,103
 blue tail (RN) 96
 bully 101,102
 common 96
 common grey 102
 coorong 103
 diamond scale (RN) 97
 diamond scaled 97
 fantail (RN) 98,99
 flicker (RN) 99
 flat-tail 98
 gold-gill 98
 grey 102
 hardgut 102
 hardgut river 102
 jumping 98
 land 101
 large scale 97

mangrove 102
 poddy 101
 red (RN) 100
 river 102
 sand (RN) 101
 sea (RN) 102
 striped 102
 tiger 98
 tygum 98
 western red 100
 yellow-eye (RN) 102
 Mulloway (RN) 104,105

 Nannygai 126,127
 large mouth 116
 Needle gar 65
 Nigger(s) 87

 Oil fish 48
 Old maid 19

 Pargo(s) 116,148
 Parore 87
 Penfish (RN) 106,107
 giant (RN) 108
 yellow spotted (RN) 109
 Perch
 Atlantic Ocean (RN) 110
 Australian Ocean 110
 black 117
 coral 113
 deep sea (RN) 15, 111
 English 125
 European 125
 golden (RN) 112
 great 14
 Murray 112
 ocean (RN) 110,113
 pearl (RN) 114
 pink sea (RN) 115
 red 113
 red gurnard 113
 red rock 113
 saddle tail sea 115,116
 scarlet sea (RN) 116
 sea 111,113
 silver (RN) 15, 117
 Peter fish 39
 Pike (RN) 118,119
 giant sea 5
 sea 5
 shortfinned 118
 shortfinned sea 118
 striped sea (RN) 119
 Pilchard (RN) 103,120
 Australian 120
 blue 120

 Pioke 140
 Piper 62,66
 Plaice (RN) 121
 Pollack 122
 Alaska (RN) 122
 Porae 14

 Queenfish (RN) 123

 Redfin (RN) 125
 Redfish (RN) 110,126,127
 Bight (RN) 127
 big eye 18
 Reperepe 47
 Ribaldo (RN) 128
 Rig 140
 Rosefish 110
 Roughy
 orange 111
 red 111
 Rubyfish (RN) 129
 cosmopolitan 129
 Rubberlip 14
 Ruff 3
 tommy (RN) 3
 Ruffies 3

 St Pierre 43
 Saithe 31
 Salmon (RN) 130,131,133
 Atlantic 130
 Australian (RN) 131
 buck 131
 Burnett 132
 Chinook 130
 chum 130
 cocky 131
 coho 130
 colonial 131
 Cooktown 133
 king 130,132,133
 pink 130
 quinnat 130
 silver 130
 silverbrite 130
 sockeye 130
 spring 130
 threadfin (RN) 132,133
 Sardine 120
 Saw dog 142
 Scad 92
 Scallop 134,135
 bay 134,135
 common 135
 northern (RN) 134
 sea 135
 southern (RN) 135

Tasmanian 135
Scarpee 113
Seer 94
Scrod 72
Sild 78
Shark
 angel (RN) 136,141
 black tip (RN) 137
 blue 138
 blue whaler (RN) 138
 broadnose (RN) 144
 bronze whaler (RN) 139
 common saw 142
 copper 139
 elephant 47
 endeavour 34
 ghost 47
 grey 143
 ground 144
 gummy (RN) 140
 ornate angel 141
 saw 142
 school (RN) 143
 seven-gilled 144
 snapper 143
 soupfin 143
 southern saw 142
 Tasmanian tiger 144
 tiger 144
 whiskery (RN) 145
Skate (RN) 146
Skate wings 146
Skate flaps 146
Skinny fish 123
Skipjack 159,170
Skippy 163
Smooth dog fish 140
Smooth hound 140
Snapper 147,148
 golden (RN) 127,148
 pink 147
 queen 10
 red 126,127
Snakey 145
Snoek 4
Snook 94,118,119
Snotgall 176
Snotty 176
Soldier 110
Sole 60
 common 149,150
 Dover (RN) 149
 English 150
 lemon 151
 New Zealand (RN) 150
 New Zealand lemon (RN) 151
Sowfish 108

Spikey 36
Spikey dog 36
Spotties 144
Sprat 103
Spurdog 36,37
Squid 20,21,153
 aeroplane 152
 American 154
 arrow (RN) 152
 Asian (RN) 153
 broad 21
 Californian (RN) 154
 Goulds 152
 grass 21
 Monterey 154
 San Pedro 154
 seine boat 152
Squire 147
Stockfish 75
Stone eye 7
Stranger 179
Stripey 170
Sundowner 145
Swallowtail (RN) 155
Sweetlip (RN) 156
 painted (RN) 157
 red throat 156
 yellow (RN) 158
Sweet William 140

Tailor (RN) 159
Tallegalane 101
Tarakihi 15
Taszie 167
Tench (RN) 160
Terakihi 15
Threadfin 132,133
 Atlantic 132
 Pacific 132
Thunine 169
Tommy Rough 3
Tope 143
Trevalla 7
 deep sea 7
 snotgall 176
 spotted 177
Trevally 161,162,163,176,177
 big-eye 162
 golden (RN) 161
 great (RN) 162
 sea 7
 silver 163
 skipjack 163
 snotgall 176
 snotty 176
 snotty nose 177
 spotted 177

Tasmanian 176
 white 163
 Trigla Kumu 71
 Trout
 bay 131
 coral (RN) 164
 ocean 131
 rainbow (RN) 165
 salmon 131
 Trumpeter (RN) 166,167
 bastard (RN) 167
 common 166
 real 166
 striped 166
 stripy Tasmanian 166
 Tasmanian 166
 Tukari 11
 Tuna 168,171
 albacore 1
 frigate 91
 bluefin 171
 little 169
 longtail (RN) 168
 longtailed 168
 mackerel (RN) 169
 northern bluefin 168
 skipjack (RN) 170
 southern 171
 southern bluefin (RN) 171
 yellowfin (RN) 172
 striped 170
 Turbot
 arrowtooth 59
 Greenland (RN) 173
 Newfoundland 173
 Turrum 162
 Tusk (RN) 174

 Veilfin (RN) 175

 Warehou (RN) 176
 blue 176
 blue nose 7
 common 176
 spotted (RN) 176,177
 Whaler
 black tip 137
 blue 138
 bronze 139
 cocktail 139
 Whiptail 69
 New Zealand 69
 Whitebait 2
 White fillets 47
 White fish 47
 Whiting 29,73,75,76,181,182,183
 black 180
 blue 178
 blue rock 179
 diver 184
 English 181
 grass (RN) 179
 King George (RN) 180
 North Sea (RN) 181
 red spot 183
 sand (RN) 182,184
 Shetland 181
 silver 182,183
 school (RN) 183
 South Australian 180
 southern blue (RN) 178
 spotted 180,184
 summer 182
 trawl 183
 trumpeter (RN) 184
 weed 179
 winter 184
 yellowfin (RN) 185
 yellowfined 185

INDEX - SCIENTIFIC NAMES

- Acanthopagrus australis* 16
 berda 13
 butcheri 12
Aldrichetta forsteri 103
Allocyttus spp. 38
Ammotretis rostratus 60,61
 tudori 61
Amusium balloti 134
Anguilla australis 46
 reinhardtii 45
Argopecten irradians 134
Argyrosomus hololepidotus 104
Arrhampus sclerolepis 63
Arripis esper 131
 georgianus 3
 trutta 131
Atheresthes evermanni 59
 stomias 59
Auxis thazard 91

Bidyanus bidyanus 117

Callorhynchus callorhynchus 47
 milii 47
Caranx sexfasciatus 162
Carassius auratus 68
Carcharhinus brachyurus 137,139,
 spp. 137
Centroberyx affinis 126
 gerrardi 127
 lineatus 155
Centrophorus scalpratus 34
Cheilodactylus macropterus 15
Chelidonichthys kumu 71
Chorinemus lysan 123
Chrysophrys auratus 147
Clupea harengus 78
Colistium ammotretis guntheri 17
Conger verreauxi 44
 wilsoni 44
Cybius commersoni 94,95,
 queenslandicus 93
Cyprinus auratus 68
 carpio 22
Cyttus australis 42
 novaezelandiae 42
 traversi 40

Dannevigia tusca 174

Eleutheronema spp. 133
 tetradactylum 133
Engraulidae family 2
Engraulis australis 2

Eulamia ahenea 139
Euthynnus affinis 169

Furgaleus ventralis 145

Gadus aeglefinus 72
 callarias 24
 macrocephalus 27
 morhuai 24
Galeorhinus australis 143
Genypterus blacodes 86
 capensis 79,86
Girella tricuspidata 87
Glaucosoma burgeri 114
 hebraicum 33
 scapulare 114
Gnathanodon speciosus 161

Haletta semifasciata 179
Helicolenus percoides 113
Hemiramphus robustus 64
Hemiramphidae spp. 63,65,66
Histiopeterus elevatus 106
Hoplichthys haswelli 57
Hoplostethus atlanticus 111
Hyperoglyphe antarctica 7
Hyporhamphus ardelio 65
 australis 62
 ihi 62,66
 melanochir 66

Ictaluridae family 23
Indocybium semifasciatum 94,95

Johnius diacanthus 104,105

Katsuwonus pelamis 170
Kishinoella tongoll 168

Lates calcarifer 6
Latridopsis forsteri 167
Latris lineata 166
Leionura atun 4
Lepidotrigla vanessa 70
Lethrinus chrysostomus 156
 nebulosus 158
Liza argentea 98
 vaigiensis 97
Loligo chinensis 153
 edulis 20
 formosa 153
 opalescens 154
Lotella rhacinus 30
Lutjanidae family 116,148

- Lutjanus johni* 148
 malabaricus 116
 sanguineus 115
 sebae 124
- Maccullochella peeli* 26
Macquaria ambigua 112
Macruronus novaezealandiae 69
Melanogrammus aeglefinus 72
Merlangius merlangus 181
Merluccius australis 73
 capensis 29,75,76
 gayi 76
 hubbsi 74
Metavelifer multiradiatus 175
Meuschenia australis 83
 freycineti 83
Micromesistius australis 178
Monacanthidae family 83
Mora Moro 128
Mugil argenteus 98
 cephalus 102
 georgii 99
Mullidae spp. 100
Mulloidichthys auriflamma 100
Mustelus antarcticus 140
 spp. 140
Myxus elongatus 101
- Navodon ayraudi* 85
 scaber 83,84,85
Nelusetta ayraudi 84
Nemadactylus douglasi 14
 valenciennesi 10
 macropterus 15
Nematalosa erebi 11
Neoplatycephalus conatus 51
 richardsoni 58
 speculator 50
Neothunnus macropterus 172
Notorhynchus cepedianus 144
Nototodarus gouldi 152
 sloani 152
- Oncorhynchus* spp. 130
 tschawytscha 130
Oplegnathus woodwardi 32
- Parapercis colias* 25
Parika scaber 85
Paristiopterus gallipavo 109
 labiosus 108
Pecten alba 135
 fumata 135
 meridionalis 135
 novaezealandiae 135
Pelotretis flavilatus 151
- Peltorhampus novaezealandiae* 150
Penicipelta vittiger 83
Pentaceropsis recurvirostris 107
Perca fluviatilis 125
Plagiogeneion macrolepis 129
 rubiginosus 129
Platycephalus arenarius 54
 bassensis 56
 caeruleopunctatus 53
 fuscus 52
 indicus 49
 laevigatus 55
Plectorhynchus pictus 157
Plectropoma spp. 164
Pleuronectes platessa 121
Pollachius virens 31
Polynemus sheridani 132
Polyprion oxygeneios 77
Pomatomus saltatrix 159
Priacanthus spp. 18
Prionace glauca 138
Pristiophorus cirratus 142
 nudipinnis 142
Pseudocaranx dentex 163
Pseudocyttus maculatus 43
Pseudophycis bachus 28
 barbata 30
Pterygotrigla picta 82
 polyommata 82
- Rachycentron canadus* 80
 pondicerianum 80
Raja spp. 146
Reinhardtius hippoglossoides 173
Rexea solandri 67
Rhombosolea plebeia 61
 retiara 61
 tapirina 61
Ruvettus pretiosus 48
- Salmo gairdnerii* 165
 salar 130
Sarda australis 8
 orientalis 9
Sardinops neopilchardus 120
Scomber australasicus 89
 japonicus 90
 scombrus 88
Scomberoides lysan 123
Scomberomorus commersoni 94,95
 queenslandicus 93
 semifasciatus 95
Sebastes marinus 110
 mentella 110
 viviparus 110
Selenotoca multifasciata 19
Sepioteuthis australis 21

bilineata 21
Seriola lalandi 81
 spp. 81
Seriola brama 176
 punctata 176,177
Sillaginodes punctatus 180
Sillago bassensis 183
 ciliata 182
 maculata 184
 schomburgkii 185
Solea vulgaris vulgaris 149
Sphyræna barracuda 5
 novæhollandiæ 118
 obtusata 119
Sphyrænidae family 5
Squalus acanthias 36,37
 blainvillei 35
 griffini 36
 megalops 36
Squatina australis 136
 tergozellata 141
Stolephorus spp. 2

Tandanus tandanus 23
Thamnoconus degeni 83
Theragra chalcogramma 122
Thyrsites atun 4
Thunnus alalunga 1
 albacares 172
 maccoyii 171
 tongoll 168
Tinca tinca 160
Trachichthodes affinis 126
Trachurus declivis 92

Upeneichthys porosus 100

Valamugil scheli 96

Zanclistius elevatus 106
Zenopsis nebulosus 41
Zeus faber 39
 japonicus 39