

# SEAFOOD BY SEASON

A U S T R A L I A N

Your State by State and Month by Month Guide to Australia's Seafood Seasonality

# AUSTRALIAN SEAFOOD BY SEASON



FISHERIES  
RESEARCH &  
DEVELOPMENT  
CORPORATION



QUEENSLAND  
GOVERNMENT



DPI  
QUEENSLAND  
DEPARTMENT OF  
PRIMARY INDUSTRIES


**Atlantic Salmon***Salmo salar***Australian Salmon***Arripis trutta and A. truttaceus***Barramundi***Lates calcarifer***Blue Eye***Hyperoglyphe antarctica***Blue Grenadier***Macruronus novaezelandiae***Yellowfin Bream***Acanthopagrus australis***Coral Trout***Plectropomus* and *Variola* species  
(Illustrated – *Plectropomus leopardus*)**John Dory***Zeus faber***Shortfin Eel***Anguilla australis***Emperor***Lethrinus* species  
(Illustrated – *Lethrinus miniatus*)**Red Emperor***Lutjanus sebae***Sand Flathead***Platycephalus bassensis***Greenback Flounder***Rhombosolea tapirina***Silver Perch***Bidyanus bidyanus***Golden Perch***Macquaria ambigua***Murray Cod***Maccullochella* species  
(Illustrated – *Maccullochella peelii*)**Northern Garfish***Arrhamphus sclerolepis* and  
*Hemiramphus robustus*  
(Illustrated – *Arrhamphus sclerolepis*)**Yellowtail Kingfish***Seriola lalandi***Leatherjacket***Species of the family Monacanthidae*  
(Illustrated – *Meuschenia australis*)**Ling***Genypterus* species  
(Illustrated – *Genypterus blacodes*)**Spanish Mackerel***Scomberomorus commerson***Morwong***Nemadactylus* species  
(Illustrated – *Nemadactylus macropterus*)**Sea Mullet***Mugil cephalus***Mulloway***Argyrosomus hololepidotus***Orange Roughy***Hoplostethus atlanticus***Smooth Oreo***Pseudocyttus maculatus***Pearl Perch***members of the genus Glaukosoma*  
except *G. hebraicum*  
(Illustrated – *Glaukosoma scapulare*)**Pilchard***Sardinops neopilchardus***Redfish***Centroberyx affinis***Rock Cod***Epinephelus*, *Anperodon* and *Aethaloperca*  
species (Illustrated – *Epinephelus suillus*)**Sea Perch***Lutjanus* species  
(Illustrated – *Lutjanus erythrogrammus*)**Blacktip Shark***Carcharhinus* species**Snapper***Pagrus auratus***Tailor***Pomatomus saltatrix***King Threadfin***Polydactylus sherianni***Silver Trevally***Pseudocaranx dentex*

## FOREWORD

The Australian Seafood by Season calendar is a major contribution to the communication of information throughout the seafood marketing chain by highlighting when and where Australian seafood species are available.

The calendar will be an invaluable tool for the food service and food retail industries. The comprehensive seasonality information will help promote the use of Australian seafood when it is at its best, resulting in higher and more consistent returns to the seafood industry.

I would like to congratulate the staff of Marketing Services, Department of Primary Industries, Queensland for producing this quality product, and would like to thank all of the people who have helped to ensure the accuracy of the seasonality information.



Senator Warwick Parer  
Minister for Resources and Energy

## HOW TO USE AUSTRALIAN SEAFOOD BY SEASON

Australian Seafood by Season is a simple state by state guide to Australian wild caught and aquaculture seafood species. A guide to the information it contains is provided below:

### Recommended species

#### marketing name

The marketing names used in this calendar are taken from FRDC's *Marketing Names for Fish and Seafood in Australia*. In general, species are arranged in alphabetical order by their marketing name; many are listed together in groups (eg. prawns). Finfish are listed separately from Crustaceans and Molluscs and Other Species.

#### Species scientific name

Scientific names accurately identify the species or taxonomic group for each of the finfish and other seafood species.


Columns show species seasonality by State or Territory

Availability of species depicted by simple graphic icons explained in the legend

LEGEND			
	Peak		
	Available Supply		
	Limited to Nil		
	Closure		

Where no icon is shown the species is either not fished or not caught during this month, in this state. Seasonality is based on the commercial fishing of species.

### CALENDAR



### ALTERNATIVES TABLE

A convenient reference guide for species alternatives

## INTRODUCTION

Australian Seafood by Season is a user-friendly guide to Australian seafood seasonality. Its publication has been funded by the Fisheries Research and Development Corporation, the Department of Primary Industries, Queensland and the Queensland Commercial Fishermen's Organisation.

This calendar has been developed in response to the reluctance by many in the food retail and food service sectors to use some seafood because the unknown supply makes it difficult to plan ahead such activities as designing menus, undertaking of promotions, budgeting of input costs, and ordering seafood products. The seasonality information contained within this publication applies to fresh seafood. However, it is important to note that seafood is available all year round as a frozen product and that the quality of quick-frozen seafood can be equivalent to that of fresh seafood.

The seasonality information has been collected from sources that include, state fisheries departments, fisheries management authorities, fishing companies and individual fishers around Australia. It is important for readers to recognise that this information is a guide only, as seafood seasonality can be affected by factors such as weather conditions or fisheries closures.

The seasonal closures indicated are correct at the time of printing. However,

some closures are subject to change, and readers should check with the fisheries management authority in their state to see if they are still valid.

I would particularly like to thank the following for their help in producing this publication:

- Mr Peter Dundas-Smith and the Fisheries Research and Development Corporation (FRDC), for providing funding and input to develop the calendar;
- Mr Peter McDonald, Marketing Specialist, Marketing Services (DPI), who researched and compiled the seasonality information. His accomplished research skills, perseverance and creative ideas were essential in producing and promoting the final product;
- Mr Ted Loveday and Ms Joanna Kane-Potaka who were instrumental in the initial development of a chart to disseminate seafood seasonality information to industry and who provided their valued advice throughout the project.



Francene Brown  
Project Leader, Senior Marketing Specialist, Marketing Services, DPI

## ACKNOWLEDGMENTS

The authors would like to thank the following for their important contributions to Australian Seafood by Season.

**Department of Primary Industries, Queensland:**  
Mr Kevin Smith, Mr Peter Twyford-Jones, Ms Garth Reid, Ms Maria Devlin and Ms Robyn Trevor, Marketing Services, DPI and Ms Kate Harris, formerly of Agribusiness Marketing Services, DPI for their assistance in developing this calendar.

**Fishing Industry Councils:** All state fishing industry councils.

**John Roach Seafood Consultants** – John Roach

**Fisheries Departments:** All state fisheries departments, fisheries research institutes and aquaculture divisions.

The Australian Fisheries Management Authority (AFMA), CSIRO, the Melbourne Wholesale Fish Market and the Sydney Fish Market.

**Seafood Producers and Companies:** A & F Fry (NSW), A. Raptis and Sons (QLD), Air Lobster (SA), AquaCairns (QLD), Arch Vale Trout Farm (NSW), Aussie Prawns (NT), Australian Bright Fishermen (SA), Australian Bluefin (SA), Australian Marine Exports (NSW), Australian Rainbow Trout Farm (VIC), Barrier Reef Seafoods (QLD), Cardinal Seafoods (QLD), Carey Street Seafoods (NT), Casanova Oyster (NSW), Catalano's (WA), Clover Cottage Trout Farm (WA), Craig Kelly Enterprises (WA), Eels Australis (TAS), Gamefisher (NT), George Town Seafoods (TAS), Gill Fisheries (SA), Greens Mud Crab (QLD), Hursey Seafoods (TAS), Independent Seafood Producers (ISP) (QLD), Jack Miriklis (VIC), Kailis Brothers (WA), King Island Seafood (TAS), Malacutta (VIC), Manchester Eels and Seafood (QLD), Manhattan Enterprises (QLD), Mendolis (WA), Merlin Fishing Co. (WA), MG Kailis (WA), Moreton Bay Prawn Farm (QLD), New Fishing (WA), Nortas (TAS), Oceans Food International (WA), OYSA Limited (SA), Penglis Wholesale Seafood (QLD), Petuna Seafoods (TAS), Progress Fisheries (NT), Regal Seafoods (VIC), Riccardi Seafoods (WA), SAFCOL Australia (SA), Scarborough Fish Market (QLD), Sealanes (WA), SeaTech Seafoods (WA), Southern Waters Lobster (SA), Tasea Enterprises (TAS), Tasfish (TAS), Tassals (TAS), Toorbul Point Rock Oysters (QLD), Townsville Seafood Factory (QLD), West Coast Abalone Divers (WA), Wood Fisheries (QLD).


**Industry Associations:** Master Fish Merchants Association (NSW), Australian Prawn Farmers Association, Australian Prawn Promotion Association, Ballina Fishermen's Cooperative, Crayfish Growers Association of Queensland, Geraldton Fishing Cooperative, New South Wales Oyster Farmers Association, Queensland Oyster Growers Association, Queensland Silver Perch Association, South Australia Oyster Growers Association, South Australian Abalone Industry Association, Tasmanian Farmed Abalone Association, Tasmanian Oyster Growers Association, Tasmanian Rock Lobster Association, Tasmanian Salmonid Growers, Tasmanian Shark Fishermen's Association, Victorian Eel Fishermen's Association, Victorian Mussel Growers Association.

**Individual Fishers:** Dean Barnes (SA), Steve Bull (WA), P. Constantinopoulos (SA), Roger Edwards - Rock Lobster fisher (SA), Barry Evans (SA), G. Hera-Singh (SA), Craig Hollett (SA), Henry Jones (SA), Rob Ladlow (NT), Terry Merran (SA), Kim Redman (SA), Marcia Valente (SA).

**Others:** Norm Grant - Seafood Australia (NSW), Dos O'Sullivan - Dosaqua (VIC).



## AVAILABILITY OF SPECIES FOR THE MONTH OF JANUARY






FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>					■		
<b>Australian Salmon</b> <i>Arripis trutta</i> and <i>A. truttaceus</i>		■	■	■	■	■	■
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	✗	■		■	■	✗
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>		■	■	■	■	■	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>		■	■	■		✗	
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	■	■	■				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>		✗	■		✗	■	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	■				■	✗	
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>		■	■	■	■		
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>		■	■	■	■		
<b>Silver Dory</b> <i>Cyttus australis</i>		■	■	■	■		
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>		✗	■	■	■		
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>		✗	■	■			
<b>Emperor</b> <i>Lethrinus</i> species	■				■	■	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	■				■	■	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	■	■	✗				
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	■	■	■	■			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>	■						
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>				■	■		
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>		■	■				
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>	■						
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>		■					
<b>Southern Flathead</b> <i>Platycephalus speculator</i>	■		✗	■			
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rombosolea tapirina</i>			■	■			

	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>	■	■	■			■	■
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae	■	■	■	■	■	■	■
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> <sup>②</sup>	■	■			■	■	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>	✗	■	■		■		
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>				■	■		
<b>Black Oreo</b> <i>Allocyttus niger</i> and <i>A. verrucosus</i>					■		
<b>Spikey Oreo</b> <i>Neocyttus rhomboidalis</i>	■	■	■				
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	■	■				■	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	■	■			■	■	
<b>Redfish</b> <i>Centroberyx affinis</i> <sup>③</sup>	■	■	■	■	■	■	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> <sup>④</sup>					■	■	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anperodon</i> and <i>Aethaloperca</i> species	■	■			■	■	
<b>Sea Perch</b> <i>Lutjanus</i> species	■	■			■	■	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species	■	■	■	■	■	■	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species	■	■			■	■	
<b>School Shark</b> <i>Galeorhinus galeus</i>	■	■	■	■	■	■	
<b>Angel Shark</b> <i>Squatina</i> species	■	■	■	■	■	■	
<b>Saw Shark</b> <i>Pristiophorus</i> species	■	■	■	■	■	■	
<b>Spikey Dogfish</b> <i>Squalus megalops</i>	■	■	■	■			
<b>Snapper</b> <i>Pagrus auratus</i>	■	■	■		■	■	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	■	■	■			■	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	■					■	
<b>King Threadfin</b> <i>Polydactylus sheridani</i>	■						

CRUSTACEANS and MOLLUSCS	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>	wild farmed						
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed		✗	✗	■	■	■
<b>Roes Abalone</b> <i>Haliotis roei</i>	wild farmed					■	
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>						■	
<b>Bug</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>			■				
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>		■	■				✗
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>	■	■			■	■	■
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>			■	■	■	■	
<b>Mud Crab</b> <i>Scylla serrata</i>	■	■				■	■
<b>Sand Crab</b> <i>Ovalipes</i> species	■	■	■		■	■	■
<b>Spanner Crab</b> <i>Ranina ranina</i>	■	■					
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed		■	■	■	■	
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed	■	■				■
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed				■	■	
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed		■	■	■	■	
<b>Octopus</b> <i>Octopus</i> species		■	■	■	■	■	
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed		■				■
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed		■			■	
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>	■					✗	✗
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>	■	■			■	■	✗
<b>School Prawn</b>							
<b>Endeavour Prawn</b> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>	✗				■	■	✗

JANUARY



① Previously known as Jackass morwong, Grey morwong, Terakihi, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known as Redfish, Nannygai, Red snapper.

⑤ Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

⑥ Greenlip Abalone - NSW - Closed season until 17 January. Greenlip Abalone are available after this date.

⑦ Previously known as Kuruma prawn.


Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

## AUSEAS – Providing Seafood Solutions

Information is the vital ingredient for success in the global seafood market. The demand for high quality seafood grows at an astounding rate. To capitalise on this demand, operators at every level in the distribution chain need technical information on subjects as diverse as quality assurance, processing techniques, live fish transport, and nutritional composition of seafood. At AUSEAS we can provide a customised information and advisory service designed specifically for your needs. With over 7000 publications in

our databases and our electronic links to research institutes around the world, we offer access to research spanning 60 years.


Our prices are very competitive. You call, discuss your requirements with a consultant who then prepares a proposal for you. To proceed, you simply return the completed proposal form. The contact number is 07 3406 8597.



AUSEAS  
Phone: (07) 3406 8597  
Fax: (07) 3406 8677  
Internet:  
[www.dpi.qld.gov.au/cft/cft\\_ause.html](http://www.dpi.qld.gov.au/cft/cft_ause.html)  
Email: austinb@dpi.qld.gov.au





## AVAILABILITY OF SPECIES FOR THE MONTH OF FEBRUARY



FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				●			
<b>Australian Salmon</b> <i>Arripis trutta</i> and <i>A. truttaceus</i>	●	●	●	●	●	●	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	●	●		●	●	●
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>		●	●	●	●	●	
<b>Blue Grenadier</b> <i>Macruronus novaezealandiae</i>	●	●	●	●	●		
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	●	●	●				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>	●	●	●	●	●		
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	●				●	●	
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>	●	●	●	●	●		
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>	●	●	●	●	●		
<b>Silver Dory</b> <i>Cynoscion australis</i>	●	●	●	●	●		
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>	●	●	●	●			
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>	●	●	●				
<b>Emperor</b> <i>Lethrinus</i> species	●				●	●	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	●				●	●	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	●	●	●	●			
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	●	●	●	●			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>	●						
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>				●	●		
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>	●	●	●				
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>	●						
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>	●						
<b>Southern Flathead</b> <i>Platycephalus speculator</i>	●			●	●		
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rombosolea tapirina</i>		●	●				
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>	●	●	●				
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae	●	●	●	●	●	●	●
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ②	●	●			●	●	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>	✗	●	●	●	●		
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>				●	●		
<b>Black Oreo</b> <i>Alloctytus niger</i> and <i>A. verrucosus</i>					●		
<b>Spike Oreo</b> <i>Neocyttus rhomboidalis</i>	●	●	●	●			
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	●	●				●	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	●	●	●		●	●	
<b>Redfish</b> <i>Centroberyx affinis</i> ③	●	●	●	●	●	●	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ①				●	●		
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anperodon</i> and <i>Aethaloperca</i> species	●	●			●	●	
<b>Sea Perch</b> <i>Lutjanus</i> species	●	●			●	●	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species	●	●	●	●	●	●	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species	●	●	●	●	●	●	●
<b>School Shark</b> <i>Galeorhinus galeus</i>	●	●	●	●	●	●	
<b>Angel Shark</b> <i>Squatina</i> species	●	●	●	●	●	●	
<b>Saw Shark</b> <i>Pristiophorus</i> species	●	●	●	●	●	●	
<b>Spike Dogfish</b> <i>Squalus megalops</i>	●	●	●	●			
<b>Snapper</b> <i>Pagrus auratus</i>	●	●	●		●	●	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	●	●	●			●	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	●					●	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>	●					●	





**LEGEND**

- Peak
- Available Supply
- Limited to Nil
- Closure

① Previously known as Jackass morwong, Grey morwong, Terakihi, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known as Redfish, Nannygai, Red snapper.

⑤ Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

⑥ Giant Crab - TAS - Closed season from 14 to 28 February. Giant Crab supply peaks before this closure.

⑦ Previously known as Kuruma prawn.

⑧ Southern Rock Lobster - TAS - Closed season from 14 to 28 February. South Rock Lobster supply peaks before this closure.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

It's six o'clock, the week's been frantic - drinks and nibbles time!

A glass of your usual is placed on the bar as you and a friend settle in to wind out the week. Accompanying your favourite drink is a basket of golden beer batter fries.

These distinct crispy planks of potato have a flavour and character that is uniquely 'Australian'. Their delicious batter coating seals in moisture yet doesn't allow the fry to go limp. A great bonus for our hungry guests and their eager hosts. McCain beer batter fries, another great idea and a fantastic accompaniment to meals, or simply, 'a quiet one'.



Ah McCain...you've done it again!


**Sales Offices:**

Melbourne (03) 9840 7277  
Adelaide (08) 8239 1119  
Perth (08) 9474 3066  
Brisbane (07) 3844 5666  
Sydney (02) 9899 7800  
Launceston (03) 6334 1600

**McCain Foods (Aust) Pty Ltd**  
Ring Road, Wendouree, Victoria, 3355  
Telephone: (03) 5339 2241



## AVAILABILITY OF SPECIES FOR THE MONTH OF MARCH





FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				●			
<b>Australian Salmon</b> <i>Arripis trutta</i> and <i>A. truttaceus</i>		●	●	●	●	●	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	●	●		●	●	●
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>		●	●	●	●	●	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>	●	●	●		●		
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	●	●	●				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>		●	●		●	●	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	●				●		●
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>	●	●	●	●	●		
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>	●	●	●			●	
<b>Silver Dory</b> <i>Cynoscion australis</i>	●	●	●				
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>	●	●	●	●			
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>	●	●	●				
<b>Emperor</b> <i>Lethrinus</i> species	●				●	●	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	●				●	●	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	●	●	●				
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	●	●	●	●			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>	●						
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>				●	●		
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>	●	●					
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>	●						
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>	●						
<b>Southern Flathead</b> <i>Platycephalus speculator</i>	●		●		●		
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rhomboptera tapirina</i>		●					

	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>	●	●	●		●	●	
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae	●	●	●	●	●	●	
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ②	●	●			●	●	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>	✗	●		●	●		
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>			●	●			
<b>Black Oreo</b> <i>Allocyttus niger</i> and <i>A. verrucosus</i>				●	●		
<b>Spikey Oreo</b> <i>Neocytus rhomboidalis</i>	●	●	●				
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	●	●				●	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	●	●			●	●	
<b>Redfish</b> <i>Centroberyx affinis</i> ③	●	●	●	●	●	●	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ①					●	●	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anyperodon</i> and <i>Aethaloperca</i> species	●	●			●	●	
<b>Sea Perch</b> <i>Lutjanus</i> species	●	●			●	●	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species	●	●	●	●	●	●	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species	●	●			●	●	●
<b>School Shark</b> <i>Galeorhinus galeus</i>	●	●	●	●	●	●	
<b>Angel Shark</b> <i>Squatina</i> species	●	●	●	●	●	●	
<b>Saw Shark</b> <i>Pristiophorus</i> species	●	●	●	●	●	●	
<b>Spikey Dogfish</b> <i>Squalus megalops</i>	●	●	●				
<b>Snapper</b> <i>Pagrus auratus</i>	●	●	●		●	●	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	●	●	●			●	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	●				●	●	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>	●					●	

CRUSTACEANS and MOLLUSCS	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>							
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed						
<b>Roes Abalone</b> <i>Haliotis roei</i>							
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>							
<b>Bug</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>			●				
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>	●	●					✗
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>	●	●			●	●	●
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>					●	●	●
<b>Mud Crab</b> <i>Scylla serrata</i>	●	●					●
<b>Sand Crab</b> <i>Ovalipes</i> species	●	●	●		●	●	●
<b>Spanner Crab</b> <i>Ranina ranina</i>	●	●					
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>							
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	wild farmed				●	●	
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed					●	●
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed				●	●	●
<b>Octopus</b> <i>Octopus</i> species	●	●	●	●	●	●	●
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed				●		●
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed				●		●
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>	●					●	✗
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>	●	●			●	●	✗
<b>School Prawn</b> <i>Endeavourae Prawn</i> <i>Metapenaeus endeavourae</i> , <i>M. ensis</i>	●				●	●	✗





**LEGEND**

- Peak
- Available Supply
- Limited to Nil
- Closure

① Previously known as Jackass morwong, Grey morwong, Terakiki, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.


② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known






## AVAILABILITY OF SPECIES FOR THE MONTH OF APRIL



FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				●			
<b>Australian Salmon</b> <i>Aripris trutta</i> and <i>A. truttaceus</i>	●	●	●	●	●	●	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	●	●		●	●	●
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>		●	●	●	●	●	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>	●	●	●		●		
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	●	●	●				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>		●	●		●	●	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	●				●		●
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>		●	●	●	●		
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>	●	●	●				●
<b>Silver Dory</b> <i>Cyttus australis</i>	●	●	●				
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>	●	●	●	●			
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>	●	●	●				
<b>Emperor</b> <i>Lethrinus</i> species	●				●	●	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	●				●	●	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	●	●	●	●			
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	●	●	●	●			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>	●						
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>				●	●		
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>	●	●					
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>	●						
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>	●						
<b>Southern Flathead</b> <i>Platycephalus speculator</i>	●		●		●		
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rhombosolea tapirina</i>		●	●	●			
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>	●	●	●			●	●
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae		●	●	●	●	●	●
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ♂	●	●			●	●	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>		☒	●	●	●	●	
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>			●		●		
<b>Black Oreo</b> <i>Allocyttus niger</i> and <i>A. verrucosus</i>							
<b>Spikey Oreo</b> <i>Neocyttus rhomboidalis</i>		●	●		●		
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	●	●				●	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	●	●		●	●		
<b>Redfish</b> <i>Centroberyx affinis</i> ♂	●	●	●	●	●	●	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ♂					●	●	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anyperodon</i> and <i>Aethaloperca</i> species	●	●			●	●	
<b>Sea Perch</b> <i>Lutjanus</i> species	●	●			●	●	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species		●	●	●	●	●	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species	●	●					
<b>School Shark</b> <i>Galeorhinus galeus</i>	●	●	●	●	●	●	
<b>Angel Shark</b> <i>Squatina</i> species	●	●	●	●	●	●	
<b>Saw Shark</b> <i>Pristiophorus</i> species	●	●	●	●	●	●	
<b>Spikey Dogfish</b> <i>Squalus megalops</i>	●	●	●				
<b>Snapper</b> <i>Pagrus auratus</i>	●	●	●		●	●	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	●	●	●			●	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	●				●	●	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>	●					●	
<b>CRUSTACEANS and MOLLUSCS</b>	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>	wild farmed				●	●	
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed		●	●	●	●	●
<b>Roes Abalone</b> <i>Haliotis roei</i>						●	
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>						●	
<b>Bug</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>			●				
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>	●	●				●	●
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>	●	●			●	●	●
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>			●	●	●	●	●
<b>Mud Crab</b> <i>Scylla serrata</i>	●	●				●	●
<b>Sand Crab</b> <i>Ovalipes</i> species	●	●	●	●	●	●	●
<b>Spanner Crab</b> <i>Ranina ranina</i>	●	●					
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed		●	●	●	●	
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed	●					●
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed				●	●	
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed		●	●	●	●	●
<b>Octopus</b> <i>Octopus</i> species		●	●	●	●	●	●
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed			●			●
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed			●	●		
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>	●					●	●
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>	●	●			●	●	●
<b>School Prawn</b>							
<b>Endeavour Prawn</b> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>	●				●	●	

APRIL



**LEGEND**

- Peak
- Available Supply
- Limited to Nil
- Closure

<sup>①</sup> Previously known as Jackass morwong, Grey morwong, Terakiki, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

<sup>②</sup> Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

<sup>③</sup> Previously known as Nannygai, Red snapper.

<sup>④</sup> Previously known as Redfish, Nannygai, Red snapper.

<sup>⑤</sup> Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

<sup>⑥</sup> Previously known as Kuruma prawn.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

## Total Product Quality = Customer Satisfaction = Increased Profitability

Quality training developed and managed through the QFIC ensures maximum return on industry's investment through;

- Training solutions to increase profitability
- Training recognised by industry nationally
- Training designed to meet specific requirements of your company
- Training packages to improve the skills of all employee levels
- Suppliers of industry publications



Queensland Fishing Industry Training Council Inc.  
PO Box 414 Roma Street,  
Queensland 4003  
537 Boundary St,  
Spring Hill 4004  
Phone: 07 3225 1854  
Fax: 07 3225 1800




Quality Assured Company  
AS/NZS ISO 9001:1994  
Regn. No 367




Servicing all sectors of the seafood industry



## AVAILABILITY OF SPECIES FOR THE MONTH OF MAY



FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				■			
<b>Australian Salmon</b> <i>Arripis trutta</i> and <i>A. truttaceus</i>	■	■	■	■	■	■	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	■	■		■	■	■
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>	■	■	■	■	■	■	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>	■	■	■		■		
<b>Bream</b>							
Yellowfin Bream <i>Acanthopagrus australis</i>	■	■	■				
Black Bream <i>Acanthopagrus butcheri</i>		■	■		■	■	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	■				■		■
<b>Dory</b>							
John Dory <i>Zeus faber</i>	■	■	■	■	■		
Mirror Dory <i>Zenopsis nebulosus</i>	■	■	■			■	
Silver Dory <i>Cyttus australis</i>	■	■	■				
<b>Eel</b>							
Shortfin Eel <i>Anguilla australis</i>	■	■	■				
Longfin Eel <i>Anguilla reinhardtii</i>	■	■	■				
<b>Emperor</b> <i>Lethrinus</i> species	■				■	■	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	■				■	■	
<b>Flathead</b>							
Dusky Flathead <i>Platycephalus fuscus</i>	■	■	■				
Tiger Flathead <i>Neoplatycephalus richardsoni</i>	■	■	■	■			
Bartail Flathead <i>Platycephalus indicus</i>	■						
Deepwater Flathead <i>Neoplatycephalus conatus</i>				■	■		
Sand Flathead <i>Platycephalus bassensis</i>	■	■					
Northern Sand Flathead <i>Platycephalus arenarius</i>	■						
Rock Flathead <i>Platycephalus laevigatus</i>	■						
Southern Flathead <i>Platycephalus speculator</i>	■		■		■		
<b>Flounder</b>							
Greenback Flounder <i>Rhombosolea tapirina</i>		■	■	■			
<b>Mullet</b>							
Sea Mullet <i>Mugil cephalus</i>	■	■	■				
Diamondscale Mullet <i>Liza vaigiensis</i>							
Other Mullets species of the family Mugilidae	■	■	■	■	■	■	
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ♂	■	■			■	■	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>	☒	■		■	■		
<b>Oreo</b>							
Smooth Oreo <i>Pseudocyttus maculatus</i>		■	■	■			
Black Oreo <i>Allocyttus niger</i> and <i>A. verrucosus</i>		■					
Spikey Oreo <i>Neocyttus rhomboidalis</i>	■	■	■	■			
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	■	■				■	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	■	■		■	■		
<b>Redfish</b> <i>Centroberyx affinis</i> ♂	■	■	■	■	■	■	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ♂					■	■	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anyperodon</i> and <i>Aethaloperca</i> species	■	■			■	■	
<b>Sea Perch</b> <i>Lutjanus</i> species	■	■			■	■	
<b>Shark</b>							
Gummy Shark <i>Mustelus</i> species	■	■	■	■	■	■	
Blacktip Shark <i>Carcharhinus</i> species	■	■	■	■	■	■	
School Shark <i>Galeorhinus galeus</i>	■	■	■	■	■	■	
Angel Shark <i>Squatina</i> species	■	■	■	■	■	■	
Saw Shark <i>Pristiophorus</i> species	■	■	■	■	■	■	
Spikey Dogfish <i>Squalus megalops</i>	■	■	■				
<b>Snapper</b> <i>Pagrus auratus</i>	■	■	■		■	■	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	■	■	■			■	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	■				■	■	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>	■					■	
<b>CRUSTACEANS and MOLLUSCS</b>	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
Blacklip Abalone <i>Haliotis rubra</i>	wild farmed						
Greenlip Abalone <i>Haliotis laevigata</i>	wild farmed						
Roes Abalone <i>Haliotis roei</i>							
Brownlip Abalone <i>Haliotis conicopora</i>							
<b>Bug</b>							
Balmain Bug <i>Ibacus peronii</i>					■		
Moreton Bay Bug <i>Thenu s orientalis</i>	■	■				■	■
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>	■	■				■	■
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>					■	■	■
<b>Mud Crab</b> <i>Scylla serrata</i>	■	■				■	■
<b>Sand Crab</b> <i>Ovalipes</i> species	■	■	■		■	■	■
<b>Spanner Crab</b> <i>Ranina ranina</i>	■	■					
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed						
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed	■		■		■	■
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed					■	■
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed				■	■	■
<b>Octopus</b> <i>Octopus</i> species		■	■	■	■	■	■
<b>Oyster</b>							
Sydney Rock Oyster <i>Saccostrea commercialis</i>	farmed	■	■				■
Pacific Oyster <i>Crassostrea gigas</i>	farmed	■	■		■	■	
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>	■					■	■
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>	■	■				■	■
<b>School Prawn</b> <i>Endeavour Prawn</i> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>	■				■	■	■



① Previously known as Jackass morwong, Grey morwong, Terakihi, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known as Redfish, Nannygai, Red snapper.

⑤ Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

⑥ Previously known as Kuruma prawn.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

## AFMA – Protecting our fishing future

AFMA is the Commonwealth statutory authority responsible for managing Australia's Commonwealth fisheries. AFMA is committed to excellence in managing fisheries resources considering the needs of the marine ecosystems and current and future generations of Australians.

Key fisheries managed by AFMA include:

- Northern Prawn Fishery
- South East Trawl and Non-Trawl Fisheries
- Eastern Tuna and Billfish Fishery
- Sub-Antarctic exploratory and developmental fisheries.


- Southern Bluefin Tuna Fishery
- Southern Shark Fishery
- Bass Strait Central Zone Scallop Fishery;



Australian Fisheries Management Authority  
For further information: AFMA, PO Box 7051, Canberra Mail Centre, ACT 2610  
Tel: 02 6272 5175 Fax: 02 6272 5029  
web site: <http://www.afma.gov.au>






## AVAILABILITY OF SPECIES FOR THE MONTH OF JUNE



FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				🐟			
<b>Australian Salmon</b> <i>Arripis trutta</i> and <i>A. truttaceus</i>	🐟	🐟	🐟	🐟	🐟	🐟	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	🐟	🐟		🐟	🐟	🐟
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>	🐟	🐟	🐟	🐟	🐟	🐟	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>	🐟	🐟	🐟		🐟		
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	🐟	🐟	🐟				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>		🐟	🐟	🐟	🐟	🐟	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	🐟				🐟	🐟	
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>	🐟	🐟	🐟	🐟	🐟	🐟	
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>	🐟	🐟	🐟	🐟			🐟
<b>Silver Dory</b> <i>Cyttus australis</i>	🐟	🐟	🐟				
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>		🐟	🐟				
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>	🐟	🐟	🐟				
<b>Emperor</b> <i>Lethrinus</i> species	🐟				🐟	🐟	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	🐟				🐟	🐟	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	🐟	🐟	🐟				
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	🐟	🐟	🐟	🐟			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>		🐟					
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>				🐟	🐟		
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>		🐟	🐟				
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>		🐟					
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>		🐟					
<b>Southern Flathead</b> <i>Platycephalus speculator</i>		🐟	🐟		🐟		
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rhombosolea tapirina</i>			🐟	🐟			
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>		🐟	🐟				
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae		🐟	🐟	🐟	🐟	🐟	🐟
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> <sup>②</sup>	🐟	🐟			🐟	🐟	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>		☒	🐟	🐟	🐟		
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>			🐟				
<b>Black Oreo</b> <i>Allocyttus niger</i> and <i>A. verrucosus</i>							
<b>Spiky Oreo</b> <i>Neocyttus rhomboidalis</i>		🐟	🐟	🐟			
<b>Pearl Perch</b>							
members of the genus <i>Glaukosoma</i> except <i>G. hebraicum</i>	🐟	🐟				🐟	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	🐟	🐟		🐟	🐟		
<b>Redfish</b> <i>Centroberyx affinis</i> <sup>③</sup>	🐟	🐟	🐟	🐟	🐟	🐟	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> <sup>①</sup>					🐟	🐟	
<b>Rock Cod</b>							
<i>Epinephelus</i> , <i>Anyperodon</i> and <i>Aethaloperca</i> species	🐟	🐟			🐟	🐟	
<b>Sea Perch</b> <i>Lutjanus</i> species	🐟	🐟			🐟	🐟	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species		🐟	🐟	🐟	🐟	🐟	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species		🐟	🐟	🐟	🐟	🐟	
<b>School Shark</b> <i>Galeorhinus galeus</i>		🐟	🐟	🐟	🐟	🐟	
<b>Angel Shark</b> <i>Squatina</i> species		🐟	🐟	🐟	🐟	🐟	
<b>Saw Shark</b> <i>Pristiophorus</i> species		🐟	🐟	🐟	🐟	🐟	
<b>Spiky Dogfish</b> <i>Squalus megalops</i>		🐟	🐟	🐟			
<b>Snapper</b> <i>Pagrus auratus</i>	🐟	🐟	🐟		🐟	🐟	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	🐟	🐟	☒		🐟		
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	🐟				🐟	🐟	
<b>King Threadfin</b> <i>Polydactylus sheridani</i>	🐟					🐟	


CRUSTACEANS and MOLLUSCS	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>	wild farmed						
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed						
<b>Roes Abalone</b> <i>Haliotis roei</i>							
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>							
<b>Bug</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>						🐟	
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>						🐟	🐟
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>	🐟	🐟			🐟	🐟	🐟
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>					🐟	🐟	🐟
<b>Mud Crab</b> <i>Scylla serrata</i>	🐟	🐟				🐟	🐟
<b>Sand Crab</b> <i>Ovalipes</i> species	🐟	🐟	🐟		🐟	🐟	🐟
<b>Spanner Crab</b> <i>Ranina ranina</i>	🐟	🐟					
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed					🐟	🐟
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed	🐟					🐟
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed					🐟	🐟
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed				🐟	🐟	🐟
<b>Octopus</b> <i>Octopus</i> species		🐟	🐟	🐟	🐟	🐟	🐟
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed	🐟	🐟				🐟
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed	🐟			🐟	🐟	
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>	🐟					🐟	🐟
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>	🐟	🐟			🐟	🐟	🐟
<b>School Prawn</b>							
<b>Endeavour Prawn</b> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>	🐟				🐟	🐟	










## AVAILABILITY OF SPECIES FOR THE MONTH OF JULY



FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				●			
<b>Australian Salmon</b> <i>Aripris trutta</i> and <i>A. truttaceus</i>	●	●	●	●	●	●	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	●	●		●	●	●
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>		●	●	●	●	●	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>		●	●	●	●		
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	●	●	●				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>		●	●	●	●	●	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	●				●	●	
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>		●	●	●	●	●	
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>		●	●	●		●	
<b>Silver Dory</b> <i>Cyttus australis</i>		●	●	●			
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>		●	●	●			
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>		●	●	●			
<b>Emperor</b> <i>Lethrinus</i> species	●				●	●	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	●				●	●	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	●	●	●				
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	●	●	●	●			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>	●						
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>				●	●		
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>		●	●				
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>	●						
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>		●					
<b>Southern Flathead</b> <i>Platycephalus speculator</i>		●	●	●	●		
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rhombosolea tapirina</i>		●	●	●			
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>	●	●	●				
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae		●	●	●	●	●	●
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ②	●	●			●	●	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>	✗	●	●	●	●		
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>							
<b>Black Oreo</b> <i>Allocyttus niger</i> and <i>A. verrucosus</i>							
<b>Spikey Oreo</b> <i>Neocyttus rhomboidalis</i>	●	●		●			
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	●	●				●	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	●	●		●	●	●	
<b>Redfish</b> <i>Centroberyx affinis</i> ③	●	●	●	●	●	●	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ④					●	●	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anyperodon</i> and <i>Aethaloperca</i> species	●	●			●	●	
<b>Sea Perch</b> <i>Lutjanus</i> species	●	●			●	●	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species	●	●	●	●	●	●	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species	●	●			●	●	●
<b>School Shark</b> <i>Galeorhinus galeus</i>	●	●	●	●	●	●	
<b>Angel Shark</b> <i>Squatina</i> species	●	●	●	●	●	●	
<b>Saw Shark</b> <i>Pristiophorus</i> species	●	●	●	●	●	●	
<b>Spikey Dogfish</b> <i>Squalus megalops</i>	●	●	●				
<b>Snapper</b> <i>Pagrus auratus</i>	●	●	●		●	●	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	●	●	●			●	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	●				●	●	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>	●					●	
<b>CRUSTACEANS and MOLLUSCS</b>							
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>	wild farmed						
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed						
<b>Roes Abalone</b> <i>Haliotis roei</i>							
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>							
<b>Bug</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>					●		
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>					●		✗
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>		●	●		●	●	●
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>					●	●	●
<b>Mud Crab</b> <i>Scylla serrata</i>		●	●			●	●
<b>Sand Crab</b> <i>Ovalipes</i> species		●	●	●		●	●
<b>Spanner Crab</b> <i>Ranina ranina</i>		●	●				
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed						
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed	●				●	
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed					●	●
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed			●	●	●	●
<b>Octopus</b> <i>Octopus</i> species		●	●	●	●	●	●
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed	●	●				●
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed	●	●		●	●	
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>		●				●	✗
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>		●	●		●	●	✗
<b>School Prawn</b> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>		●			●	●	✗





**LEGEND**

- Peak
- Available Supply
- Limited to Nil
- Closure

① Previously known as Jackass morwong, Grey morwong, Terakiki, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known as Redfish, Nannygai, Red snapper.

⑤ Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

⑥ Previously known as Kuruma prawn.

⑦ The closed season for female Southern Rock Lobster extends from June 1 to November 15.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

It's six o'clock, the week's been frantic - drinks and nibbles time!

A glass of your usual is placed on the bar as you and a friend settle in to wind out the week. Accompanying your favourite drink is a basket of golden beer batter fries.

These distinct crispy planks of potato have a flavour and character that is uniquely 'Australian'. Their delicious batter coating seals in moisture yet doesn't allow the fry to go limp. A great bonus for our hungry guests and their eager hosts. McCain beer batter fries, another great idea and a fantastic accompaniment to meals, or simply, 'a quiet one'.




Ah McCain...you've done it again!

**Sales Offices:**  
 Melbourne (03) 9840 7277  
 Adelaide (08) 8239 1119  
 Perth (08) 9474 3066  
 Brisbane (07) 3844 5666  
 Sydney (02) 9899 7800  
 Launceston (03) 6334 1600

**McCain Foods (Aust) Pty Ltd**  
 Ring Road, Wendouree, Victoria, 3355  
 Telephone: (03) 5339 2241



## AVAILABILITY OF SPECIES FOR THE MONTH OF AUGUST




FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				■			
<b>Australian Salmon</b> <i>Arripis trutta</i> and <i>A. truttaceus</i>		■	■	■	■	■	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	■	■		■	■	■
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>		■	■	■	■	■	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>		■	■	■	■	■	
<b>Bream</b>							
Yellowfin Bream <i>Acanthopagrus australis</i>	■	■	■				
Black Bream <i>Acanthopagrus butcheri</i>		■	■		■	■	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	■				■	■	
<b>Dory</b>							
John Dory <i>Zeus faber</i>		■	■	■	■		
Mirror Dory <i>Zenopsis nebulosus</i>		■	■	■		■	
Silver Dory <i>Cynoscion australis</i>	■	■	■	■			
<b>Eel</b>							
Shortfin Eel <i>Anguilla australis</i>	■	■	■				
Longfin Eel <i>Anguilla reinhardtii</i>	■	■	■				
<b>Emperor</b> <i>Lethrinus</i> species	■				■	■	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	■				■	■	
<b>Flathead</b>							
Dusky Flathead <i>Platycephalus fuscus</i>	■	■	■				
Tiger Flathead <i>Neoplatycephalus richardsoni</i>	■	■	■	■			
Bartail Flathead <i>Platycephalus indicus</i>	■						
Deepwater Flathead <i>Neoplatycephalus conatus</i>				■	■		
Sand Flathead <i>Platycephalus bassensis</i>	■	■					
Northern Sand Flathead <i>Platycephalus arenarius</i>	■						
Rock Flathead <i>Platycephalus laevigatus</i>	■						
Southern Flathead <i>Platycephalus speculator</i>	■		■	■			
<b>Flounder</b>							
Greenback Flounder <i>Rhombosolea tapirina</i>			■				

	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Mullet</b>							
Sea Mullet <i>Mugil cephalus</i>	■	■	■				
Diamondscale Mullet <i>Liza vaigiensis</i>		■	■				
Other Mullets species of the family Mugilidae	■	■	■	■	■	■	
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ②	■	■			■	■	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>			■	■	■		
<b>Oreo</b>							
Smooth Oreo <i>Pseudocytthus maculatus</i>					■		
Black Oreo <i>Allocyttus niger</i> and <i>A. verrucosus</i>							
Spiky Oreo <i>Neocyttus rhomboidalis</i>	■	■	■				
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	■	■				■	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	■	■			■	■	
<b>Redfish</b> <i>Centroberyx affinis</i> ③	■	■	■	■	■	■	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ④					■	■	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anperodon</i> and <i>Aethaloperca</i> species	■	■	■		■	■	
<b>Sea Perch</b> <i>Lutjanus</i> species	■	■			■	■	
<b>Shark</b>							
Gummy Shark <i>Mustelus</i> species	■	■	■	■	■	■	
Blacktip Shark <i>Carcharhinus</i> species	■	■	■		■	■	■
School Shark <i>Galeorhinus galeus</i>	■	■	■	■	■	■	
Angel Shark <i>Squatina</i> species	■	■	■	■	■	■	
Saw Shark <i>Pristiophorus</i> species	■	■	■	■	■	■	■
Spiky Dogfish <i>Squalus megalops</i>	■	■	■				
<b>Snapper</b> <i>Pagrus auratus</i>	■	■	■		■	■	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	■	■	■		■		
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	■				■	■	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>	■					■	

CRUSTACEANS and MOLLUSCS	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
Blacklip Abalone <i>Haliotis rubra</i>	wild farmed						
Greenlip Abalone <i>Haliotis laevigata</i>	wild farmed						
Roes Abalone <i>Haliotis roei</i>							
Brownlip Abalone <i>Haliotis conicopora</i>							
<b>Bug</b>							
Balmain Bug <i>Ibacus peronii</i>			■				
Moreton Bay Bug <i>Thenus orientalis</i>		■	■			■	■
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>		■	■		■	■	■
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>					■	■	■
<b>Mud Crab</b> <i>Scylla serrata</i>		■	■			■	■
<b>Sand Crab</b> <i>Ovalipes</i> species	■	■	■		■	■	■
<b>Spanner Crab</b> <i>Ranina ranina</i>	■	■					
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed				■	■	■
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed	■					
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed				■	■	
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed			■	■	■	■
<b>Octopus</b> <i>Octopus</i> species		■	■	■	■	■	■
<b>Oyster</b>							
Sydney Rock Oyster <i>Saccostrea commercialis</i>	farmed	■	■				
Pacific Oyster <i>Crassostrea gigas</i>	farmed		■	■	■	■	
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>	■					■	■
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>		■	■		■	■	■
<b>School Prawn</b>							
Endeavour Prawn <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>		■			■	■	■

AUGUST



## LEGEND

- Peak
- Available Supply
- Limited to Nil
- Closure

① Previously known as Jackass morwong, Grey morwong, Terakihi, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known as Redfish, Nannygai, Red snapper.

⑤ Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevally, Warehou, Sea bream, Black trevally, Haddock.

⑥ Previously known as Kuruma prawn.

⑦ The closed season for female Southern Rock Lobster extends from June 1 to November 15.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

**grilled tuna & Chambourcin perfect partners**


**CASSEGRAIN VINEYARDS**  
“...where the land meets the sea...”

**Cassegrain Vineyards Pty Ltd** A.C.N. 001 982 289  
Fernbank Creek Road, Port Macquarie NSW 2444  
Phone: 02 6583 7777  
Fax: 02 6584 0354

FROM THE HOUSE OF CASSEGRAIN






## AVAILABILITY OF SPECIES FOR THE MONTH OF SEPTEMBER



FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				●			
<b>Australian Salmon</b> <i>Aripris trutta</i> and <i>A. truttaceus</i>		●	●	●	●	●	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	●	●		●	●	●
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>		●	●	●	●	●	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>		●	●	●	●	●	
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	●	●	●				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>		●	●		●	●	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	●				●		●
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>		●	●	●	●		
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>		●	●	●	●		
<b>Silver Dory</b> <i>Cyttus australis</i>		●	●	●			
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>		●	●	●			
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>		●	●	●			
<b>Emperor</b> <i>Lethrinus</i> species	●				●	●	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	●				●	●	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	●	●	●	●			
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	●	●	●	●			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>	●						
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>				●		●	
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>	●	●	●				
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>	●						
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>	●						
<b>Southern Flathead</b> <i>Platycephalus speculator</i>	●		●	●			
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rhombosolea tapirina</i>		●	●				
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>	●	●	●				
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae		●	●	●	●	●	●
<b>Mulloway</b>							
<b>Argyrosomus hololepidotus</b> ♂	●	●			●	●	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>					●	●	
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>					●		
<b>Black Oreo</b> <i>Allocyttus niger</i> and <i>A. verrucosus</i>							
<b>Spiky Oreo</b> <i>Neocytus rhomboidalis</i>		●	●	●			
<b>Pearl Perch</b>							
members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	●	●				●	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>		●	●		●	●	
<b>Redfish</b>							
<b>Centroberyx affinis</b> ♂	●	●	●	●	●	●	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ♂					●	●	
<b>Rock Cod</b>							
<i>Epinephelus</i> , <i>Anperodon</i> and <i>Aethaloperca</i> species	●	●			●	●	
<b>Sea Perch</b> <i>Lutjanus</i> species	●	●			●	●	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species		●	●	●	●	●	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species	●	●	●		●	●	●
<b>School Shark</b> <i>Galeorhinus galeus</i>		●	●	●	●	●	
<b>Angel Shark</b> <i>Squatina</i> species		●	●	●	●	●	
<b>Saw Shark</b> <i>Pristiophorus</i> species		●	●	●	●	●	
<b>Spiky Dogfish</b> <i>Squalus megalops</i>		●	●	●			
<b>Snapper</b> <i>Pagrus auratus</i>	●	●	●		●	●	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	●	●	●			●	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	●				●	●	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>	●				●	●	

CRUSTACEANS and MOLLUSCS	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>	wild farmed				●	●	
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed		●	●	●	●	
<b>Roes Abalone</b> <i>Haliotis roei</i>						●	
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>						●	
<b>Bug</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>					●		
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>					●	●	
<b>Blue Swimmer Crab</b>							
<i>Portunus pelagicus</i>	●	●			●	●	●
<b>Giant Crab</b>							
<i>Pseudocarcinus gigas</i>					●	●	●
<b>Mud Crab</b>							
<i>Scylla serrata</i>	●	●				●	●
<b>Sand Crab</b>							
<i>Ovalipes</i> species	●	●	●		●	●	●
<b>Spanner Crab</b>							
<i>Ranina ranina</i>	●	●					
<b>Freshwater Crayfish</b>							
<b>Yabby</b>							
<i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed		●	●	●	●	
<b>Redclaw</b>	farmed	●					●
<i>Cherax quadricarinatus</i>							
<b>Marron</b>	farmed						
<i>Cherax tenuimanus</i>							
<b>Blue Mussel</b>	wild farmed				●	●	●
<i>Mytilus edulis</i>					●	●	●
<b>Octopus</b>							
<i>Octopus</i> species		●	●	●	●	●	●
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed	●	●				●
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed		●		●	●	
<b>Banana Prawn</b>							
<i>Penaeus merguiensis</i> , <i>P. indicus</i>		●				●	●
<b>King Prawn</b>							
<i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>		●	●		●	●	
<b>School Prawn</b>							
<b>Endeavour Prawn</b> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>		●			●	●	





**LEGEND**

- Peak
- Available Supply
- Limited to Nil
- Closure

① Previously known as Jackass morwong, Grey morwong, Terakihi, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known as Redfish, Nannygai, Red snapper.

⑤ Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

⑥ Previously known as Kuruma prawn.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

## The Master Fish Merchants' Association of New South Wales

The Master Fish Merchants' Association (MFMA) of NSW is the largest organisation representing the post harvest sector of the seafood industry in Australia. Membership is currently growing by 20% per year.

The MFMA is actively involved in negotiating better conditions for merchants, as well as on-going improvements in the way we buy and sell fish. We liaise with State and Federal Governments, media, commercial fishers and other organisations on behalf of our members.

The MFMA has made a commitment to produce promotional material to help members increase sales, so that they may compete with butchers and supermarkets, who are themselves placing increased emphasis on marketing.


Promotional material available includes an expanding list of colour recipe cards, brochures, posters and other point-of-sale material. Interstate fish merchants are able to obtain MFMA promotional material by joining as an Associate Member.



For more information contact:  
MFMA, PO Box 247, Pyrmont, NSW 2009  
Tel: 02 9552 1611 Fax: 02 9552 3171  
email: mfma@ozemail.com.au



## AVAILABILITY OF SPECIES FOR THE MONTH OF OCTOBER



### FINFISH

	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				●			
<b>Australian Salmon</b> <i>Arripis trutta</i> and <i>A. truttaceus</i>	●	●	●	●	●	●	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	●	●		●	●	✗
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>	●	●	●	●	●	●	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>	●	●	●		●		
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	●	●	●				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>	●	●	●		●	●	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	●				●		●
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>	●	●	●	●	●		
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>	●	●	●	●	●		
<b>Silver Dory</b> <i>Cyttus australis</i>	●	●	●	●			
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>	●	●	●	●			
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>	●	●	●				
<b>Emperor</b> <i>Lethrinus</i> species	●				●	●	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	●				●	●	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	●	●	●	●			
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	●	●	●	●			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>	●						
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>				●	●		
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>	●	●	●				
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>	●						
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>	●						
<b>Southern Flathead</b> <i>Platycephalus speculator</i>	●		●	●			
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rhombosolea tapirina</i>		●	●				




### MULLET

	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Sea Mullet</b> <i>Mugil cephalus</i>	●	●	●		●	●	
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae	●	●	●	●	●	●	
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ②	●	●			●	●	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>	✗	●	●	●	●		
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>		●	●				
<b>Black Oreo</b> <i>Allocyttus niger</i> and <i>A. verrucosus</i>				●			
<b>Spike Oreo</b> <i>Neocyttus rhomboidalis</i>	●	●	●				
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	●	●				●	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	●	●	●		●		
<b>Redfish</b> <i>Centroberyx affinis</i> ③	●	●	●	●	●	●	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ①					●	●	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anperodon</i> and <i>Aethaloperca</i> species	●	●			●	●	
<b>Sea Perch</b> <i>Lutjanus</i> species	●	●			●	●	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species	●	●	●	●	●	●	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species	●	●			●		
<b>School Shark</b> <i>Galeorhinus galeus</i>	●	●	●	●	●	●	
<b>Angel Shark</b> <i>Squatina</i> species	●	●	●	●	●	●	
<b>Saw Shark</b> <i>Pristiophorus</i> species	●	●	●	●	●	●	
<b>Spike Dogfish</b> <i>Squalus megalops</i>	●	●	●				
<b>Snapper</b> <i>Pagrus auratus</i>	●	●	●		●	●	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	●	●	●		●		
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>	●				●	●	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>	●						

### CRUSTACEANS and MOLLUSCS

	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>	wild farmed						
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed						
<b>Roes Abalone</b> <i>Haliotis roei</i>							
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>							
<b>Bugs</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>		●					
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>	●	●					
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>	●	●			●	●	●
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>					✗	✗	●
<b>Mud Crab</b> <i>Scylla serrata</i>	●	●					●
<b>Sand Crab</b> <i>Ovalipes</i> species	●	●	●		●	●	●
<b>Spanner Crab</b> <i>Ranina ranina</i>	●	●					
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed		●		●	●	
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed	●					●
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed						●
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed		●		●	●	
<b>Octopus</b> <i>Octopus</i> species		●	●	●	●	●	●
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed	●	●				●
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed	●			●	●	
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>	●					●	
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>		●			●	●	
<b>School Prawn</b>							
<b>Endeavour Prawn</b> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>		●			●	●	





**LEGEND**

- Peak
- Available Supply
- Limited to Nil
- Closure

<sup>①</sup> Previously known as Jackass morwong, Grey morwong, Terakihi, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

<sup>②</sup> Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

<sup>③</sup> Previously known as Nannygai, Red snapper.

<sup>④</sup> Previously known as Redfish, Nannygai, Red snapper.

<sup>⑤</sup> Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

<sup>⑥</sup> Previously known as Kuruma prawn.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

Quality is no longer an option.... it is the key to surviving in the seafood industry!

- How can I make more money?
- How can I ensure food safety?
- What is everyone else doing?

For help call SeaQual




**SeaQual**

Unit 1, Protech House  
6 Phipps Close  
Deakin ACT 2600  
Telephone (02) 6281 0383  
Facsimile (02) 6281 0438



## AVAILABILITY OF SPECIES FOR THE MONTH OF NOVEMBER






FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>					fish		
<b>Australian Salmon</b> <i>Arripis trutta</i> and <i>A. truttaceus</i>			fish	fish	fish	fish	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed		x			fish	x
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>			fish	fish	fish	fish	
<b>Blue Grenadier</b> <i>Macruronus novaezealandiae</i>				fish	fish		
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>			fish	fish	fish		
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>			fish	fish	fish		
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species					fish		fish
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>			fish	fish	fish		
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>			fish	fish	fish		
<b>Silver Dory</b> <i>Cynoscion australis</i>			fish	fish	fish		
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>			fish	fish	fish		
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>			fish	fish	fish		
<b>Emperor</b> <i>Lethrinus</i> species			fish		fish	fish	
<b>Red Emperor</b> <i>Lutjanus sebae</i>			fish		fish	fish	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>			fish	fish	fish		
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>			fish	fish	fish		
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>							
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>							
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>							
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>			fish				
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>			fish				
<b>Southern Flathead</b> <i>Platycephalus speculator</i>			fish	fish			
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rhomboseola tapirina</i>							

	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>							
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae							
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ②			fish	fish			
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>			x	fish	fish	fish	
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>					fish		
<b>Black Oreo</b> <i>Alloctytus niger</i> and <i>A. verrucosus</i>					fish		
<b>Spikey Oreo</b> <i>Neocyttus rhomboidalis</i>					fish		
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>			fish	fish		fish	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>			fish	fish	fish	fish	
<b>Redfish</b> <i>Centroberyx affinis</i> ③			fish	fish	fish	fish	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ④					fish	fish	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anperodon</i> and <i>Aethaloperca</i> species			fish	fish		fish	
<b>Sea Perch</b> <i>Lutjanus</i> species			fish	fish		fish	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species					fish		
<b>Blacktip Shark</b> <i>Carcharhinus</i> species					fish		
<b>School Shark</b> <i>Galeorhinus galeus</i>					fish		
<b>Angel Shark</b> <i>Squatina</i> species					fish		
<b>Saw Shark</b> <i>Pristiophorus</i> species					fish		
<b>Spikey Dogfish</b> <i>Squalus megalops</i>					fish		
<b>Snapper</b> <i>Pagrus auratus</i>					fish		
<b>Tailor</b> <i>Pomatomus saltatrix</i>						fish	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>			fish			fish	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>			fish			fish	

CRUSTACEANS and MOLLUSCS	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>	wild farmed						
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed						
<b>Roes Abalone</b> <i>Haliotis roei</i>							
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>							
<b>Bug</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>					fish		
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>							fish
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>							
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>					x	x	
<b>Mud Crab</b> <i>Scylla serrata</i>					fish		
<b>Sand Crab</b> <i>Ovalipes</i> species					fish		
<b>Spanner Crab</b> <i>Ranina ranina</i>			x	x			
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed				fish		
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed				fish		
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed						
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed				fish		
<b>Octopus</b> <i>Octopus</i> species			fish		fish		
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed				fish		
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed				fish		
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>			fish				
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>			fish				
<b>School Prawn</b>							
<b>Endeavour Prawn</b> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>							





① Previously known as Jackass morwong, Grey morwong, Terakihi, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known as Redfish, Nannygai, Red snapper.

⑤ Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

⑥ Giant Crab - VIC - Closed season until 15 November. Giant Crab are available after this date.

⑦ Giant Crab - TAS - Closed season until 18 November. Giant Crab supply peaks after this date.

⑧ Spanner Crab - QLD - NSW - Closed season commencing 20 November. Spanner Crab supply peaks before this date.

⑨ Previously known as Kuruma prawn.

⑩ Southern Rock Lobster - VIC - Closed season until 15 November. Southern Rock Lobster are available after this date.

Southern Rock Lobster - TAS - Closed season until 18 November. Southern Rock Lobster are available after this date.

Western Rock Lobster - WA - Closed season until 15 November. Western Rock Lobster are available after this date.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.

# Help wanted

Seafood Product Development. We can provide up to \$30 000 to support near market commercially-focused projects. Your ideas. Joint dollars.




For more details contact:  
Ian Wells, National Seafood Centre.  
Phone 07 3406 8595  
Fax 07 3406 8677  
Email: [wells@dpi.qld.gov.au](mailto:wells@dpi.qld.gov.au)  
Internet: [www.dpi.qld.gov.au/cft/cft\\_nsc.html](http://www.dpi.qld.gov.au/cft/cft_nsc.html)


The National Seafood Centre is supported by the Fisheries Research & Development Corporation.






## AVAILABILITY OF SPECIES FOR THE MONTH OF DECEMBER



FINFISH	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Atlantic Salmon</b> <i>Salmo salar</i>				■			
<b>Australian Salmon</b> <i>Aripris trutta</i> and <i>A. truttaceus</i>		■	■	■	■	■	
<b>Barramundi</b> <i>Lates calcarifer</i>	wild farmed	✗			■	■	✗
<b>Blue Eye</b> <i>Hyperoglyphe antarctica</i>		■	■	■	■	■	
<b>Blue Grenadier</b> <i>Macruronus novaezelandiae</i>		■	■	■	■	■	
<b>Bream</b>							
<b>Yellowfin Bream</b> <i>Acanthopagrus australis</i>	■	■	■				
<b>Black Bream</b> <i>Acanthopagrus butcheri</i>		■	■		■	■	
<b>Coral Trout</b> <i>Plectropomus</i> and <i>Variola</i> species	■				■		■
<b>Dory</b>							
<b>John Dory</b> <i>Zeus faber</i>	■	■	■	■	■		
<b>Mirror Dory</b> <i>Zenopsis nebulosus</i>	■	■	■	■	■	■	
<b>Silver Dory</b> <i>Cyttus australis</i>	■	■	■	■	■	■	
<b>Eel</b>							
<b>Shortfin Eel</b> <i>Anguilla australis</i>	■	■	■	■			
<b>Longfin Eel</b> <i>Anguilla reinhardtii</i>	■	■	■				
<b>Emperor</b> <i>Lethrinus</i> species	■				■	■	
<b>Red Emperor</b> <i>Lutjanus sebae</i>	■				■	■	
<b>Flathead</b>							
<b>Dusky Flathead</b> <i>Platycephalus fuscus</i>	■	■	■	■			
<b>Tiger Flathead</b> <i>Neoplatycephalus richardsoni</i>	■	■	■	■			
<b>Bartail Flathead</b> <i>Platycephalus indicus</i>	■						
<b>Deepwater Flathead</b> <i>Neoplatycephalus conatus</i>					■	■	
<b>Sand Flathead</b> <i>Platycephalus bassensis</i>	■	■	■				
<b>Northern Sand Flathead</b> <i>Platycephalus arenarius</i>	■						
<b>Rock Flathead</b> <i>Platycephalus laevigatus</i>	■						
<b>Southern Flathead</b> <i>Platycephalus speculator</i>	■	■	■	■			
<b>Flounder</b>							
<b>Greenback Flounder</b> <i>Rhombosolea tapirina</i>		■	■	■			
<b>Mullet</b>							
<b>Sea Mullet</b> <i>Mugil cephalus</i>	■	■	■				
<b>Diamondscale Mullet</b> <i>Liza vaigiensis</i>							
<b>Other Mullets</b> species of the family Mugilidae	■	■	■	■	■	■	
<b>Mulloway</b> <i>Argyrosomus hololepidotus</i> ♂		■			■	■	
<b>Orange Roughy</b> <i>Hoplostethus atlanticus</i>	✗	■	■	■	■		
<b>Oreo</b>							
<b>Smooth Oreo</b> <i>Pseudocyttus maculatus</i>		■	■				
<b>Black Oreo</b> <i>Allocyttus niger</i> and <i>A. verrucosus</i>			■				
<b>Spikey Oreo</b> <i>Neocyttus rhomboidalis</i>	■	■	■				
<b>Pearl Perch</b> members of the genus <i>Glaucosoma</i> except <i>G. hebraicum</i>	■	■				■	
<b>Pilchard</b> <i>Sardinops neopilchardus</i>	■	■	■		■	■	
<b>Redfish</b> <i>Centroberyx affinis</i> ♂	■	■	■	■	■	■	
<b>Bight Redfish</b> <i>Centroberyx gerrardi</i> ♂					■	■	
<b>Rock Cod</b> <i>Epinephelus</i> , <i>Anyperodon</i> and <i>Aethaloperca</i> species	■	■			■	■	
<b>Sea Perch</b> <i>Lutjanus</i> species	■	■			■	■	
<b>Shark</b>							
<b>Gummy Shark</b> <i>Mustelus</i> species	■	■	■	■	■	■	
<b>Blacktip Shark</b> <i>Carcharhinus</i> species	■	■	■	■	■	■	
<b>School Shark</b> <i>Galeorhinus galeus</i>	■	■	■	■	■	■	
<b>Angel Shark</b> <i>Squatina</i> species	■	■	■	■	■	■	
<b>Saw Shark</b> <i>Pristiophorus</i> species	■	■	■	■	■	■	
<b>Spikey Dogfish</b> <i>Squalus megalops</i>	■	■	■	■			
<b>Snapper</b> <i>Pagrus auratus</i>	■	■	■		■	■	
<b>Tailor</b> <i>Pomatomus saltatrix</i>	■	■	■			■	
<b>Blue Threadfin</b> <i>Eleutheronema tetradactylum</i>		■			■	■	
<b>King Threadfin</b> <i>Polydactylus sherdani</i>		■			■	■	
<b>CRUSTACEANS and MOLLUSCS</b>	QLD	NSW	VIC	TAS	SA	WA	NT
<b>Abalone</b>							
<b>Blacklip Abalone</b> <i>Haliotis rubra</i>	wild farmed				■	■	
<b>Greenlip Abalone</b> <i>Haliotis laevigata</i>	wild farmed		✗	✗	■	■	
<b>Roes Abalone</b> <i>Haliotis roei</i>						■	
<b>Brownlip Abalone</b> <i>Haliotis conicopora</i>						■	
<b>Bug</b>							
<b>Balmain Bug</b> <i>Ibacus peronii</i>					■		
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>		■	■				✗
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>	■	■			■	■	
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>					■	■	■
<b>Mud Crab</b> <i>Scylla serrata</i>	■	■				■	
<b>Sand Crab</b> <i>Ovalipes</i> species	■	■	■		■	■	■
<b>Spanner Crab</b> <i>Ranina ranina</i>	✗	✗	✗	✗			
<b>Freshwater Crayfish</b>							
<b>Yabby</b> <i>Cherax</i> species except <i>C. quadricarinatus</i> , <i>C. tenuimanus</i>	wild farmed		■	■	■	■	
<b>Redclaw</b> <i>Cherax quadricarinatus</i>	farmed	■	■	■			
<b>Marron</b> <i>Cherax tenuimanus</i>	farmed				■	■	
<b>Blue Mussel</b> <i>Mytilus edulis</i>	wild farmed		■	■	■	■	
<b>Octopus</b> <i>Octopus</i> species		■	■	■	■	■	
<b>Oyster</b>							
<b>Sydney Rock Oyster</b> <i>Saccostrea commercialis</i>	farmed	■	■				■
<b>Pacific Oyster</b> <i>Crassostrea gigas</i>	farmed		■		■	■	
<b>Banana Prawn</b> <i>Penaeus merguiensis</i> , <i>P. indicus</i>		■				✗	✗
<b>King Prawn</b> <i>Penaeus latisulcatus</i> , <i>P. plebejus</i> , <i>P. longistylus</i>		■			■	■	✗
<b>School Prawn</b>							
<b>Endeavour Prawn</b> <i>Metapenaeus endeavouri</i> , <i>M. ensis</i>		■			✗	✗	





① Previously known as Jackass morwong, Grey morwong, Terakihi, Sea bream, Deep sea bream, Jackass fish, Perch, Deep sea perch, Silver perch.

② Previously known as Jewfish, Kingfish, Butterfish, River kingfish.

③ Previously known as Nannygai, Red snapper.

④ Previously known as Redfish, Nannygai, Red snapper.

⑤ Previously known as Tasmanian trevally, Snotty trevally, Snotgall trevalla, Warehou, Sea bream, Black trevally, Haddock.

⑥ Greenlip Abalone - NSW - Closed season commencing 20 December. Greenlip Abalone are available before this date.

⑦ Spanner Crab - QLD - NSW - Closed Season until 20 December. Spanner Crab are available after this date.

⑧ Previously known as Kuruma prawn.

Note: Refer to General Notes, Closures and Developing Aquaculture Species detailed in back of calendar.



## For the way we live today

Sarantos Moussaradellis has been the driving force in creating a Chardonnay that matches our relaxed Mediterranean lifestyle and al fresco dining. Sarantos is a soft press Chardonnay. With no heavy pressing, there is no bitterness, or oil to contaminate the juice. Just the clean fresh taste of pure Chardonnay considered by many to be the world's finest white wine grape.

**SARANTOS**  
Australian Chardonnay

## ALTERNATIVES TABLE: FINFISH



This table provides a quick and convenient reference guide on which species might be used as alternatives for others. You may require certain characteristics in the seafood you buy, for example a firm texture, high oiliness, or a low price. If the species you normally buy is unavailable (because, say, of bad weather), you can use the tables to find which species are alternatives for fulfilling your needs.

### OILINESS

Indicates whether the oiliness of the flesh is low, medium or high.

Usually, low means less than about 5%, medium means about 5 – 10%, high means more than about 10%.

### TEXTURE

Shows whether flesh texture is soft, medium or firm.

### FLESH COLOUR

Colour indicated is before cooking. Flesh colour can vary according to such factors as sex, environment, feed, handling and age.

### FLAVOUR

Indicates whether the flavour of the flesh is mild (or light), medium or strong. Note that flavour can vary according to factors such as environment and time of year.

### PRICE

Indicates whether the average commercial price when the species is in season, is low, medium or high.

Price can vary according to many factors, including region – a local species can be cheaper because supply is plentiful, or more expensive because it's well known and popular.

Price legend: **High priced** **Medium priced** **Low priced**

(prices are based on average annual price 1996/1997 in the Sydney Fish Market)

OILINESS & TEXTURE	White Flesh Mild Flavour	White Flesh Medium Flavour	Pink Flesh Mild Flavour	Pink Flesh Medium Flavour	Pink Flesh Strong Flavour
<b>Low Oiliness</b>					
Soft Texture	Mulloway	Wrasse			
Medium Texture		Flounder <sup>1</sup> Red Emperor Sea Perch			
Medium to Firm Texture		Shark <sup>2</sup>			
Firm Texture	Leatherjacket Rock Cod <sup>3</sup>				
Soft, Medium & Firm Texture	Whiting <sup>4</sup>	Flathead <sup>5</sup>			
<b>Low to Medium Oiliness</b>					
Soft to Medium Texture	Blue Grenadier	Garfish Murray Cod Pearl Perch West Aust Dhufish			
Medium Texture	Dory <sup>6</sup> Golden Perch Snapper	Silver Perch			
Medium to Firm Texture		Morwong			
Firm Texture	Coral Trout Ling				
<b>Medium Oiliness</b>					
Medium Texture	Oreo				
Soft to Firm Texture				Bigeye Tuna Yellowfin Tuna	
Medium to Firm Texture	Barramundi		Albacore <sup>7</sup> Kingfish <sup>8</sup>		
Firm Texture	Emperor	Blue Threadfin King Threadfin	Tropical Snapper <sup>9</sup>		
<b>Medium to High Oiliness</b>					
Soft to Medium Texture	Bream		Blue Eye <sup>10</sup>		
Medium Texture		Warehou			
Medium to Firm Texture	Orange Roughy		Redfish		Mackerel Trevally
<b>High Oiliness</b>					
Soft Texture			Trout ( <i>Oncorhynchus mykiss</i> )		Pilchard
Soft to Medium Texture					Tailor Mullet <sup>11</sup>
Medium Texture		Eel		Trout ( <i>Salmo trutta</i> ) Atlantic Salmon S. Bluefin Tuna	

1. Flounder are a medium to high priced finfish in southern states and low to medium priced in other areas where they are less well known.

2. The flesh colour of shark varies from white to translucent pink.

3. Saltwater Rock Cod have a white flesh, while estuarine Rock Cod have a darker flesh.

4. King George Whiting are medium to high priced, School Whiting low priced and Other whiting medium priced.

5. The texture of flathead varies according to the species.

6. The John Dory is high priced; the other dories are medium priced.

7. All tuna have a creamy white flesh when cooked. Albacore is often referred to as the 'chicken of the sea' due to the colour of its flesh when cooked.

8. Kingfish flesh colour varies from white to dark pink.


9. Tropical Snapper are medium to high priced finfish.

10. In southern states Blue Eye is very popular and therefore is high priced. Where it is not well known it is low priced.

11. Mullet have a seasonally high fat content during their migration (April to May), leading up to spawning. Diamondscale Mullet attract a higher price than Sea Mullet.

This information has been sourced from the Australian Seafood Catering Manual (DPI) and Victorian Fisheries – Department of Natural Resources and Environment.

## ALTERNATIVES TABLE: CRUSTACEANS and MOLLUSCS



This table provides a quick and convenient reference guide on which species might be used as alternatives for others.

You may require certain characteristics in the seafood you buy, for example a firm texture, high oiliness, or a low price. If the species you normally buy is unavailable (because, say, of bad weather), you can use the tables to find which species are alternatives for fulfilling your needs.

### FLAVOUR

Indicates whether the flavour of the flesh is mild (or light), medium or strong. Note that flavour can vary according to factors such as environment and time of year.

### TEXTURE

Shows whether flesh texture is soft, medium or firm.

### FLESH COLOUR

As the flesh colour of crustaceans and molluscs changes after cooking, both the raw and cooked flesh colours are noted. Flesh colour can vary according to such factors as sex, environment, feed, handling and age.

### PRICE

Indicates whether the average commercial price when the species is in season, is low, medium or high.

Price can vary according to many factors, including region – a local species can be cheaper because supply is plentiful, or more expensive because it's well known and popular.

Price legend: **High priced**   **Medium priced**   **Low priced**

(prices are based on average annual price 1996/1997 in the Sydney Fish Market)

FLAVOUR & TEXTURE	FLESH COLOUR			
	Raw – translucent Cooked – white with pinkish band	Raw – translucent Cooked – white	Raw – translucent Cooked – white and opaque	White
<b>Mild Flavour</b>				
Medium Texture	Banana Prawn Other School Prawn			Calamari
Firm Texture	Bay Prawn	Blue Swimmer Crab		Octopus Squid
<b>Medium Flavour</b>				
Soft to Medium Texture		Spanner Crab		
Medium to Firm Texture	King Prawn Tiger Prawn		Rock Lobster	
Firm Texture			Marron Redclaw Yabby	Abalone <sup>1</sup>
<b>Medium to Strong Flavour</b>				
Medium to Firm Texture		Mud Crab		
Firm Texture	Endeavour Prawn		Balmain Bug Moreton Bay Bug	
<b>Strong Flavour</b>				
Soft Texture				Scallops <sup>2</sup>
Soft to Medium Texture				Giant Crab
Medium Texture				Blue Mussel <sup>3</sup>

1. Abalone has a cream coloured flesh.

2. When raw, scallops have a cream coloured flesh. When cooked their flesh turns white.

3. Blue Mussels have a cream, yellow or mustardy flesh colour with a dark edge.


### OTHER

FLAVOUR & TEXTURE	FLESH COLOUR		
	Raw – grey colour Cooked – brownish grey	Orange-yellowish flesh colour	Pink flesh
<b>Medium flavour</b>			
Firm texture		Sea Urchin (roe)	
Soft texture			Beche-de-Mer
<b>Strong flavour</b>			
Soft texture	Oysters		

This information has been sourced from the Australian Seafood Catering Manual (DPI) and Victorian Fisheries – Department of Natural Resources and Environment.




# AUSTRALIA'S SEAFOOD BY SEASON AT A GLANCE



# AUSTRALIA'S SEAFOOD BY SEASON AT A GLANCE

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
<b>Tropical Snapper</b> Goldband Snapper <i>Pristipomoides multidens</i> and <i>P. typus</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>King Snapper</b> <i>Pristipomoides filamentosus</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Green Jobfish</b> <i>Apriom virescens</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>rout</b> <i>Oncorhynchus mykiss</i> and <i>Salmo trutta</i>	farmed	fish										
<b>una</b>		fish										
<b>Yellowfin Tuna</b> <i>Thunnus albacares</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Southern Bluefin Tuna</b> <i>Thunnus maccoyii</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Bigeye Tuna</b> <i>Thunnus obesus</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Skipjack Tuna</b> <i>Katsuwonus pelamis</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Mackerel Tuna</b> <i>Euthynnus affinis</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Albacore</b> <i>Thunnus alalunga</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Varehou</b>												
<b>Blue Warehou</b>												
<i>Seriola brama</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Silver Warehou</b>												
<i>Seriola punctata</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>West Australian Dhufish</b> <i>Glaucosoma hebraicum</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Whiting</b>												
<b>King George Whiting</b> <i>Sillaginodes punctata</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>School Whiting</b> <i>Sillago bassensis</i> , <i>S. flindersi</i> , <i>S. robusta</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Trumpeter Whiting</b> <i>Sillago maculata</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Sand Whiting</b> <i>Sillago ciliata</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Yellowfin Whiting</b> <i>Sillago schomburgkii</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Golden-lined Whiting</b> <i>Sillago analis</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Vrasse</b> species of the family Labridae	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>CRUSTACEANS and MOLLUSCS</b>												
<b>Abalone</b>												
<b>Blacklip Abalone</b> <i>Halitius rubra</i>	wild farmed	fish										
<b>Greenlip Abalone</b> <i>Halitius laevigata</i>	wild farmed	4	4	4	fish	fish	fish	fish	4	4	4	4
<b>Roes Abalone</b> <i>Halitius roei</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Brownlip Abalone</b> <i>Halitius conicopora</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Bug</b>												
<b>Balmain Bug</b> <i>Ibacus peronii</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Moreton Bay Bug</b> <i>Thenus orientalis</i>	5	5	5	fish	fish	fish	5	fish	fish	fish	fish	5
<b>Blue Swimmer Crab</b> <i>Portunus pelagicus</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Giant Crab</b> <i>Pseudocarcinus gigas</i>	fish	6	fish	fish	fish	fish	fish	fish	6	6	6	6
<b>Mud Crab</b> <i>Scylla serrata</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Sand Crab</b> <i>Ovalipes species</i>	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish	fish
<b>Spanner Crab</b> <i>Ranina ranina</i>	fish	fish	fish	fish	fish	fish	fish	fish	7	7	7	7



1. Barramundi closures – Qld (Nov to Jan (inclusive)) – NT (Oct to Jan (inclusive)).
  2. Murray Cod closures – NSW (Sept to Nov (inclusive)) – SA (Sept to Dec (inclusive)).
  3. Banded Morwong closure – Tas (Mar and Apr).
  4. Greenlip Abalone closure – NSW (20 Dec to 17 Jan) – Vic (Oct to March (inclusive)).
  5. Moreton Bay Bug closure – NT (Dec to Mar (inclusive) and Jul).
  6. Giant Crab closures – Tas (Feb 14 to 28 and Sept 1 to Nov 18) – Vic (Sept 1 to Nov 15).
  7. Spanner Crab closures – Qld & NSW (Nov 20 to Dec 20).
  8. Banana Prawn closures – NT (Dec to Mar (inclusive) and Jul) – WA (Dec to Feb (inclusive)).
  9. King Prawn closure – NT (Dec to Mar (inclusive) and Jul).
  10. Endeavour Prawns closures – WA (Dec and Jan) – Qld (Jan and Feb) – NT (Dec to Mar (inclusive) and Jul).
  11. Other Tiger Prawn closures – NT (Dec to Mar (inclusive) and Jul) – WA (Dec and Jan).
  12. Southern Rock Lobster closure – Tas (Feb 14 to 28 and Sept 1 to Nov 18) – Vic (Sept 1 to Nov 15) – SA (June and Sept).
  13. Western Rock Lobster closure – WA (June 30 to Nov 15).
  14. Commercial Scallops (wild) closures – Tas and Vic (Jan to May (inclusive)).
  15. Saucer Scallops closure – NT (Dec to Mar (inclusive) and Jul).
  16. Asian Squid closure – NT (Dec to Mar (inclusive) and Jul).
  17. Northern Calamari closure – NT (Dec to Mar (inclusive) and Jul).

The seasonal availability in the 12 months at a glance table was compiled from an average of the monthly availability in each state.

## SUPPLIER CONTACTS

Name \_\_\_\_\_

Telephone \_\_\_\_\_




**Call the Fish Line**  
Sydney Fish Market  
**(02) 9552 2180**

For free seafood cookery advice or a copy of the Sydney Seafood School program.



## CLOSURES



### Queensland

- Please note that fisheries management arrangements for the majority of fisheries throughout the state are currently under review. Seasonal closures may be effected by any new fisheries management plans.
- There is a closed wild caught season for Barramundi (*Lates calcarifer*) from November to January (inclusive).
- The Endeavour Prawn (*Metapenaeus endeavouri*, *M. Ensis*) season is closed during January and February.
- The Spanner Crab (*Ranina ranina*) season is closed during 20 November to 20 December.

### New South Wales

- There is a closed season for Murray Cod (*Maccullochella* species) from September to November (inclusive).
- There is a closed season for Orange Roughy (*Hoplostethus atlanticus*) throughout the entire year.
- The Greenlip Abalone (*Haliotis laevigata*) season is closed from 20 December to 17 January.
- The Spanner Crab (*Ranina ranina*) season is closed during 20 November to 20 December.
- The Commercial Scallop (*Pecten fumatus*) season is closed unless researchers say there are commercial quantities available and it is safe to harvest them.

### Victoria

- There is a closed season for Greenlip Abalone (*Haliotis laevigata*) from October to March (inclusive).
- There is a closed season for Giant Crab (*Pseudocarcinus gigas*) from 1 September to 15 November.
- There is a closed season for male Southern Rock Lobster (*Jasus edwardsii*) from 1 September to 15 November. The closed season for female Southern Rock Lobster extends from June 1 to November 15.
- The season for Commercial Scallop (*Pecten fumatus*) is closed from January to May (inclusive). However, it is very important to note that this is merely an indication; the season may be extended depending on the quality and abundance of the species.

### Tasmania

- There is a closed season for Banded Morwong (*Cheilodactylus spectabilis*) in Tasmania from 1 March to 30 April.
- There are two closed seasons for Giant Crab (*Pseudocarcinus gigas*) - from February 14 to 28 February, and from 1 September to 18 November.
- There are two closed seasons for Southern Rock Lobster (*Jasus edwardsii*) - from 14 to 28 February (for both male and female) and from 1 September to 18 November (males). The season for female Southern Rock Lobster extends from 1 May to 18 November.
- The closed season for Commercial Scallop (*Pecten fumatus*) is January – May (inclusive). The season indicated in the availability tables is only a guide and is usually open when the species is plentiful.

### South Australia

- There is a closed season for Murray Cod (*Maccullochella* species) from September to December (inclusive).
- There is a closed season for Southern Rock Lobster (*Jasus edwardsii*) from June to September (inclusive).

### Western Australia

- The Banana Prawn (*Penaeus merguiensis*, *P. indicus*) season is closed from December to February (inclusive).
- The Endeavour Prawn (*Metapenaeus endeavouri*, *M. Ensis*) season is closed during December and January.
- The Tiger Prawn (*Penaeus esculentus*, *P. semisulcatus*) season is closed during December and January.
- There is a closed season for Western Rock Lobster (*Panulirus cygnus*) from June 30 to November 15.

### Northern Territory

- There is a closed wild caught season for Barramundi (*Lates calcarifer*) in from October to January (inclusive).
- There is a closed season for the following species during December to March (inclusive) and throughout July - Moreton Bay Bugs (*Thenuis orientalis*), Banana Prawns (*Penaeus merguiensis*, *P. indicus*), Endeavour prawns (*Metapenaeus endeavouri*, *M. Ensis*), King Prawns (*Penaeus latifrons*, *P. plebejus*, *P. longistylus*), Tiger Prawns (*Penaeus esculentus*, *P. semisulcatus*), Saucer Scallops (*Amusium* species), Asian Squid (*Loligo farmosa*, *L. chinensis*) and Northern Calamari (*Sepioteuthis lessoniana*, *Loligo edulis*).



## GENERAL NOTES

### South Australia

Southern Bluefin Tuna (*Thunnus maccoyii*) are caught wild and then placed into aquaculture ponds for fattening.

## DEVELOPING AQUACULTURE SPECIES

Farming is currently in development stages for the following species:

### Queensland

Tiger Prawns (*Penaeus esculentus*), Grouper (*Epinephelus* sp), Snapper (*Pagrus auratus*), Eels - short fin (*Anguilla australis*) and long fin (*Anguilla reinhardtii*), Mangrove Jack (*Lutjanus argentimaculatus*), *Haliotis asinina* (Tropical abalone).

### New South Wales

Commercial Scallop (*Pecten fumatus*), Cod (eg. Murray and Eastern Fresh water), Mussels (*Mytilus edulis planatus*), Eels - short fin (*Anguilla australis*) and long fin (*Anguilla reinhardtii*), Snapper (*Pagrus auratus*), Muloway (*Argyrosomus hololepidotus*), Clams (*Tapes dorsatus* & *Katelysia rhytiphora*).

### Victoria

Blacklip abalone (*Haliotis rubra*), Eels - short fin (*Anguilla australis*) and long fin (*Anguilla reinhardtii*).

### Tasmania

Greenlip Abalone (*Haliotis laevigata*), Greenback Flounder (*Rhombosolea tapirina*), Blacklip abalone (*Haliotis rubra*), Clam (*Katelysia rhytiphora*), Striped Trumpeter (*Latris lineata*).

### South Australia

Greenlip Abalone (*Haliotis laevigata*), Snapper (*Pagrus auratus*), Mussels (*Mytilus edulis planatus*), Commercial Scallop (*Pecten fumatus*), King George whiting (*Sillaginoides punctata*), Blue swimmer crab (*Portunus pelagicus*).

### Western Australia

Black Bream (*Acanthopagrus butcheri*), Silver Perch (*Bidyanus bidyanus*), Snapper (*Pagrus auratus*), Dhufish (*Glaucosoma hebraicum*), Roes abalone (*Haliotis roei*), *Haliotis asinina* (Tropical abalone).

ISSN 0727-6273

Q197079

National Library of Australia cataloguing in publication data

Brown, Francene and McDonald, Peter

Australian Seafood by Season : your state by state and month by month guide to Australia's seafood seasonality.

ISBN 0 7242 6742 5

1. Fishing - Australia. I. Brown, Francene. II. McDonald, Peter, 1975 -. III. Queensland. Dept. of Primary Industries. (Series : Information series (Queensland. Dept. of Primary Industries) ; Q197079) 799.10996

The Department of Primary Industries, Queensland has taken all reasonable steps to ensure that the information contained in this publication is accurate at the time of publication. Readers should ensure that they make appropriate enquiries to determine whether new information is available on the particular subject matter. Information contained in this publication is provided as general advice only. For application to specific circumstances, professional advice should be sought.

© The State of Queensland, Department of Primary Industries 1997

Copyright protects this publication. Except for purposes permitted by the Copyright Act 1968, reproduction by whatever means is prohibited without the prior written permission of the Department of Primary Industries, Queensland. Enquiries should be addressed to:

Manager Publication Production  
Department of Primary Industries, Queensland  
GPO Box 46  
Brisbane Q 4001

Published December 1997



**Green Jobfish***Aprion virescens***Trout***Oncorhynchus mykiss* and *Salmo trutta*  
(Illustrated – *Oncorhynchus mykiss*)**Yellowfin Tuna***Thunnus albacares***Blue Warehou***Seriolella brama***West Australian Dhufish***Glaucosoma hebraicum***Sand Whiting***Sillago ciliata***Wrasse**

species of the family Labridae

**Blacklip Abalone***Haliotis rubra***Moreton Bay Bug***Thenus orientalis***Blue Swimmer Crab***Portunus pelagicus***Giant Crab***Pseudocarcinus gigas***Mud Crab***Scylla serrata***Sand Crab**

Ovalipes species

**Spanner Crab***Ranina ranina***Yabby**Cherax species except *C. quadricarinatus*,  
*C. tenuimanus***Redclaw***Cherax quadricarinatus***Blue Mussel***Mytilus edulis***Octopus***Octopus species***Sydney Rock Oyster***Saccostrea commercialis***Banana Prawn***Penaeus merguiensis*, *P. indicus*  
(Illustrated – *Penaeus merguiensis*)**King Prawn***Penaeus latisulcatus*, *P. plebejus*, *P. longistylus*  
(Illustrated – *Penaeus longistylus*)**Endeavour Prawn***Metapenaeus endeavouri*, *M. ensis*  
(Illustrated – *Metapenaeus endeavouri*)**Bay Prawn***Metapenaeus bennettiae*, *M. insolitus*  
(Illustrated – *Metapenaeus bennettiae*)**School Prawn***Metapenaeus species*  
(Illustrated – *Metapenaeus macleayi*)**Other Tiger Prawn***Penaeus japonicus***Tiger Prawn***Penaeus esculentus*, *P. semisulcatus*  
(Illustrated – *Penaeus esculentus*)**Black Tiger Prawn***Penaeus monodon***Southern Rock Lobster***Jasus edwardsii***Saucer Scallop***Amusium species***Arrow Squid***Nototodarus gouldi***Southern Calamari***Sepioteuthis australis***Beche-de-Mer**

families Holothuriidae and Stichopodidae

**Sea Urchin**


species of the family Echinometridae




The authors would like to thank CSIRO for the photos of Sea Perch and Wrasse. Victorian Fisheries – Department of Natural Resources and Environment supplied photos of Pilchard, Sand Crab, Sea Urchins, Bay Flounder, Giant Crab, Southern Calamari, Australian Salmon and Murray Cod. The remaining photos were supplied by Department of Primary Industries, Queensland (DPI).



FISHERIES  
RESEARCH &  
DEVELOPMENT  
CORPORATION



AUSEAS



NATIONAL  
SEAFOOD  
CENTRE

# FRDC – *Investing for Tomorrow's Catch*

FRDC Phone: (02) 6285 4485 Internet: <http://www.frdc.com.au/> Email: [frdc@frdc.com.au](mailto:frdc@frdc.com.au)

AUSEAS Phone: (07) 3406 8617

Internet: [www.dpi.qld.gov.au/cft/cft\\_ause.html](http://www.dpi.qld.gov.au/cft/cft_ause.html)

Email: [austinb@dpi.qld.gov.au](mailto:austinb@dpi.qld.gov.au)

*“... providing technological advice for the seafood industry.”*

National Seafood Centre Phone: (07) 3406 8595

Internet: [www.dpi.qld.gov.au/cft/cft\\_nsc.html](http://www.dpi.qld.gov.au/cft/cft_nsc.html)

Email: [wellsi@dpi.qld.gov.au](mailto:wellsi@dpi.qld.gov.au)

*“... adding value to the post-harvest sector of the seafood industry through funding research and development.”*

## Related publications:

- Australian Seafood Catering Manual

- Marketing Names for Fish and

- Seafood in Australia

- Australian Seafood Industry Directory

Available from AUSEAS

